# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date:** 06.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

TURMOPOLOIL 20 HD

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

# **Relevant identified uses**

**Product Categories [PC]** 

PC24 - Lubricants, greases, release products

# 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

Lubricant Consult GmbH US Distributor

Street: Gutenbergstraße 13 Fuchs Lubricants Co.

Postal code/city: 63477 MAINTAL (GERMANY) 17050 Lathrop Avenue
Harvey, IL 60426

**Telephone:** +49 6109/7650-0 Harvey, IL 6042 (708) 333-8900 **Telefax:** +49 6109/7650-51

(800) 255-3924 24 hrs Emergency

**E-mail:** msds-request@lubcon.com

Information contact: Environment, Health & Safety: Dr. Jens Matthes

### 1.4 Emergency telephone number

+49 6109/7650-0

Monday to Friday 8:00 AM to 4:00 PM (CET)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

None

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### **Hazardous ingredients**

 $Benzenamine, \ N-phenyl-, \ reaction \ products \ with \ 2,4,4-trimethyl pentene \ ; \ REACH \ registration \ No. \ : \ 01-2119491299-23-xxxx \ ; \ reaction \ products \ with \ 2,4,4-trimethyl pentene \ ; \ REACH \ registration \ No. \ : \ 01-2119491299-23-xxxxx \ ; \ reaction \ products \ with \ products \ products$ 

EC No.: 270-128-1; CAS No.: 68411-46-1

Weight fraction :  $\geq 1 - < 5 \%$ 

Classification 1272/2008 [CLP]: Repr. 2; H361 Aquatic Chronic 3; H412

N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine; REACH registration No.: 01-2119972293-33-xxxx; EC No.: 257-406-

8; CAS No. : 51772-35-1

Weight fraction :  $\geq 1 - < 5 \%$ 

Classification 1272/2008 [CLP]: Aquatic Chronic 4; H413

Page: 1/9

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date :** 06.01.2025

### **Further ingredients**

Polyglycol

Additives not to declare

#### **Additional information**

Full text of H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Remove contaminated, saturated clothing immediately. Wash immediately with: Water and soap In case of skin irritation, consult a physician.

### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### **After ingestion**

Rinse mouth immediately and drink plenty of water. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO2). ABC-powder. BC-powder. Foam. Dry sand.

# Unsuitable extinguishing media

Water. Strong water jet. High power water jet.

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO). Carbon dioxide (CO2). Burning produces heavy smoke.

### 5.3 Advice for firefighters

Use suitable breathing apparatus.

# 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

Special danger of slipping by leaking/spilling product.

Page: 2/9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date:** 06.01.2025

# 6.1 Personal precautions, protective equipment and emergency procedures

None

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Ensure waste is collected and contained. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Soak up inert absorbent and dispose as waste requiring special attention. Suitable material for taking up: Universal binder. Kieselguhr.

### 6.4 Reference to other sections

None

### **SECTION 7: Handling and storage**



# 7.1 Precautions for safe handling

# **Protective measures**

It is recommended to design all work processes always so that the following is excluded: Generation/formation of mist. Avoid: Inhalation of vapours or spray/mists. Skin contact, Eye contact. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

# 7.2 Conditions for safe storage, including any incompatibilities

### Hints on joint storage

Storage class: 10

Storage class (TRGS 510): 10

Keep away from

Food and feedingstuffs

# Further information on storage conditions

Keep/Store only in original container. Keep container tightly closed. Protect against UV-radiation/sunlight. Humidity. Contact with air/oxygen. Dust deposits.

# 7.3 Specific end use(s)

None

### **SECTION 8: Exposure controls/personal protection**

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and after work. Take the precautions customary when handling chemicals. Change contaminated, saturated clothing. Keep away from sources of ignition - No smoking.

# 8.1 Control parameters

None

#### 8.2 Exposure controls

### **Personal protection equipment**

# Eye/face protection

Eye protection: not required. Avoid: Eye contact.

Recommended eye protection articles

DIN EN 166

# **Skin protection**

Page: 3/9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date :** 06.01.2025

### **Hand protection**

Hand protection is not required

By long-term hand contact: Wear suitable gloves.

**Suitable material**: PE (Polyethylene). NR (natural rubber, natural latex). NBR (Nitrile rubber). **Breakthrough time (maximum wearing time)**: PE < 30 min.; NR < 10 min.; NBR > 480 min.

Thickness of the glove material: min. 0,38 mm

Recommended glove articles: EN ISO 374; DIN EN 420 Uvex. KCL, MAPA. Or comparable articles from other

companies.

# **Respiratory protection**

No special measures are necessary. Avoid: Inhalation of vapours or spray/mists

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

**Colour:** yellowish

# Safety relevant basis data

Physical state :			liquid	
Solidifying point :	( 1013 hPa )	=	-40	°C
Initial boiling point and boiling range:	( 1013 hPa )	>	250	°C
Decomposition temperature :	( 1013 hPa )	>	250	°C
Flash point :	( 1013 hPa )	>	270	°C
Vapour pressure :	(50 °C)	<	0,1	hPa
Density:	( 20 °C )	=	1,05	g/cm <sup>3</sup>
Viscosity:	( 20 °C )	=	230	mm²/s
Viscosity:	( 40 °C )	=	114	mm²/s
Viscosity:	( 100 °C )	=	20	mm²/s

# 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

The product is stable.

# 10.3 Possibility of hazardous reactions

No information available.

# 10.4 Conditions to avoid

No information available.

# 10.5 Incompatible materials

Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Gases/vapours, harmful.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute effects

Page: 4/9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date :** 06.01.2025

By analogy:

**Acute oral toxicity** 

Parameter: LD50
Exposure route: Oral
Species: Rat

Effective dose : > 2000 mg/kg

Acute dermal toxicity

Parameter: LD50
Exposure route: Dermal
Species: Rabbit
Effective dose: > 2000 mg/kg

**Irritant and corrosive effects** 

Primary irritation to the skin

Parameter: Primary irritation to the skin ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine;

CAS No.: 51772-35-1)

Species: Rabbit
Result: Not an irritant

**Irritation to eyes** 

Parameter: Irritation to eyes ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine ; CAS No. :

51772-35-1)

Species: Rabbit
Result: Not an irritant

Sensitisation

In case of skin contact

Parameter: Skin sensitisation ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine ; CAS No. :

51772-35-1)

Species: Guinea pig
Result: Not sensitising.
Method: OECD 406

In case of inhalation

Parameter: Sensitisation to the respiratory tract ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-

amine; CAS No.: 51772-35-1)

Species: Guinea pig
Result: Not sensitising.
Method: OECD 406

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
In vitro mutagenicity

Parameter: Gene-mutations mammalian cells ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-

amine; CAS No.: 51772-35-1)

Test result : Ames test negative.

Reproductive toxicity

Developmental toxicity/teratogenicity

One generation reproduction toxicity test

Parameter: NOAEL(C) ( Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

; CAS No.: 68411-46-1)

Exposure route : Oral Species : Rat

 $\begin{array}{ll} \mbox{Effective dose}: & = 18 \mbox{ mg/kg/d} \\ \mbox{Test result}: & \mbox{Questionable}. \\ \mbox{Method}: & \mbox{OECD 443} \\ \end{array}$ 

Source : Published on the ECHA website

Page: 5 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date :** 06.01.2025

### 11.2 Information on other hazards

No information available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Aquatic toxicity**

### Acute (short-term) fish toxicity

Parameter: LC50

Species: Brachydanio rerio (Zebrafish)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: > 100 mg/l

### Acute (short-term) daphnia toxicity

Parameter: EC50 (Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene; CAS

No.: 68411-46-1)

Species: Daphnia magna (Big water flea)
Evaluation parameter: Acute (short-term) daphnia toxicity

Effective dose : = 51 mg/lExposure time : 48 h

Parameter: EC50 ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine ; CAS No.: 51772-35-1 )

Species: Daphnia magna (Big water flea)
Evaluation parameter: Acute (short-term) daphnia toxicity

 $\begin{array}{lll} \hbox{Effective dose:} & > 100 \ \hbox{mg/l} \\ \hbox{Exposure time:} & 48 \ \hbox{h} \\ \hbox{Method:} & \hbox{OECD 202} \\ \end{array}$ 

# Acute (short-term) algae toxicity

Parameter: EC50 ( Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene ; CAS

No.: 68411-46-1)

Species: Algae

Evaluation parameter : Acute (short-term) algae toxicity

Effective dose : > 100 mg/l Exposure time : 72 h

Parameter: EC0 ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine; CAS No.: 51772-35-1)

Species: Desmodesmus subspicatus
Evaluation parameter: Acute (short-term) algae toxicity

Effective dose : > 100 mg/l Exposure time : 72 h

 $\label{eq:evaluation:tested} \mbox{Evaluation:} \qquad \qquad \mbox{Harmless to algae up to the concentration tested.}$ 

Method: OECD 201

**Bacteria toxicity** 

Parameter: EC50

Species: Pseudomonas putida Effective dose: > 1000 mg/l

# 12.2 Persistence and degradability

# **Biodegradation**

Parameter: Biodegradation ( N-phenyl-1,1,3,3-tetramethylbutylnaphthalen-1-amine; CAS No.:

51772-35-1)

Evaluation: Poorly biodegradable.

Method: OECD 301B

Overall evaluation on the mixture: Not readily biodegradable (according to OECD criteria).

# 12.3 Bioaccumulative potential

Page: 6 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date:** 06.01.2025

No information available.

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

Endocrine disrupting potential: None known.

#### 12.7 Other adverse effects

This product does not contain nanoparticles.

### 12.8 Overall evaluation

If product enters soil, it will be mobile and may contaminate groundwater. In accordance with the required stability the product is poorly biodegradable.

# **SECTION 13: Disposal considerations**

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. Collect the waste separately. Evidence for disposal must be provided.

#### **Product/Packaging disposal**

# Waste codes/waste designations according to EWC/AVV

#### Waste code product

13 02 06 - Synthetic engine, gear and lubricating oils

### Waste code packaging

 $15\ 01\ 10$  - Packaging containing residues of or contaminated by hazardous substances. - Dispose of completely emptied containers as combustible waste or metal waste depending on the material.

### **SECTION 14: Transport information**

# 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or

Page: 7 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOPOLOIL 20 HD

**Revision date:** 06.01.2025 **Version (Revision):** 3.1.0 (3.0.0)

**Print date :** 06.01.2025

### mixture

### **National regulations**

# **Restrictions of occupation**

Not relevant

#### Störfallverordnung

Not subject to StörfallVO.

### **Emission control act (TA-Luft)**

Weight fraction (Number 5.2.5. I): < 1 %

#### Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to AwSV

#### Other regulations, restrictions and prohibition regulations

General Water Assessment Methodology (ABM) of the Netherlands: Slightly harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Part of substances from the ZZS category (Zeer Zorgwekkende Stoffen = Substances of very high concern): None.

#### **Switzerland**

#### **VOCV-Regulation**

Volatile organic compounds (VOC) content in percent by weight: 0 %

#### **Additional information**

### TSCA (Toxic Substances Control Act) - USA, United States of America

All chemical substances in this mixture are included on or are exempted from listing on the TSCA Inventory for Chemical Substances.

#### California Proposition 65 - State of California

Based on available information this product does not contain any components or chemicals currently known to the State of California to cause cancer, birth defects or reproductive harm at levels which would be subject to Proposition 65.

# 15.2 Chemical safety assessment

No information available.

# **SECTION 16: Other information**

### 16.1 Indication of changes

15. National regulations

# 16.2 Abbreviations and acronyms

None

### 16.3 Key literature references and sources for data

Includes supplements in accordance with Regulation (EU) 2020/878 of June 18, 2020

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The statement is derived from the properties of the single components.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H361 Suspected of damaging fertility or the unborn child.
H412 Harmful to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

### 16.6 Training advice

None

### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day

Page: 8 / 9

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOPOLOIL 20 HD

**Revision date :** 06.01.2025 **Version (Revision) :** 3.1.0 (3.0.0)

**Print date:** 06.01.2025

knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9 / 9