according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

TURMOWOODOIL OSB

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product Categories [PC]

PC24 - Lubricants, greases, release products

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Lubricant Consult GmbH US Distributor

Street:Gutenbergstraße 13Fuchs Lubricants Co.Postal code/city:63477 MAINTAL (GERMANY)17050 Lathrop AvenueTelephone:+49 6109/7650-0Harvey, IL 60426

Telefax: +49 6109/7650-51 (708) 333-8900

E-mail: msds-request@lubcon.com (800) 255-3924 24 hrs Emergency

Information contact: Environment, Health & Safety: Dr. Jens Matthes

1.4 Emergency telephone number

+49 6109/7650-0

Monday to Friday 8:00 AM to 4:00 PM (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Special rules for supplemental label elements for certain mixtures

EUH208 Contains 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]aniline; Reaction

mass of N,N-bis(2-ethylhexyl)-methyl-Benzotriazole-methanamine. May produce an allergic

reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Tris(2-ethylhexyl)phosphate; REACH registration No.: 01-2119517575-36-xxxx; EC No.: 201-116-6; CAS No.: 78-42-2

Weight fraction : \geq 1 - < 5 % Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315

Further ingredients

Ester oil

Page: 1 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 16.07.2025

Additives not to declare

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Remove contaminated, saturated clothing immediately. Wash immediately with: Water and soap In case of skin irritation, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO2). ABC-powder. BC-powder. Foam. Dry sand.

Unsuitable extinguishing media

Water. Strong water jet. High power water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO). Carbon dioxide (CO2). Burning produces heavy smoke.

5.3 Advice for firefighters

Use suitable breathing apparatus.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Special danger of slipping by leaking/spilling product.

6.1 Personal precautions, protective equipment and emergency procedures

None

Page: 2 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Ensure waste is collected and contained. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Soak up inert absorbent and dispose as waste requiring special attention. Suitable material for taking up: Universal binder. Kieselguhr.

6.4 Reference to other sections

None

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

It is recommended to design all work processes always so that the following is excluded: Generation/formation of mist. Avoid: Inhalation of vapours or spray/mists. Skin contact, Eye contact. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage

Storage class: 10

Storage class (TRGS 510): 10

Keep away fromFood and feedingstuffs

Further information on storage conditions

Keep/Store only in original container. Keep container tightly closed. Protect against UV-radiation/sunlight. Humidity. Contact with air/oxygen. Dust deposits.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and after work. Take the precautions customary when handling chemicals. Change contaminated, saturated clothing. Keep away from sources of ignition - No smoking.

8.1 Control parameters

DNEL/DMEL and PNEC values

DNEL/DMEL

Limit value type: DNEL/DMEL (Consumer) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

 $\begin{array}{ll} \mbox{Exposure route:} & \mbox{Inhalation} \\ \mbox{Exposure frequency:} & \mbox{Short-term (acute)} \\ \mbox{Limit value:} & = 62,5 \ \mbox{mg/m}^3 \\ \end{array}$

Limit value type: DNEL/DMEL (Consumer) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

 $\begin{array}{lll} \mbox{Exposure route}: & \mbox{Inhalation} \\ \mbox{Exposure frequency}: & \mbox{Long-term} \\ \mbox{Limit value}: & = 500 \ \mbox{mg/m}^3 \\ \end{array}$

Limit value type: DNEL/DMEL (Consumer) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Page: 3 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 16.07.2025

Exposure route : Dermal

Exposure frequency: Short-term (acute)
Limit value: = 25 mg/kg

Limit value type: DNEL/DMEL (Consumer) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : = 200 mg/kg

Limit value type : DNEL/DMEL (Consumer) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Exposure route : Oral

Exposure frequency: Short-term (acute)
Limit value: = 25 mg/kg

Limit value type: DNEL/DMEL (Consumer) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

 $\begin{array}{lll} \mbox{Exposure route}: & \mbox{Oral} \\ \mbox{Exposure frequency}: & \mbox{Long-term} \\ \mbox{Limit value}: & = 200 \mbox{ mg/m}^3 \\ \end{array}$

Limit value type : DNEL/DMEL (Workers) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Exposure route: Inhalation
Exposure frequency: Short-term (acute)
Limit value: = 350 mg/m³

Limit value type: DNEL/DMEL (Workers) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Limit value type: DNEL/DMEL (Workers) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route: Dermal
Exposure frequency: Short-term (acute)
Limit value: = 50 mg/kg

Limit value type: DNEL/DMEL (Workers) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: = 400 mg/kg

PNEC

Limit value type : PNEC (Aquatic, freshwater) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Limit value : = 0,0006 mg/l

Limit value type : PNEC (Sediment, freshwater) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Limit value : = 1,93 mg/kg

Limit value type : PNEC Soil (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Limit value : = 0.382 mg/kg

Limit value type : PNEC (Sewage treatment plant) (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Limit value : = 1 mg/l

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye protection: not required. Avoid: Eye contact.

Recommended eye protection articles

DIN EN 166

Skin protection

Hand protection

Hand protection is not required

By long-term hand contact: Wear suitable gloves.

Suitable material: PE (Polyethylene). NR (natural rubber, natural latex). NBR (Nitrile rubber). **Breakthrough time (maximum wearing time)**: PE < 30 min.; NR < 10 min.; NBR > 480 min.

Page: 4 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

Thickness of the glove material: min. 0,38 mm

Recommended glove articles: EN ISO 374; DIN EN 420 Uvex. KCL, MAPA. Or comparable articles from other

companies.

Respiratory protection

No special measures are necessary. Avoid: Inhalation of vapours or spray/mists

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour: yellow

Safety relevant basis data

Physical state :			liquid	
Solidifying point :	(1013 hPa)	=	-25	°C
Initial boiling point and boiling range:	(1013 hPa)	>	300	°C
Decomposition temperature :	(1013 hPa)	>	280	°C
Flash point :	(1013 hPa)	>=	300	°C
Viscosity:	(40 °C)	=	220	mm²/s
Viscosity:	(100 °C)	=	19,5	mm²/s
Vapour pressure :	(50°C)	<	0,1	hPa
Density:	(20 °C)	=	0,98	g/cm ³

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions

Strong acid. Strong alkali.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Oxidising agent, strong.

10.6 Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Gases/vapours, harmful.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute effects

By analogy:

Acute oral toxicity

Parameter: LD50 Exposure route: Oral Species: Rat

Effective dose : > 5000 mg/kg

Page: 5 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

Acute dermal toxicity

Parameter: LD50
Exposure route: Dermal
Species: Rabbit
Effective dose: > 5000 mg/kg

Irritant and corrosive effects

Primary irritation to the skin

Parameter: Primary irritation to the skin (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Rabbi Exposure time: 7 d

Result : Erythema (redness). Reversible.

Method: OECD 404

Parameter: Primary irritation to the skin (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Rabbit Exposure time: 7 d

Result: Reversible. Erythema (redness).

Method: OECD 404

Irritation to eyes

Parameter: Irritation to eyes (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Rabbit
Result: No opacity (0)
Method: OECD 405

Parameter: Irritation to eyes (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Rabbit
Result: No iris lesions.
Method: OECD 405

Parameter: Irritation to eyes (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Rabbit
Result: No oedema.
Method: OECD 405

Sensitisation

In case of skin contact

Parameter: Skin sensitisation (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Guinea pig
Result: Not sensitising.

Repeated dose toxicity (subacute, subchronic, chronic)

Subacute oral toxicity

Parameter: NOEL(C) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route : Oral
Species : Female
Effective dose : = 1000 mg/kg

Parameter: NOEL(C) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route: Oral
Species: Male
Effective dose: = 2000 mg/kg

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Parameter : Carcinogenicity (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Exposure route : Oral Species : Rat

Effective dose : = 4000 mg/kg Exposure time : 515 d

Page: 6 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

Test result: Questionable.

Parameter: Carcinogenicity (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route: Oral
Species: Rat
Effective dose: = 200

 $\begin{array}{ll} \mbox{Effective dose}: & = 2000 \ \mbox{mg/kg} \\ \mbox{Exposure time}: & 515 \ \mbox{d} \\ \mbox{Test result}: & \mbox{Negative}. \end{array}$

Parameter: NOEL(C) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route : Oral Species : Rat

Effective dose : = 1000 mg/kg/d

Germ cell mutagenicity
In vitro mutagenicity

Parameter: Gene-mutations microrganisms (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route : In vitro mutagenicity

Test result: Negative.

Parameter: Gene-mutations mammalian cells (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Exposure route: In vivo mutagenicity

Test result : Negative (without metabolic activation).

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter: LC50 (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Oryzias latipes (Ricefish)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose : > 40 mg/l Exposure time : 96 h Method : OECD 203

Source : Published on the ECHA website

Bacteria toxicity

Parameter: EC50 (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Species: Activated sludge
Effective dose: > 100 mg/l
Exposure time: 3 h

12.2 Persistence and degradability

Abiotic degradation

Photo-chemical elimination

Parameter : Photo-chemical elimination (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Species: Photolysis
Effective dose: = 50 %
Exposure time: 0,05 d

Evaluation : Photo-chemical elimination Not persistent.

Biodegradation

Parameter: Biodegradation (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Inoculum: Degree of elimination

Effective dose : = 4 %

Page: 7 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

Exposure time: 28 d

Evaluation: Not readily biodegradable (according to OECD criteria)

Method: OECD 301D

Overall evaluation on the mixture: Not readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

Parameter: Bioconcentration factor (BCF) (Tris(2-ethylhexyl)phosphate; CAS No.: 78-42-2)

Bioconcentration factor (BCF)

Concentration: 9,2 - 22

Source: Published on the ECHA website

Parameter: Partition coefficient: n-octanol/water (Tris(2-ethylhexyl)phosphate ; CAS No. : 78-42-2)

Bioconcentration factor (BCF)

Partition coefficient n-octanol /water (log P O/W)

Concentration: 2 - 22 4,2

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

Endocrine disrupting potential: None known.

12.7 Other adverse effects

This product does not contain nanoparticles.

12.8 Overall evaluation

If product enters soil, it will be mobile and may contaminate groundwater. In accordance with the required stability the product is poorly biodegradable.

SECTION 13: Disposal considerations

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. Collect the waste separately. Evidence for disposal must be provided.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

13 02 06 - Synthetic engine, gear and lubricating oils

Waste code packaging

Observe the local official regulations for disposal. Packaging that cannot be cleaned must be disposed of in the same way as the substance. Completely empty containers must be taken to a recognised waste disposal facility for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

Land transport (ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (O,O,O-triphenyl phosphorothioate)

Sea transport (IMDG)

Page: 8 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 16.07.2025

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (0,0,0-triphenyl phosphorothioate)

Air transport (ICAO-TI / IATA-DGR)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (O,O,O-triphenyl phosphorothioate)

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Restrictions of occupation

Not relevant

Störfallverordnung

Category 1.03.2: 200000 / 500000 kg

Water hazard class (WGK)

Class: 2 (Significant hazardous to water) Classification according to AwSV

Other regulations, restrictions and prohibition regulations

General Water Assessment Methodology (ABM) of the Netherlands: Slightly harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Part of substances from the ZZS category (Zeer Zorgwekkende Stoffen = Substances of very high concern): < 2 %.

Switzerland

VOCV-Regulation

Volatile organic compounds (VOC) content in percent by weight: 0 %

Additional information

TSCA (Toxic Substances Control Act) - USA, United States of America

All chemical substances in this mixture are included on or are exempted from listing on the TSCA Inventory for Chemical Substances.

California Proposition 65 - State of California

No substances listed in the California Safe Drinking Water and Toxic Enforcement Act of 1986 ("California Proposition 65 List") with respect to the version valid at the date of compilation of this Material Safety Data Sheet, are intentionally added to our product.

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 07. Hints on joint

Page: 9 / 10

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : TURMOWOODOIL OSB

Revision date: 15.05.2025 **Version (Revision):** 3.0.0 (2.0.0)

Print date: 16.07.2025

storage - Storage class · 08. Occupational exposure limit values · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

Includes supplements in accordance with Regulation (EU) 2020/878 of June 18, 2020

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The statement is derived from the properties of the single components.

16.5 Relevant H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10