

# **SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Product name:** ARGO MCCORMICK VELA F6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Gear oil

US Distributor

**Uses advised against:** No uses advised against identified.

Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426 (708) 333-8900

(800) 255-3924 24 hrs

1/11

**Emergency** 

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19 68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact for request of safety data sheets

1.3 Details of the supplier of the safety data sheet

E-mail: Automotive lubricants automotive-FLG@fuchs.com

Industrial lubricants industrie-FLG@fuchs.com

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

**1.4 Emergency telephone number:** +49 621 3701-0 (Mo - Fr 08:00 - 16:00 Uhr)

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

**Hazard summary** 

Physical Hazards: No data available.

2.2 Label Elements

Revision Date: 28.04.2022 Version: 1.0



#### **Product name:** ARGO MCCORMICK VELA F6

EUH208: Contains Calcium Sulfonate, olefin derivative. May produce an al-

lergic reaction.

EUH210: Safety data sheet available on request.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the envi-

ronment without control.

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
base oil, low viscous	EINECS: 276-738-4	10,00% - <20,00%	01-2119474889-13	
ZnDTP	EINECS: 224-235-5	1,00% - <2,50%	01-2119493635-27	
Calcium alkylphenate sulfide, overbased	Polymer	1,00% - <5,00%		
Calcium Sulfonate	Polymer	0,10% - <1,00%		
olefin derivative	EINECS: 939-580-3	0,10% - <1,00%	01-2119976364-28	
Aryl thiophosphate	EINECS: 209-909-9	0,10% - <1,00%	01-2119979545-21	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### Classification

Chemical name	Identifier	Classification	
base oil, low viscous	EINECS: 276-738-4	CLP: Asp. Tox. 1;H304	
ZnDTP	EINECS: 224-235-5	CLP: Eye Dam. 1;H318, Aquatic Chronic 2;H411	
Calcium alkylphenate sulfide, overbased	Polymer	CLP: , Aquatic Chronic 4;H413	
Calcium Sulfonate	Polymer	CLP: Skin Sens. 1;H317	
olefin derivative	EINECS: 939-580-3	CLP: Skin Sens. 1B;H317	
Aryl thiophosphate	EINECS: 209-909-9	CLP: Repr. 2;H361fd	

CLP: Regulation No. 1272/2008.

#### specific concentration limit

Chemical name	Identifier	specific concentra- tion limit	Hazard class	Category	Hazard state- ments
ZnDTP	EINECS: 224-235-5	> 50 %	Serious eye damage	1	H318
		> 50 %	Serious eye irritation	2	H319
Aryl thiophosphate	EINECS: 209-909-9	>= 4,1 %	Toxic to reproduction	2	H361fd

For the wording of the listed hazard statements refer to section 16.

Revision Date: 28.04.2022 Version: 1.0

Print date: 27.06.2022 SDS\_ES - EN - 000000000601362200

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: ARGO MCCORMICK VELA F6

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

#### **SECTION 4: First aid measures**

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delaved:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

ed

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

Revision Date: 28.04.2022 Version: 1.0



Product name: ARGO MCCORMICK VELA F6

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

**7.3 Specific end use(s):** Not applicable

#### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control Parameters**

**Occupational Exposure Limits** 

Chemical name	Туре	Exposure Limit Values	Source
base oil, paraffinic - Mist.	VLA-EC	10 mg/m3	Spain. Occupational Exposure Limits, as amended (2011)
base oil, paraffinic - Mist.	VLA-ED	5 mg/m3	Spain. Occupational Exposure Limits, as amended (2011)

#### 8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Revision Date: 28.04.2022 Version: 1.0



Product name: ARGO MCCORMICK VELA F6

**General information:** Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

**Skin protection** 

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Thermal hazards: Not known.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

**Environmental Controls:** No data available.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Light brown
Odor: Characteristic

**pH:** substance/mixture is non-soluble (in water)

Freezing point: not determined Boiling Point: not determined

Flash Point: 226 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures

Revision Date: 28.04.2022 Version: 1.0



Product name: ARGO MCCORMICK VELA F6

Relative vapor density: Not applicable for mixtures

**Density:** 0,88 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:not determinedDecomposition Temperature:not determinedKinematic viscosity:62,6 mm2/s (40 °C)

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

Particle characteristics:Not applicable9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and oth-

6/11

er toxic gases or vapors.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rat): > 5.000 mg/kg (OECD 401)

ZnDTP LD 50 (Rat): 4.358 mg/kg

Calcium Sulfonate LD 50 (Rat): 10.000 - 20.000 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

ZnDTP LD 50 (Rabbit): > 5.000 mg/kg (OECD 402)

Revision Date: 28.04.2022 Version: 1.0



7/11

Product name: ARGO MCCORMICK VELA F6

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

ZnDTP (Rabbit): None.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

ZnDTP (Rabbit):

Slightly irritating.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

ZnDTP , OECD 406-1 (Guinea Pig)

Not a skin sensitizer.

olefin derivative

May cause an allergic skin reaction.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

Revision Date: 28.04.2022 Version: 1.0



Product name: ARGO MCCORMICK VELA F6

#### **SECTION 12: Ecological information**

### 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Fish** 

Specified substance(s)

ZnDTP LC 50 (Fish, 96 h): 4,4 mg/l (OECD 203)

Calcium alkylphenate sulfide, overbased

LC 50 (Fish, 96 h): > 1.000 mg/l

olefin derivative LC 50 (Fish, 96 h): > 101 mg/l

Aryl thiophosphate LC 50 (Fish, 96 h): > 100 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous EL50 (Water Flea, 48 h): > 10.000 mg/l (OECD 202)

ZnDTP EC 50 (Water Flea, 48 h): 75 mg/l (OECD 202)

Calcium alkylphenate sulfide, overbased

EC 50 (Water Flea, 48 h): > 1.000 mg/l

olefin derivative EC 50 (Water Flea, 48 h): > 101 mg/l

Aryl thiophosphate EC 50 (Water Flea, 48 h): > 100 mg/l

**Chronic ToxicityProduct:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

base oil, low viscous NOEC (Fish, 14 d): > 1.000 mg/l

ZnDTP NOEC (Fish, 4 d): 3,2 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)

ZnDTP NOEC (Water Flea, 21 d): 0,4 mg/l

olefin derivative NOEC (Water Flea, 21 d): 10 mg/l

Toxicity to Aquatic Plants Specified substance(s)

base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201)

ZnDTP EC 50 (Alga, 72 h): 410 mg/l

NOEC (Alga, 72 h): 220 mg/l

Calcium alkylphenate EC 50 (Alga, 96 h): > 1.000 mg/l

Revision Date: 28.04.2022 Version: 1.0

Print date: 27.06.2022 SDS\_ES - EN - 000000000601362200



#### Product name: ARGO MCCORMICK VELA F6

sulfide, overbased

olefin derivative EC 50 (Alga, 72 h): > 101 mg/l

Aryl thiophosphate EC 50 (Alga, 72 h): > 100 mg/l

#### 12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Specified substance(s)

ZnDTP 5 % (28 d, OECD 301B) Not readily degradable.

olefin derivative 17,3 % (28 d) Not readily degradable.

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** No data available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

### **European Waste Codes**

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils

9/11

#### **SECTION 14: Transport information**

#### ADR/RID

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: –
14.5 Environmental hazards: –

Revision Date: 28.04.2022 Version: 1.0



Product name: ARGO MCCORMICK VELA F6

14.6 Special precautions for user: -

**IMDG** 

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
EmS No.: –

14.3 Packing Group:
14.5 Environmental hazards:
14.6 Special precautions for user:

**IATA** 

14.1 UN number or ID number: –
14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out. No Chemical Safety

Assessment has been carried out.

#### **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

#### Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn

child.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Other information: The classification complies with the current EU lists; however, it has been

Revision Date: 28.04.2022 Version: 1.0



**Product name:** ARGO MCCORMICK VELA F6

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially simi-

lar mixtures" - Expert Judgement

Revision Date: Disclaimer:

28.04.2022

nature.

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

Revision Date: 28.04.2022 Print date: 27.06.2022

SDS\_ES - EN - 000000000601362200

Version: 1.0