

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: **CARBAFLO XTR 5F** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

**US** Distributor Uses advised against: No uses advised against identified.

Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426

1.3 Details of the supplier of the safety data sheet

(708) 333-8900

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19

68169 Mannheim

(800) 255-3924 24 hrs

Emergency

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact for request of safety data sheets

E-mail: Automotive lubricants automotive-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

industrie-FLG@fuchs.com

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

1.4 Emergency telephone number: +49 621 3701-0 (Mo - Fr 08:00 - 16:00 Uhr)

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

Classification according to GB-CLP.

**Hazard summary** 

**Physical Hazards:** No data available.

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

2.2 Label Elements

GBH210: Safety data sheet available on request.

2.3 Other hazards: The product may not be released into the environment without control. By

> handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

General information: Mixture of the substances listed below with harmless additions.

Chemical name	Identifier		UK-REACH Regis- tration No.	Notes
Fluorine polyether derivative	Polymer	5,00% - <10,00%		

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Identifier	Classification	
Fluorine polyether derivative	Polymer	GBCLP: Skin Irrit. 2;H315, Eye Irrit. 2;H319	
GB-CLP			

### **SECTION 4: First aid measures**

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

**4.2 Most important symptoms** and effects, both acute and delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

### SECTION 5: Firefighting measures

**General Fire Hazards:** At elevated temperature may liberate poisonous gas.

Issue Date: 15.01.2015 Revision Date: 24.05.2022

Version: 1.2 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: CARBAFLO XTR 5F

5.1 Extinguishing media

Suitable extinguishing me-

dia:

Not applicable, non-combustible. Use fire-extinguishing media appropriate

for surrounding materials.

Unsuitable extinguishing

media:

No data available.

5.2 Special hazards arising from the substance or mix-

ture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not

allow to enter draining evetem surface or ground water

allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regula-

tions. Stop the flow of material, if this is without risk.

6.4 Reference to other sec-

tions:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

#### **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe

good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibili-

ties:

Local regulations concerning handling and storage of waterpolluting products have to be followed.

**7.3 Specific end use(s):** No data available.

Storage Class: 10, Combustible liquids

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control Parameters**

**Occupational Exposure Limits** 

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Avoid long-term and repeated skin contact. Protective gloves, where per-

mitted in acc. to safety directions.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

**Respiratory Protection:** Ensure good ventilation/exhaustion at the workplace.

Thermal hazards: Not known.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

**Environmental Controls:** No data available.

### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Pale yellow

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

Odor: Characteristic

**pH:** substance/mixture is non-soluble (in water)

Freezing point: not determined

**Boiling Point:** > 270 °C

Flash Point: Not applicable

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Relative vapor density: Not applicable for mixtures

**Density:** 1,90 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:not determinedDecomposition Temperature:not determinedKinematic viscosity:174 mm2/s (40 °C)

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

Particle characteristics:Not applicable9.2 Other informationNo data available.

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** At temperatures above 250°C, depolymerisation and the releaseof starting

monomers can arise

**10.5 Incompatible Materials:** No data available.

**10.6 Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

**Acute toxicity** 

Oral

**Product:** Not classified for acute toxicity based on available data.

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

**Skin Corrosion/Irritation:** 

**Product:** Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

### SECTION 12: Ecological information

12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

Aquatic Invertebrates Specified substance(s)

Fluorine polyether deriva- EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)

tive

**Chronic Toxicity** 

**Product:** Based on available data, the classification criteria are not met.

12.2 Persistence and Degradability

Biodegradation

**Product:** Not applicable for mixtures

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** No data available.

**Water Hazard Class** 

(WGK):

WGK 1: slightly water-endangering.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

### **SECTION 14: Transport information**

### ADR/RID

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

### **IMDG**

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
EmS No.: –

14.3 Packing Group: –

14.5 Environmental hazards: –14.6 Special precautions for user: –

# **IATA**

14.1 UN number or ID number: –
14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

### **GB** Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:

none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:

none

Issue Date: 15.01.2015 Revision Date: 24.05.2022

Print date: 26.05.2022 SDS\_GB - EN - 000000000601083143



Product name: CARBAFLO XTR 5F

15.2 Chemical safety as-

No Chemical Safety Assessment has been carried out.

sessment:

**SECTION 16: Other information** 

**Revision Information:** Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Other information: The classification complies with the current GB lists; however, it has been

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially simi-

lar mixtures"; Expert Judgement

**Revision Date:** 24.05.2022

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

nature.

Issue Date: 15.01.2015 Revision Date: 24.05.2022 Print date: 26.05.2022

SDS\_GB - EN - 000000000601083143