

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: DECORDYN 350

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anticorrosion product

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19

68169 Mannheim

Telephone:

+49 621 3701-0 (ZENTRALE)

Fax:

+49 621 3701-570

Canada Distributor

Fuchs Lubricants Canada Ltd.

405 Dobbie Drive

Cambridge, ON N1T 1S8

(519) 622-2040

(888) 226-8832 (24 Hrs Emergency)

Contact for request of safety data sheets

E-mail:

Automotive lubricants

automotive-FLG@fuchs.com

Industrial lubricants

industrie-FLG@fuchs.com

Telephone:

+49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail:

produktsicherheit-FLG@fuchs.com

1.4 US contact telephone :

708-333-8900

Emergency telephone:

800-255-3924

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Physical Hazards

Flammable liquids

Category 3

Health Hazards

Specific Target Organ Toxicity - Single

Category 3

Exposure

Product name: DECORDYN 350

Hazard summary

Physical Hazards: Can form flammable vapour-air mixtures during the application.

Health Hazards

Inhalation: Has a narcotic effect.

Skin Contact: At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H226: Flammable liquid and vapor.
H336: May cause drowsiness or dizziness.

Precautionary Statements

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233: Keep container tightly closed.
P240: Ground and bond container and receiving equipment.
P241: Use explosion-proof electrical equipment.
P242: Use non-sparking tools.
P243: Take action to prevent static discharges.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
P271: Use only outdoors or in a well-ventilated area.

Response: P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P312: Call a POISON CENTER or doctor/ physician if you feel unwell.
P370: In case of fire:
P378: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Product name: DECORDYN 350

Storage: P403: Store in a well-ventilated place.
P235: Keep cool.
P233: Keep container tightly closed.
P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

General information: Mixture based on severely refined mineral base oils and corrosion preventive agents in volatile hydrocarbons with a flashpoint below 55°C.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscous	64742-48-9	20.00 - <50.00%	
Hydrocarbons, low viscous	64742-48-9	10.00 - <20.00%	
Hydrocarbons, low viscous	64742-48-9	1.00 - <10.00%	
Calcium Sulfonate	61789-86-4	1.00 - <5.00%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Hydrocarbons, low viscous	64742-48-9	Asp. Tox. 1;H304, Flam. Liq. 3;H226, STOT SE 3;H336
Hydrocarbons, low viscous	64742-48-9	Flam. Liq. 3;H226, Asp. Tox. 1;H304, STOT SE 3;H336, Aquatic Chronic 3;H412
Hydrocarbons, low viscous	64742-48-9	Asp. Tox. 1;H304
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

4 FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Product name: DECORDYN 350

Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Get medical attention if symptoms occur. Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash with water and soap; pay attention: skin degreasing product.
Ingestion:	Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed: Headache.

4.3 Indication of any immediate medical attention and special treatment needed Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

5.1 Extinguishing media

Suitable extinguishing media: CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture: Can form explosive vapor-air mixtures at higher temperatures.

5.3 Advice for firefighters

Special fire-fighting procedures: Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Product name: DECORDYN 350

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.
- 6.2 Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
- 6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
- Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Use only in well-ventilated areas. Risk of vapor concentration on the floor and in low-lying areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
- 7.2 Conditions for safe storage, including any incompatibilities:** Store in a well-ventilated place. Store in a cool place. Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point.
- 7.3 Specific end use(s):** Not applicable

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

None of the components have assigned exposure limits.

8.2.Exposure controls

Product name: DECORDYN 350

Appropriate engineering controls: Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection:

Material: Nitrile butyl rubber (NBR).
Min. Breakthrough time: ≥ 480 min
Recommended thickness of the material: ≥ 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls: No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	liquid
Form:	liquid
Color:	Pale yellow
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	substance/mixture is non-soluble (in water)

Product name: DECORDYN 350

Freezing point:	Not applicable for mixtures
Boiling Point:	160 °C
Flash Point:	30 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)—:	Not applicable for mixtures
Flammability Limit - Lower (%)—:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0.81 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	22 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Heat, sparks, flames.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Product name: DECORDYN 350

Acute toxicity**Oral****Product:**

Specified substance(s)	Not classified for acute toxicity based on available data.
Hydrocarbons, low viscous	LD 50 (Rat): > 5,001 mg/kg (OECD 401)
Hydrocarbons, low viscous	LD 50 (Rat): > 5,001 mg/kg (OECD 401)
Hydrocarbons, low viscous	LD 50 (Rat): > 5,000 mg/kg (OECD 401)
Calcium Sulfonate	LD 50 (Rat): > 16,000 mg/kg

Dermal**Product:**

Specified substance(s)	Not classified for acute toxicity based on available data.
Hydrocarbons, low viscous	LD 50 (Rabbit): > 5,000 mg/kg (OECD 402)
Hydrocarbons, low viscous	LD 50 (Rabbit): > 5,001 mg/kg (OECD 402)
Calcium Sulfonate	LD 50 (Rat): > 5,001 mg/kg

Inhalation**Product:**

Specified substance(s)	Not classified for acute toxicity based on available data.
Hydrocarbons, low viscous	LC 50 (Rat, 1 h): 40.2 mg/l

Skin Corrosion/Irritation:**Product:**

Specified substance(s)	Based on available data, the classification criteria are not met.
Hydrocarbons, low viscous	OECD 404 Prolonged or repeated contact: Slightly irritating.
Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.

Serious Eye Damage/Eye Irritation:**Product:**

Based on available data, the classification criteria are not met.

Product name: DECORDYN 350

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not met.
Respiratory sensitizer: Based on available data, the classification criteria are not met.

Specified substance(s)

Hydrocarbons, low viscous No sensitizing effect (guinea pig); OECD 406

Calcium Sulfonate May cause sensitization by skin contact.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHA: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

12.1 Toxicity**Acute toxicity**

Product: Based on available data, the classification criteria are not met.

Fish**Specified substance(s)**

Hydrocarbons, low viscous LC 50 (Fish, 96 h): > 1,000 mg/l

Hydrocarbons, low LC 50 (Fish, 96 h): > 10 - 30 mg/l

Product name: DECORDYN 350

viscous

Hydrocarbons, low viscous	LC 50 (Fish, 96 h): > 1,001 mg/l (OECD 203)
------------------------------	---------------------------------------------

Calcium Sulfonate	LC 50 (Fish, 96 h): > 10,000 mg/l (OECD 203)
-------------------	----------------------------------------------

Aquatic Invertebrates**Specified substance(s)**

Hydrocarbons, low viscous	EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)
------------------------------	---------------------------------------------------

Hydrocarbons, low viscous	EC 50 (Water Flea, 48 h): > 22 - 46 mg/l
------------------------------	------------------------------------------

Hydrocarbons, low viscous	EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)
------------------------------	---------------------------------------------------

Calcium Sulfonate	EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)
-------------------	-------------------------------------------------

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants**Specified substance(s)**

Hydrocarbons, low viscous	EC 50 (Alga, 72 h): > 1,001 mg/l (OECD 201)
------------------------------	---------------------------------------------

Hydrocarbons, low viscous	EC 50 (Alga, 72 h): > 1,000 mg/l
------------------------------	----------------------------------

Hydrocarbons, low viscous	EC 50 (Alga, 72 h): > 1,000 mg/l (OECD 201)
------------------------------	---------------------------------------------

12.2 Persistence and Degradability**Biodegradation**

Product: Not applicable for mixtures

Specified substance(s)

Hydrocarbons, low viscous	89 % (28 d) The product is easily biodegradable.
------------------------------	--------------------------------------------------

Hydrocarbons, low viscous	80 % (28 d, OECD 301F) Readily biodegradable
------------------------------	----------------------------------------------

Calcium Sulfonate	8.6 % (28 d) Not easily biodegradable
-------------------	---------------------------------------

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

Product name: DECORDYN 350

12.6 Other adverse effects: No data available.**13 Disposal considerations****13.1 Waste treatment methods****General information:** Dispose in accordance with all applicable regulations.**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.**14 TRANSPORT INFORMATION****DOT**

14.1 UN number or ID number: UN 1993
14.2 Proper Shipping Name: Flammable liquids, n.o.s.(Hydrocarbons, low viscous)
14.3 Transport Hazard Class(es): 3
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 3
14.7 Marine Pollutant: –

IMDG - International Maritime Dangerous Goods Code

14.1 UN number or ID number: UN 1993
14.2 UN Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.(Hydrocarbons, low viscous)
14.3 Transport Hazard Class(es): 3
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 3
14.7 Marine Pollutant: –
14.8 EmS No.: F-E; S-E

IATA

14.1 UN number or ID number: UN 1993
14.2 Proper Shipping Name: Flammable liquid, n.o.s.(Hydrocarbons, low viscous)
14.3 Transport Hazard Class(es): 3
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 3
14.7 Marine Pollutant: –

15 REGULATORY INFORMATION**US Federal Regulations****US State Regulations****Inventory Status**

DSL	Q (quantity restricted)
TSCA	E (special case)

Product name: DECORDYN 350

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Revision Date: 01.07.2022

Disclaimer: The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.