

**US** Distributor

# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### PRODUCT AND COMPANY IDENTIFICATION

# 1.1 Product identifier

1

Product name: FUCHS BluEV DHTF 9

Other means of identification: For further information, please refer to section 9 of the SDS.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricant Uses advised against: No uses advised against identified.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH Friesenheimer Str. 19	Fuchs Lubricants Co. 17050 Lathrop Avenue
	68169 Mannheim	Harvey, IL 60426 (708) 333-8900
Telephone: Fax:	+49 621 3701-0 (ZENTRALE) +49 621 3701-570	(800) 255-3924 24 hrs Emergency

### Contact for request of safety data sheets

E-mail:	Automotive lubricants Industrial lubricants	CS.Services-FLG@fuchs.com
Telephone:	+49 621 3701-0 (ZENTRALE)	

### Informing department for safety data sheets

E-mail:	produktsicherheit-FLG@fuchs.com
1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924

### 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

Hazard summary	
Physical Hazards:	No data available.

### 2.2 Label Elements Not applicable





### Product name: FUCHS BluEV DHTF 9

2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	Notes
base oil, low viscous	72623-87-1	50.00 - <100.00%	
Alkyl amine	61791-44-4	0.10 - <0.25%	
Alkyl methacrylate	80-62-6	0.10 - <1.00%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Identifier	Classification
base oil, low viscous	72623-87-1	Asp. Tox. 1;H304
Alkyl amine	61791-44-4	Skin Corr. 1C;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M- Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1
Alkyl methacrylate	80-62-6	Flam. Liq. 2;H225, Skin Irrit. 2;H315, Skin Sens. 1B;H317, STOT SE 3;H335

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

# 4 FIRST AID MEASURES General: Instantly remove any clothing soiled by the product.

### 4.1 Description of first aid measures

Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and	May cause skin and eye irritation.	

delayed:



# Product name: FUCHS BluEV DHTF 9

4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.	
SECTION 5: Firefighting measures	s	
5.1 Extinguishing modio		
5.1 Extinguishing media Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
Unsuitable extinguishing media:	Water with a full water jet.	
5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.	
5.3 Advice for firefighters		
Special fire-fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release m	easures	
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.	
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	





Product name: FUCHS BluEV DHTF 9

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
Do not heat up to temperatures close to the flash point.
No data available.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION



### Product name: FUCHS BluEV DHTF 9

Chemical name	Туре	Exposure Limit Values	Source
base oil, low viscous - Inhalable fraction.	TWA	5 mg/m	3 US. ACGIH Threshold Limit Values, as amended (03 2014)
base oil, low viscous	PEL	500 ppm 2,000 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil, low viscous - Mist.	PEL	5 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil, low viscous	TWA	400 ppm 1,600 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
base oil, low viscous - Mist.	TWA	5 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic	PEL	500 ppm 2,000 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil, paraffinic - Mist.	PEL	5 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil, paraffinic	TWA	400 ppm 1,600 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic - Mist.	TWA	5 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic - Inhalable fraction.	TWA	5 mg/m	3 US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil paraffinic - Inhalable fraction.	TWA	5 mg/m	3 US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil paraffinic	PEL	500 ppm 2,000 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil paraffinic - Mist.	PEL	5 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil paraffinic	TWA	400 ppm 1,600 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil paraffinic - Mist.	TWA	5 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Alkyl methacrylate	PEL	100 ppm 410 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Alkyl methacrylate	TWA	100 ppm 410 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Alkyl methacrylate	TWA	50 ppm	US. ACGIH Threshold Limit Values, as amended (02 2012)
Alkyl methacrylate	STEL	100 ppm	US. ACGIH Threshold Limit Values, as amended (02 2012)

### 8.2.Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment



### Product name: FUCHS BluEV DHTF 9

General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state:	liquid
Form:	liquid
Color:	Brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	180 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures



## Product name: FUCHS BluEV DHTF 9

Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0.84 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	22.5 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

### SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### 11 TOXICOLOGICAL INFORMATION

Information on likely roo Inhalation:	utes of exposure No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

### Acute toxicity

Oral Product:

Not classified for acute toxicity based on available data.



# Product name: FUCHS BluEV DHTF 9

Specified substance(s)	
base oil, low viscous	LD 50 (Rat): > 5,001 mg/kg (OECD 401)
Alkyl amine	LD 50 (Rat): 1,350 mg/kg (OECD 401)
Dermal Product:	
	Not classified for acute toxicity based on available data.
Inhalation Product:	
	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Specified substance(s) Alkyl amine	OECD 404 (Rabbit, 14 d): Causes severe skin burns.
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiz	
Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
	are not met.
Specified substance(s) Alkyl amine	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs o	on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
NTP: US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified	
OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified	
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.

Product name: FUCHS BluEV DHTF 9



#### Specific Target Organ Toxicity - Single Exposure Product: Based on available data, the classification criteria are not met. Specific Target Organ Toxicity - Repeated Exposure **Product:** Based on available data, the classification criteria are not met. **Aspiration Hazard Product:** Based on available data, the classification criteria are not met. 12 **ECOLOGICAL INFORMATION** 12.1 Toxicity Acute toxicity Product: Based on available data, the classification criteria are not met. Fish Specified substance(s) base oil, low viscous LC 50 (Fish, 96 h): > 100 mg/l (OECD 203) LC 50 (Fish, 96 h): 0.1 mg/l (OECD 203) Alkyl amine Aquatic Invertebrates Specified substance(s) Alkyl amine EC 50 (Water Flea, 48 h): 0.043 mg/l (OECD 202) **Chronic ToxicityProduct:** Based on available data, the classification criteria are not met. Fish Specified substance(s) base oil, low viscous NOEC (Fish, 14 d): > 1,000 mg/l Aquatic Invertebrates Specified substance(s) base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211) Alkyl amine EC 10 (Water Flea, 21 d): 0.0107 mg/l (OECD 211) **Toxicity to Aquatic Plants** Specified substance(s) base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201) Alkyl amine EC 50 (Alga, 72 h): 0.0538 mg/l (OECD 201) NOEC (Alga, 72 h): 0.0156 mg/l 12.2 Persistence and Degradability **Biodegradation** Product: Not applicable for mixtures Specified substance(s) 63 % (28 d, OECD 301D) Readily biodegradable Alkyl amine

Not applicable for mixtures

Product:

12.3 Bioaccumulative potential





### Product name: FUCHS BluEV DHTF 9

12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
13 Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

#### 14 TRANSPORT INFORMATION

#### DOT

Not regulated.

#### IMDG - International Maritime Dangerous Goods Code Not regulated.

#### ΙΑΤΑ

Not regulated.

### 15 REGULATORY INFORMATION

### **US Federal Regulations**

#### **US State Regulations**

#### **Inventory Status**

DSL	Q (quantity restricted)
TSCA	On or in compliance with the inventory

### 16 OTHER INFORMATION

**Revision Information:** 

Vertical lines in the margin indicate an amendment.



### Product name: FUCHS BluEV DHTF 9

### Wording of the H-statements in section 2 and 3

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H318 H335 H400	Causes serious eye damage. May cause respiratory irritation. Very toxic to aquatic life.

**Revision Date:** 16.12.2022 **Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech, product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.