

## SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifier

Product name: GLEITMO 585 K

**Other means of identification:** For further information, please refer to section 9 of the SDS.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer / Supplier

FUCHS LUBRICANTS GERMANY GmbH  
Friesenheimer Str. 19  
68169 Mannheim

Telephone:

+49 621 3701-0 (ZENTRALE)

Fax:

+49 621 3701-570

##### US Distributor

Fuchs Lubricants Co.  
17050 Lathrop Avenue  
Harvey, IL 60426

#### Contact for request of safety data sheets

E-mail:

Automotive lubricants  
Industrial lubricants

CS.Services-FLG@fuchs.com

Telephone:

+49 621 3701-0 (ZENTRALE)

#### Informing department for safety data sheets

E-mail:

produktsicherheit-FLG@fuchs.com

#### 1.4 US contact telephone :

708-333-8900

**Emergency telephone:**

800-255-3924

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

|| The product has been classified and labelled as hazardous according to the legislation in force.

##### Health Hazards

Serious Eye Damage/Eye Irritation

Category 2A

Toxic to reproduction

Category 2

Specific Target Organ Toxicity - Repeated  
Exposure

Category 2

##### Environmental Hazards

---

**Product name:** GLEITMO 585 K

---

Chronic hazards to the aquatic environment Category 3

**Hazard summary****Physical Hazards:** No data available.**2.2 Label Elements****Signal Words:** Warning**Hazard Statement(s):**  
H319: Causes serious eye irritation.  
H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373: May cause damage to organs through prolonged or repeated exposure.  
H412: Harmful to aquatic life with long lasting effects.**Precautionary Statements****Prevention:**  
P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe dust/fume/gas/mist/vapors/spray.  
P273: Avoid release to the environment.  
P281: Use personal protective equipment as required.**Response:**  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P308+P313: IF exposed or concerned: Get medical advice/attention.**Storage:** P405: Store locked up.**Disposal:** P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.**2.3 Other hazards:** The product may not be released into the environment without control. By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.**Unknown toxicity:** Due to information available product does not contain any ingredients of unknown toxicity.

---

**3 COMPOSITION / INFORMATION ON INGREDIENTS**

---

**3.2 Mixtures**

**Product name:** GLEITMO 585 K

**General information:** Mixture of the substances listed below with harmless additions.

Chemical name	Identifier	Concentration *	Notes
Lime hydrate	1305-62-0	1.00 - <3.00%	
Triazine derivative	37640-57-6	1.00 - <3.00%	
Zinc borate	12767-90-7	1.00 - <3.00%	
Hydrocarbon oxidized	64743-00-6	1.00 - <5.00%	
Zinkdiphosphat	7446-26-6	0.25 - <1.00%	
Zn compound	1314-13-2	0.10 - <0.25%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Identifier	Classification
Lime hydrate	1305-62-0	Eye Dam. 1;H318, STOT SE 3;H335, Skin Irrit. 2;H315
Triazine derivative	37640-57-6	, STOT RE 2;H373, Repr. 2;H361f
Zinc borate	12767-90-7	Repr. 2;H361d, Aquatic Acute 1;H400, Aquatic Chronic 2;H411
Hydrocarbon oxidized	64743-00-6	Eye Irrit. 2;H319
Zinkdiphosphat	7446-26-6	, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
Zn compound	1314-13-2	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

## 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

### 4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** No data available.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

## SECTION 5: Firefighting measures

---

**Product name:** GLEITMO 585 K

---

**5.1 Extinguishing media**

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:**

During fire, gases hazardous to health may be formed.

**5.3 Advice for firefighters**

**Special fire-fighting procedures:** Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

---

**SECTION 6: Accidental release measures**

---

**6.1 Personal precautions, protective equipment and emergency procedures:** In case of spills, beware of slippery floors and surfaces. Not required.

**6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

**6.3 Methods and material for containment and cleaning up:** Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

**6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

---

**SECTION 7: Handling and storage:**

---

**7.1 Precautions for safe handling:** Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

**7.2 Conditions for safe storage, including any incompatibilities:** Local regulations concerning handling and storage of waterpolluting products have to be followed.

**7.3 Specific end use(s):** Not applicable

---

**Product name:** GLEITMO 585 K

---

<b>8 EXPOSURE CONTROLS / PERSONAL PROTECTION</b>
--

**8.1.Exposure Limits**

None of the components have assigned exposure limits.

**8.2.Exposure controls**

**Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:**

Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.

**Skin protection**

**Hand Protection:**

Material: Nitrile butyl rubber (NBR).  
Min. Breakthrough time:  $\geq 480$  min  
Recommended thickness of the material:  $\geq 0.38$  mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

**Respiratory Protection:**

Not relevant, due to the form of the product.

**Thermal hazards:**

No data available.

**Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

**Environmental Controls:**

No data available.

<b>9 PHYSICAL AND CHEMICAL PROPERTIES</b>
---

**9.1 Information on basic physical and chemical propertiesAppearance**

---

**Product name:** GLEITMO 585 K
 

---

<b>Physical state:</b>	solid
<b>Form:</b>	Paste
<b>Color:</b>	Beige
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	Not applicable for mixtures
<b>pH:</b>	substance/mixture is non-soluble (in water)
<b>Drop Point:</b>	Not applicable for mixtures
<b>Boiling Point:</b>	Value not relevant for classification
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	Not applicable for mixtures
<b>Flammability (solid, gas):</b>	Value not relevant for classification
<b>Flammability Limit - Upper (%)—:</b>	Not applicable for mixtures
<b>Flammability Limit - Lower (%)—:</b>	Not applicable for mixtures
<b>Vapor pressure:</b>	Not applicable for mixtures
<b>Relative vapor density:</b>	Not applicable for mixtures
<b>Density:</b>	1.00 g/cm <sup>3</sup>
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable for mixtures
<b>Autoignition Temperature:</b>	Value not relevant for classification
<b>Decomposition Temperature:</b>	Value not relevant for classification
<b>NLGI:</b>	2
<b>Explosive properties:</b>	Value not relevant for classification
<b>Oxidizing properties:</b>	Value not relevant for classification
<b>9.2 Other information</b>	No data available.

---

**SECTION 10: Stability and reactivity**


---

<b>10.1 Reactivity:</b>	Stable under normal use conditions.
<b>10.2 Chemical Stability:</b>	Stable under normal use conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Stable under normal use conditions.
<b>10.4 Conditions to avoid:</b>	Stable under normal use conditions.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

---

**11 TOXICOLOGICAL INFORMATION**


---

**Information on likely routes of exposure**

**Inhalation:** No data available.

---

**Product name:** GLEITMO 585 K

---

**Ingestion:** No data available.**Skin Contact:** No data available.**Eye contact:** No data available.**Acute toxicity****Oral****Product:**

ATEmix: 100,000 mg/kg

**Specified substance(s)**

Lime hydrate

LD 50 (Rat): 7,340 mg/kg

Triazine derivative

LD 50 (Rat): 2,500 mg/kg

Hydrocarbon oxidized

LD 50 (Rat): &gt; 5,000 mg/kg

Zn compound

LD 50 (Rat): &gt; 15,000 mg/kg

**Dermal****Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s)**

Triazine derivative

LD 50 (Rat): 5,520 mg/kg

**Inhalation****Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s)**

Zn compound

LC 50 (Rat, 4 h): 5.7 mg/l

**Skin Corrosion/Irritation:****Product:**

Based on available data, the classification criteria are not met.

**Serious Eye Damage/Eye Irritation:****Product:**

Based on available data, the classification criteria are met.

**Respiratory or Skin Sensitization:****Product:**

Skin sensitizer: Based on available data, the classification criteria are not met.

Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Specified substance(s)**

Hydrocarbon oxidized

No sensitizing effect (guinea pig); OECD 406

---

**Product name:** GLEITMO 585 K
 

---

**Germ Cell Mutagenicity**

**Product:** Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:** Based on available data, the classification criteria are not met.

**IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**NTP: US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**OSHAS: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Reproductive toxicity**

**Product:** Based on available data, the classification criteria are met.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

<b>12 ECOLOGICAL INFORMATION</b>
----------------------------------

**General information:** Not applicable Not applicable

**12.1 Toxicity****Acute toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Fish****Specified substance(s)**

Lime hydrate LC 50 (Fish, 96 h): 50.6 mg/l (OECD 203)

Triazine derivative LC 50 (Fish, 96 h): > 100 mg/l

Hydrocarbon oxidized LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

**Aquatic Invertebrates****Specified substance(s)**

Lime hydrate EC 50 (Water Flea, 48 h): 49.1 mg/l (OECD 202)

Triazine derivative EC 50 (Water Flea): > 100 mg/l

Hydrocarbon oxidized EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)



---

**Product name:** GLEITMO 585 K

---

Zn compound EC 50 (Water Flea, 48 h): 2.2 mg/l

**Chronic ToxicityProduct:** Based on available data, the classification criteria are met.**Toxicity to Aquatic Plants****Specified substance(s)**

Lime hydrate EC 50 (Alga, 72 h): 184.57 mg/l

Hydrocarbon oxidized EC 50 (Alga, 72 h): &gt; 100 mg/l (OECD 201)

Zn compound EC 50 (Alga, 72 h): 0.17 mg/l

**12.2 Persistence and Degradability****Biodegradation****Product:** Not applicable for mixtures**12.3 Bioaccumulative potential****Product:** Not applicable for mixtures**12.4 Mobility in soil:****Product:** Not applicable for mixtures**12.5 Results of PBT and vPvB assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

Harmful to aquatic life with long lasting effects.

**13 Disposal considerations****13.1 Waste treatment methods****General information:** Dispose in accordance with all applicable regulations.**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.**14 TRANSPORT INFORMATION****DOT**

Not regulated.

**TDG**

Not regulated.

**IMDG - International Maritime Dangerous Goods Code**

Not regulated.

**IATA**

Not regulated.

**15 REGULATORY INFORMATION**

---

**Product name:** GLEITMO 585 K

---

**US Federal Regulations****US State Regulations****Inventory Status**

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

**16 OTHER INFORMATION**

**Revision Information:** Vertical lines in the margin indicate an amendment.

**Wording of the H-statements in section 2 and 3**

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Revision Date:** 09.06.2023

**Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.