

### SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

#### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: GLEITMO 805

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19

68169 Mannheim
Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

US Distributor Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426 (708) 333-8900

(800) 255-3924 24 hrs

**Emergency** 

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone:** 800-255-3924

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

**Health Hazards** 

Toxic to reproduction Category 2

**Environmental Hazards** 

Chronic hazards to the aquatic environment Category 2

**Hazard summary** 

Physical Hazards: No data available.

Issue Date: 15.01.2015
Revision Date: 05.04.2023
Version: 4.0



Product name: GLEITMO 805

#### 2.2 Label Elements



Signal Words: Danger

Hazard Statement(s): H361f: Suspected of damaging fertility.

H411: Toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P201: Obtain special instructions before use.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310: Immediately call a POISON CENTER/doctor.

P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international regulations.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:**Due to information available product does not contain any ingredients of

unknown toxicity.

#### 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

**General information:** Mixture of the substances listed below with harmless additions.

Chemical name	Identifier	Concentration *	Notes
Lime hydrate	1305-62-0	10.00 - <25.00%	
inorganic Zink salt	7446-26-6	2.50 - <5.00%	
Amine aromatic , alkylated	68411-46-1	0.10 - <1.00%	
Zn compound	1314-13-2	0.10 - <0.25%	

Revision Date: 05.04.2023

Print date: 14.08.2024 SDS\_US - CP1000319

Issue Date: 15.01.2015

Version: 4.0



#### Product name: GLEITMO 805

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

#### vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Identifier	Classification
Lime hydrate	1305-62-0	Eye Dam. 1;H318, STOT SE 3;H335, Skin Irrit. 2;H315
inorganic Zink salt	7446-26-6	Aquatic Chronic 1;H410, Aquatic Acute 1;H400
Amine aromatic, alkylated	68411-46-1	Repr. 2;H361f, Aquatic Chronic 3;H412
Zn compound	1314-13-2	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

#### 4 **FIRST AID MEASURES**

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Get medical attention if any discomfort continues. Promptly wash eyes with **Eve contact:** 

plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

**4.2 Most important symptoms** and effects, both acute and

delayed:

No data available.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

SDS\_US - CP1000319

During fire, gases hazardous to health may be formed.

Revision Date: 05.04.2023 Print date: 14.08.2024

Issue Date: 15.01.2015 Version: 4.0



Product name: GLEITMO 805

5.3 Advice for firefighters

Special fire-fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this

is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section

7 for information on safe handling See Section 13 for information on

disposal.

### **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting

products have to be followed.

**7.3 Specific end use(s):** Not applicable

#### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Issue Date: 15.01.2015 Revision Date: 05.04.2023 Print date: 14.08.2024 SDS\_US - CP1000319

Version: 4.0



Product name: GLEITMO 805

#### **8.1.Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
base oil ,VHVI - Inhalable fraction.	TWA		US. ACGIH Threshold Limit Values, as amended (03 2014)
base oil ,VHVI	PEL		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil ,VHVI - Mist.	PEL		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil ,VHVI	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
base oil ,VHVI - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

8.2. Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Avoid contact with eyes and prolonged skin contact. Goggles/face shield

are recommended. If risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Not relevant, due to the form of the product.

Thermal hazards: No data available.

Issue Date: 15.01.2015 Revision Date: 05.04.2023 Print date: 14.08.2024 SDS\_US - CP1000319

Version: 4.0



Product name: GLEITMO 805

9

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

#### PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: solid
Form: Paste

Color: Light brown Odor: Characteristic

Odor Threshold: Not applicable for mixtures

**pH:** substance/mixture is non-soluble (in water)

**Drop Point:** Not applicable for mixtures

Boiling Point:

Flash Point:

Not applicable

Not applicable

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

**Density:** 1.10 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:

Decomposition Temperature:

Value not relevant for classification

**9.2 Other information**No data available.

#### **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

Issue Date: 15.01.2015
Revision Date: 05.04.2023

Version: 4.0



Product name: GLEITMO 805

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

#### 11 **TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Inhalation: No data available.

Inaestion: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

**Acute toxicity** 

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Lime hydrate

LD 50 (Rat): 7,340 mg/kg

Amine aromatic,

alkylated

LD 50 (Rat): > 5,000 mg/kg (OECD 401)

LD 50 (Rat): > 15,000 mg/kg Zn compound

**Dermal** 

**Product:** 

Not classified for acute toxicity based on available data.

Inhalation

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Zn compound

LC 50 (Rat, 4 h): 5.7 mg/l

**Skin Corrosion/Irritation:** 

**Product:** OECD 404 (Rabbit): non irritant

Serious Eye Damage/Eye Irritation:

OECD 405 (Rabbit): No irritant effect at the eyes of rabbits (OECD 405). **Product:** 

Specified substance(s)

Amine aromatic,

OECD 405 (Rabbit): Not irritant.

alkylated

Issue Date: 15.01.2015 Revision Date: 05.04.2023 Version: 4.0



Product name: GLEITMO 805

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Amine aromatic,

alkylated

No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

#### 12 ECOLOGICAL INFORMATION

#### 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Lime hydrate LC 50 (Fish, 96 h): 50.6 mg/l (OECD 203)

Amine aromatic,

alkylated

LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

Issue Date: 15.01.2015
Revision Date: 05.04.2023

Version: 4.0



Product name: GLEITMO 805

Aquatic Invertebrates Specified substance(s)

Lime hydrate EC 50 (Water Flea, 48 h): 49.1 mg/l (OECD 202)

inorganic Zink salt EC 50 (Water Flea, 48 h): 26 mg/l

Amine aromatic,

alkylated

EC 50 (Daphnia magna): 51 mg/l (OECD 202)

Zn compound EC 50 (Water Flea, 48 h): 2.2 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

Toxicity to Aquatic Plants Specified substance(s)

Lime hydrate EC 50 (Alga, 72 h): 184.57 mg/l

Amine aromatic,

alkylated

EC 50 (72 h): > 100 mg/l (OECD 201)

Zn compound EC 50 (Alga, 72 h): 0.17 mg/l

12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Specified substance(s)

Amine aromatic,

alkylated

Not readily degradable.

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** Toxic to aquatic life with long lasting effects.

13 Disposal considerations

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Issue Date: 15.01.2015
Revision Date: 05.04.2023

Version: 4.0



Product name: GLEITMO 805

#### 14 TRANSPORT INFORMATION

DOT

14.1 UN number or ID number: UN 3077

14.2 Proper Shipping Name: Environmentally hazardous substance, solid,

n.o.s.(inorganic Zink salt)

14.3 Transport Hazard Class(es): 9
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 9

14.7 Marine Pollutant: Dangerous for the environment

**IMDG - International Maritime Dangerous Goods Code** 

14.1 UN number or ID number: UN 3077

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.(inorganic Zink salt)

14.3 Transport Hazard Class(es): 9
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 9

14.7 Marine Pollutant: Marine pollutant

14.8 EmS No.: F-A; S-F

**IATA** 

14.1 UN number or ID number: UN 3077

14.2 Proper Shipping Name: Environmentally hazardous substance, solid,

n.o.s.(inorganic Zink salt)

14.3 Transport Hazard Class(es): 9
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 9MI

14.7 Marine Pollutant: Dangerous for the environment

Amounts up to 5kg or 5 L are not regulated, (ADR/RID SP 375, IMDG 2.10.2.7, IATA SP A197)

#### 15 REGULATORY INFORMATION

### **US Federal Regulations**

#### **US State Regulations**

**Inventory Status** 

DSL	On or in compliance with the inventory	
TSCA	On or in compliance with the inventory	

### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

Issue Date: 15.01.2015
Revision Date: 05.04.2023

Version: 4.0



Product name: GLEITMO 805

### Wording of the H-statements in section 2 and 3

H315 Causes skin irritation. H318 Causes serious eye damage. May cause respiratory irritation. H335 Suspected of damaging fertility. H361f Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412

**Revision Date:** 05.04.2023

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 15.01.2015 Revision Date: 05.04.2023 Print date: 14.08.2024 SDS\_US - CP1000319