

1



SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier Product name: RENOFORM MCO 3802 SN

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Metal working Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH	
	Friesenheimer Str. 19	
	68169 Mannheim	

Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570

Contact for request of safety data sheets

E-mail:	Automotive lubricants	CS.Services-FLG@fuchs.com
	Industrial lubricants	
Telephone:	+49 621 3701-0 (ZENTRALE)	

Informing department for safety data sheets

E-mail:	produktsicherheit-FLG@fuchs.com	
1.4 US contact telephone :	708-333-8900	
Emergency telephone:	800-255-3924	

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Health Hazards	
Toxic to reproduction	Category 2
Environmental Hazards	
Chronic hazards to the aquatic environment	Category 3



Product name: RENOFORM MCC) 3802 SN		
Hazard summary Physical Hazards:	No data available.		
2.2 Label Elements			
Signal Words:	Warning		
Hazard Statement(s):	H361: Suspected of damaging fertility or the unborn child. H412: Harmful to aquatic life with long lasting effects.		
Precautionary Stateme	nts		
Prevention:	P201: Obtain special instructions before use. P273: Avoid release to the environment.		
Response:	P308+P313: IF exposed or concerned: Get medical advice/attention.		
Storage:	P405: Store locked up.		
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.		
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protectiv equipment (item 8) are kept.		
Unknown toxicity:	Due to information available product does not contain any ingredients unknown toxicity.		

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscous	64742-46-7	1.00 - <10.00%	
Sodium sulfonate	68608-26-4	1.00 - <5.00%	
phenolic antioxidant	128-37-0	1.00 - <2.50%	
Amine aromatic , alkylated	68411-46-1	0.10 - <1.00%	
Calcium Sulfonate	68584-23-6	0.10 - <1.00%	
Ca Sulfonate	70024-69-0	0.10 - <1.00%	
Calcium Sulfonate	61789-86-4	0.10 - <1.00%	





Product name: RENOFORM MCO 3802 SN

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification	
Hydrocarbons, low viscous	64742-46-7	Asp. Tox. 1;H304	
Sodium sulfonate	68608-26-4	Eye Irrit. 2;H319	
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1	
Amine aromatic , alkylated	68411-46-1	Repr. 2;H361f, Aquatic Chronic 3;H412	
Calcium Sulfonate	68584-23-6	Skin Sens. 1B;H317	
Ca Sulfonate	70024-69-0	Skin Sens. 1B;H317	
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317	

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

4 FIRST AID MEASURES

General:	Instantly remove any clothing soiled by the product.			
4.1 Description of first aid measu	ures			
Inhalation:	Supply fresh air; consult doctor in case of symptoms.			
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.			
Skin Contact:	Wash with soap and water.			
Ingestion:	Rinse mouth thoroughly.			
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.			
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.			
ECTION 5: Firefighting measure	S			
5.1 Extinguishing media				
• •				
Suitable extinguishing	CO2, fire extinguishing powder or fog like water spraving. Extinguish larger			

5.1 Extinguishing media Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
Unsuitable extinguishing media:	Water with a full water jet.	



5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.		
5.3 Advice for firefighters			
Special fire-fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.		
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
ECTION 6: Accidental release m	easures		
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.		
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to th environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.		
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.		
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.		
ECTION 7: Handling and storage	:		
7.1 Precautions for safe handling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practice Provide adequate ventilation.		
7.2 Conditions for safe storage, including any incompatibilities:	Do not heat up to temperatures close to the flash point.		
7.3 Specific end use(s):	Not applicable		

8 EXPOSURE CONTROLS / PERSONAL PROTECTION



Product name: RENOFORM MCO 3802 SN

8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Base oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil - Mist.	PEL		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil	TWA		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil, paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil, paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (02 2012)
base oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
base oil	PEL		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil	TWA		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
base oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
phenolic antioxidant	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
phenolic antioxidant - Inhalable fraction and vapor.	TWA	2 mg/m3	

8.2.Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.



Product name: RENOFORM MCO 3802 SN

Individual protection measur	es, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and che	emical propertiesAppearance
Physical state:	liquid
Form:	liquid
Color:	Dark brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	substance/mixture is non-soluble (in water)
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	142 °C
Evaporation Rate:	Not applicable for mixtures



Product name: RENOFORM MCO 3802 SN

Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0.91 g/ml (15.00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	100 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely rout Inhalation:	es of exposure No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Acute toxicity

Oral



Product name: RENOFORM MCO 3802 SN

Not classified for acute toxicity based on available data.
LD 50 (Rat): > 5,001 mg/kg (OECD 401)
LD 50 (Rat): > 2,930 mg/kg (OECD 401)
LD 50 (Rat): > 5,000 mg/kg (OECD 401)
LD 50 (Rat): > 5,001 mg/kg
LD 50 (Rat): > 5,000 mg/kg (OECD 401)
LD 50 (Rat): > 16,000 mg/kg
Not classified for acute toxicity based on available data.
LD 50 (Rat): > 5,000 mg/kg (OECD 402)
LD 50 (Rabbit): > 5,001 mg/kg
LD 50 (Rabbit): > 5,000 mg/kg (OECD 402)
LD 50 (Rat): > 5,001 mg/kg
Not classified for acute toxicity based on available data.
LC 50 (Rat, 4 h): > 5.2 mg/l (OECD 403)
Based on available data, the classification criteria are not met.
OECD 404 (Rabbit): Not irritant.



Product name: RENOFORM MCO 3802 SN

Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Specified substance(s) Hydrocarbons, low viscous	OECD 405 (Rabbit): Not irritant.
Amine aromatic , alkylated	OECD 405 (Rabbit): Not irritant.
Calcium Sulfonate	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiz Product:	cation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s) Hydrocarbons, low viscous	No sensitizing effect (guinea pig); OECD 406
phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
Amine aromatic , alkylated	No sensitizing effect (guinea pig); OECD 406
Calcium Sulfonate	May cause sensitization by skin contact.
Ca Sulfonate	May cause sensitization by skin contact.
Calcium Sulfonate	May cause sensitization by skin contact.
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs o	on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
NTP: US. National Toxicol	ogy Program (NTP) Report on Carcinogens: No carcinogenic components identified
OSHASP: US. OSHA Spec	ifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
Reproductive toxicity Product:	Based on available data, the classification criteria are met.



Product name: RENOFORM MCO 3802 SN		
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.	
Specific Target Organ Toxic Product:	Specific Target Organ Toxicity - Repeated Exposure Product: Based on available data, the classification criteria are not met.	
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.	
12 ECOLOGICAL INFORMATIC)N	
12.1 Toxicity		
Acute toxicity Product:	Based on available data, the classification criteria are not met.Based on available data, the classification criteria are not met.	
Fish Specified substance(s) Hydrocarbons, low viscous	LC 50 (Fish, 96 h): > 1,028 mg/l (OECD 203)	
Amine aromatic , alkylated	LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)	
Calcium Sulfonate	LL 50 (Cyprinodon variegatus, 96 h): > 10,000 mg/l (OECD 203)	
Ca Sulfonate	LC 50 (Fish, 96 h): > 1,001 mg/l (OECD 203)	
Calcium Sulfonate	LC 50 (Fish, 96 h): > 10,000 mg/l (OECD 203)	
Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscous	EC 50 (Water Flea, 48 h): > 3,193 mg/l	
phenolic antioxidant	EC 50 (Water Flea, 48 h): 0.61 mg/l (OECD 202)	
Amine aromatic , alkylated	EC 50 (Daphnia magna): 51 mg/l (OECD 202)	
Calcium Sulfonate	EL50 (Daphnia magna, 48 h): > 1,000 mg/l	
Ca Sulfonate	EC 50 (Water Flea, 48 h): > 1,001 mg/l	
Calcium Sulfonate	EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)	
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.	
Fish Specified substance(s) Hydrocarbons, low viscous	NOEC (Fish, 28 d): > 1,000 mg/l	



Product name: RENOFORM MCO 3802 SN

Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscous	NOEC (Water Flea, 28 d): > 1,000 mg/l
phenolic antioxidant	NOEC (Water Flea, 21 d): > 0.39 mg/l
Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low viscous	EC 50 (Alga, 72 h): > 10,000 mg/l
Amine aromatic , alkylated	EC 50 (72 h): > 100 mg/l (OECD 201)
Calcium Sulfonate	EL50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 1,000 mg/l
Ca Sulfonate	EC 50 (Alga, 72 h): > 1,000 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s)	Not applicable for mixtures
phenolic antioxidant	30 % (OECD 302C) Not readily degradable.
Amine aromatic , alkylated	Not readily degradable.
Calcium Sulfonate	8.6 % (28 d) Not easily biodegradable

Not applicable for mixtures

Not applicable for mixtures

May be accumulated in organism

12.6 Other adverse effects: No data available.

13 Disposal considerations

13.1 Waste treatment methods

12.5 Results of PBT and vPvB

12.3 Bioaccumulative potential

Specified substance(s) phenolic antioxidant

Product:

12.4 Mobility in soil: Product:

assessment:

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

The product does not contain any substances fulfilling the PBT/vPvB criteria.





Product name: RENOFORM MCO 3802 SN

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code Not regulated.

ΙΑΤΑ

Not regulated.

US Federal Regulations

US State Regulations

Inventory Status

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

16 OTHER INFORMATION

Revision Information:

Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision Date:	16.01.2023
Disclaimer:	The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for
	handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.