



## SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

## PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifier Product name: RENOLIT CX-SPS 0

1

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricating grease Uses advised against: No uses advised against identified.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH
	Friesenheimer Str. 19
	68169 Mannheim

Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570

### Contact for request of safety data sheets

E-mail:	Automotive lubricants	CS.Services-FLG@fuchs.com
	Industrial lubricants	
Telephone:	+49 621 3701-0 (ZENTRALE)	

### Informing department for safety data sheets

E-mail:	produktsicherheit-FLG@fuchs.com
1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924

### 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Health Hazards
----------------

Toxic to reproduction	Category 2	

### Hazard summary Physical Hazards:

No data available.





## Product name: RENOLIT CX-SPS 0

## 2.2 Label Elements

Signal Words:	Warning
Hazard Statement(s):	H361: Suspected of damaging fertility or the unborn child.
Precautionary Stateme	nts
Prevention:	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P281: Use personal protective equipment as required.
Response:	P308+P313: IF exposed or concerned: Get medical advice/attention.
Storage:	P405: Store locked up.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.
3 COMPOSITION / INFORMA	TION ON INGREDIENTS

## 3.2 Mixtures

3

General information:	Lubricating grease:	Thickener system a	and additives in synthetic base oil.

Chemical name	Identifier	Concentration *	Notes
Polyglycol	128000-10-2	5.00 - <10.00%	
Quinoline polymer	26780-96-1	1.00 - <5.00%	
Ca-Borat	12040-58-3	0.10 - <1.00%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.





## Product name: RENOLIT CX-SPS 0

Chemical name	Identifier	Classification	
Polyglycol	128000-10-2	Aquatic Chronic 3;H412	
Quinoline polymer	26780-96-1	Aquatic Chronic 3;H412	
Ca-Borat	12040-58-3	Repr. 2;H361fd	

FIRST AID MEASURES		
General:	Instantly remove any clothing soiled by the product.	
4.1 Description of first aid measu	ures	
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.	
	s	
ECTION 5: Firefighting measure	s CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
ECTION 5: Firefighting measure 5.1 Extinguishing media Suitable extinguishing	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant	
ECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
ECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added Water with a full water jet.	





### Product name: RENOLIT CX-SPS 0

SECTION 6: Accidental release measures		
6.1 Personal precautions, protective equipment and emergency procedures:	Not required.	
6.2 Environmental Precautions:	Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage:		
7.1 Precautions for safe handling:	Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.	

- 7.2 Conditions for safe storage, including any incompatibilities: Local regulations concerning handling and storage of waterpolluting products have to be followed.
- 7.3 Specific end use(s): No data available.

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1.Exposure Limits

8.2. Exposure controls

None of the components have assigned exposure limits.

Appropriate engineering controls: Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

- General information:
   Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
- Eye/face protection: Safety glasses (EN 166) recommended during refilling.



## Product name: RENOLIT CX-SPS 0

Skin protection	
Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Not relevant, due to the form of the product.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chem	nical propertiesAppearance
Physical state:	solid
Form:	Paste
Color:	Light brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	substance/mixture is non-soluble (in water)
Drop Point:	230 °C (IP 396)
Boiling Point:	Value not relevant for classification
Flash Point:	Not applicable
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0.83 g/cm3 (25 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures



## Product name: RENOLIT CX-SPS 0

Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
NLGI:	0
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

## SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11 TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation:	of exposure No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Acute toxicity	
Oral Product:	
Specified substance(s)	Not classified for acute toxicity based on available data.
Quinoline polymer	LD 50 (Rat): 3,190 mg/kg
Dermal Product:	
Specified substance(s)	Not classified for acute toxicity based on available data.
Specified substance(s) Quinoline polymer	LD 50 (Rabbit): > 5,100 mg/kg



## Product name: RENOLIT CX-SPS 0

Inhalation Product:	
	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Specified substance(s) Quinoline polymer	OECD 404 (Rabbit): Not irritant.
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Specified substance(s) Quinoline polymer	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiz Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s) Quinoline polymer	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs o	on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
NTP: US. National Toxicolo	ogy Program (NTP) Report on Carcinogens: No carcinogenic components identified
OSHASP: US. OSHA Speci	ifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
Reproductive toxicity Product:	Based on available data, the classification criteria are met.
Specific Target Organ Toxic Product:	i <b>ty - Single Exposure</b> Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	<b>ity - Repeated Exposure</b> Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.



## Product name: RENOLIT CX-SPS 0

## 12 ECOLOGICAL INFORMATION

12.1 Toxicity

-	
Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Quinoline polymer	LC 50 (Fish, 96 h): 50 - 64 mg/l
Aquatic Invertebrates Specified substance(s) Polyglycol	EC 50 (Daphnia magna, 48 h): > 100 mg/l (OECD 202)
Quinoline polymer	EC 50 (Water Flea, 48 h): 56 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Toxicity to Aquatic Plants Specified substance(s) Polyglycol	ErC50 (Alga, 72 h): < 100 mg/l (OECD 201)
Quinoline polymer	EC 50 (Alga, 72 h): > 100 mg/l
12.2 Persistence and Degradability	ity
Biodegradation Product: Specified substance(s) Polyglycol	Not applicable for mixtures 29 % (28 d, OECD 301F)
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
13 Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe

mixing instructions are observed.

way. When storing used products, ensure that the waste categories and



### Product name: RENOLIT CX-SPS 0

## 14 TRANSPORT INFORMATION

### DOT

Not regulated.

### IMDG - International Maritime Dangerous Goods Code Not regulated.

ΙΑΤΑ

Not regulated.

15	REGULATORY INFORMATION

### **US Federal Regulations**

### **US State Regulations**

#### **Inventory Status**

TS	SCA	E (special case)
DS	SL	Not in compliance with the inventory.

### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment. Wording of the H-statements in section 2 and 3 H361 Suspected of damaging fertility or the unborn child. Suspected of damaging fertility. Suspected of damaging the unborn H361fd child. Harmful to aquatic life with long lasting effects. H412 **Revision Date:** 03.01.2023 **Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.