

Version: 3.0

## **SAFETY DATA SHEET**

acc.to ISO/DIS 11014 for USA

#### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: RENOLIT JP 1619

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19 68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone:** 800-255-3924

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

**Health Hazards** 

Toxic to reproduction Category 2

**Environmental Hazards** 

Chronic hazards to the aquatic environment Category 3

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023

Print date: 09.02.2023 SDS\_US - 00000000657895 1/11



Product name: RENOLIT JP 1619

**Hazard summary** 

Physical Hazards: No data available.

#### 2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H361: Suspected of damaging fertility or the unborn child.

H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Identifier	Concentration *	Notes
Alkyl benzol, low viscosity	84961-70-6	50.00 - <100.00%	
Thiocarbamate	10254-57-6	1.00 - <5.00%	
Heterocyclic N-compound	95-38-5	0.25 - <1.00%	

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023

SDS\_US - 000000000600657895



#### Product name: RENOLIT JP 1619

Oleic acid derivative	110-25-8	0.10 - <1.00%	
Mo dithiophosphate	72030-25-2	0.10 - <1.00%	
Amine aromatic , alkylated	68411-46-1	0.10 - <1.00%	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

# Classification

Chemical name	Identifier	Classification
Alkyl benzol, low viscosity	84961-70-6	Asp. Tox. 1;H304
Thiocarbamate	10254-57-6	Aquatic Chronic 4;H413
Heterocyclic N-compound	95-38-5	Skin Corr. 1C;H314, Eye Dam. 1;H318, STOT RE 2;H373, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1
Oleic acid derivative	110-25-8	Eye Dam. 1;H318, Aquatic Acute 1;H400, Skin Irrit. 2;H315, Aquatic Chronic 3;H412, Acute Tox. 4;H332
Mo dithiophosphate	72030-25-2	, Aquatic Chronic 4;H413, Skin Sens. 1B;H317, Skin Irrit. 2;H315
Amine aromatic , alkylated	68411-46-1	Repr. 2;H361f, Aquatic Chronic 3;H412

#### 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023 SDS\_US - 000000000600657895

Revision Date: 30.01.2023 Version: 3.0



Product name: RENOLIT JP 1619

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Not required.

6.2 Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for

containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this

is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section

7 for information on safe handling See Section 13 for information on

disposal.

### SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage,

including any incompatibilities: Local regulations concerning handling and storage of waterpolluting

products have to be followed.

7.3 Specific end use(s): Not applicable

### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1. Exposure Limits

None of the components have assigned exposure limits.

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023 SDS\_US - 000000000600657895



Product name: RENOLIT JP 1619

8.2. Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling. Avoid contact with

skin and eyes. Goggles/face shield are recommended. If risk of splashing,

wear safety goggles or face shield.

Skin protection

Hand Protection:

Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Not relevant, due to the form of the product.

**Thermal hazards:** No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state:solidForm:PasteColor:Yellow

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023 SDS US - 000000000600657895

Revision Date: 30.01.2023 Version: 3.0



Product name: RENOLIT JP 1619

pH: substance/mixture is non-soluble (in water)

**Drop Point:** 180 °C (IP 396)

Boiling Point: Value not relevant for classification

Flash Point: Not applicable

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Relative vapor density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

**Density:** 0.95 g/ml (25.00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

NLGI:

**Explosive properties:**Value not relevant for classification
Oxidizing properties:
Value not relevant for classification

**9.2 Other information** No data available.

#### SECTION 10: Stability and reactivity

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

#### 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023 SDS US - 000000000600657895

Revision Date: 30.01.2023 Version: 3.0



Product name: RENOLIT JP 1619

#### **Acute toxicity**

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Thiocarbamate LD 50 (Rat): 16,000 mg/kg

Heterocyclic N-compound LD 50 (Rat): 1,265 mg/kg (OECD 401)

Oleic acid derivative LD 50 (Rat): > 5,000 mg/kg

Amine aromatic , LD 50 (Rat):

alkylated

LD 50 (Rat): > 5,000 mg/kg (OECD 401)

Dermal

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Mo dithiophosphate LD 50 (Rabbit): 10,000 mg/kg

Inhalation

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Oleic acid derivative LC 50 (Rat, 4 h): 1.37 mg/l

Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

Heterocyclic N-compound OECD 404 (Rabbit): Corrosive.

Mo dithiophosphate OECD 439 Irritating.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

Heterocyclic N-compound OECD 405 (Rabbit): Corrosive.

Mo dithiophosphate OECD 437 Not irritant.

Amine aromatic,

alkylated

OECD 405 (Rabbit): Not irritant.

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023

SDS\_US - 000000000600657895



Product name: RENOLIT JP 1619

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Alkyl benzol, low viscosity No sensitizing effect (guinea pig); OECD 406

Heterocyclic N-compound No sensitizing effect (guinea pig); OECD 406

Mo dithiophosphate , OECD 429 (Mouse)sensitizing

Amine aromatic, No sensitizing effect (guinea pig); OECD 406

alkylated

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

Product: Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

#### 12 **ECOLOGICAL INFORMATION**

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023

SDS\_US - 000000000600657895



Product name: RENOLIT JP 1619

#### 12.1 Toxicity

Acute toxicity

**Product:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Alkyl benzol, low viscosity LC 50 (Fish, 96 h): > 10,000 mg/l

Heterocyclic N-compound LC 50 (Fish, 96 h): 0.3 mg/l (OECD 203)

Oleic acid derivative LC 50 (Fish, 96 h): 6.8 mg/l

Mo dithiophosphate LC 50 (Rainbow Trout, 48 h): 100 mg/l

Amine aromatic,

alkylated

LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

**Aquatic Invertebrates** Specified substance(s)

Heterocyclic N-compound EC 50 (Water Flea, 48 h): 0.136 mg/l (OECD 202)

Oleic acid derivative EC 50 (Water Flea, 48 h): 0.43 mg/l

EC 50 (Water Flea, 48 h): 100 mg/l (OECD 202) Mo dithiophosphate

Amine aromatic,

alkylated

EC 50 (Daphnia magna): 51 mg/l (OECD 202)

**Chronic ToxicityProduct:** Based on available data, the classification criteria are met.

**Toxicity to Aquatic Plants** Specified substance(s)

Heterocyclic N-compound EC 50 (Alga, 72 h): 0.03 mg/l (OECD 201)

NOEC (Alga, 72 h): 0.11 mg/l

Oleic acid derivative EC 50 (Alga, 72 h): 6.3 mg/l

NOEC (Alga, 72 h): 0.91 mg/l

Mo dithiophosphate EC 50 (Alga, 72 h): 100 mg/l (OECD 201)

Amine aromatic,

alkylated

EC 50 (72 h): > 100 mg/l (OECD 201)

#### 12.2 Persistence and Degradability

Biodegradation

**Product:** Not applicable for mixtures

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023

SDS\_US - 000000000600657895



Product name: RENOLIT JP 1619

Specified substance(s)

Heterocyclic N-compound (OECD 301B) The product is not biodegradable.

Mo dithiophosphate 11 % (28 d, OECD 301B)

Amine aromatic,

alkylated

Not readily degradable.

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** Harmful to aquatic life with long lasting effects.

13 Disposal considerations

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

#### 14 TRANSPORT INFORMATION

#### DOT

Not regulated.

### IMDG - International Maritime Dangerous Goods Code

Not regulated.

#### **IATA**

Not regulated.

#### 15 REGULATORY INFORMATION

### **US Federal Regulations**

### **US State Regulations**

**Inventory Status** 

mit ontoly ottatuo				
	TSCA	On or in compliance with the inventory		
	DSL	On or in compliance with the inventory		

#### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023 SDS\_US - 000000000600657895

Revision Date: 30.01.2023 Version: 3.0
Print date: 09 02 2023



Product name: RENOLIT JP 1619

### Wording of the H-statements in section 2 and 3

1	and of the H-statements in section 2 and 0				
	H302	Harmful if swallowed.			
	H304	May be fatal if swallowed and enters airways.			
	H314	Causes severe skin burns and eye damage.			
	H315	Causes skin irritation.			
	H317	May cause an allergic skin reaction.			
	H318	Causes serious eye damage.			
	H332	Harmful if inhaled.			
	H361	Suspected of damaging fertility or the unborn child.			
	H361f	Suspected of damaging fertility.			
	H373	May cause damage to organs through prolonged or repeated			
		exposure.			
	H400	Very toxic to aquatic life.			
	H410	Very toxic to aquatic life with long lasting effects.			
	H412	Harmful to aquatic life with long lasting effects.			
	H413	May cause long lasting harmful effects to aquatic life.			

Revision Date: 30.01.2023 Disclaimer: The data co

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Issue Date: 30.10.2013 Revision Date: 30.01.2023 Print date: 09.02.2023 SDS\_US - 000000000600657895

rint date: 09.02.2023