

### SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

#### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: RENOLIT LI IDM 000

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19

68169 Mannheim

**US** Distributor +49 621 3701-0 (ZENTRALE) Telephone: Fuchs Lubricants Co.

+49 621 3701-570 Fax: 17050 Lathrop Avenue

Harvey, IL 60426

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

+49 621 3701-0 (ZENTRALE) Telephone:

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

1.4 US contact telephone: 708-333-8900 **Emergency telephone:** 800-255-3924

#### 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

**Health Hazards** 

Skin sensitizer Category 1

**Environmental Hazards** 

Chronic hazards to the aquatic environment Category 3

**Hazard summary** 

**Physical Hazards:** No data available.

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Version: 1.2

Print date: 13.03.2024 SDS\_US - CP1011012



Product name: RENOLIT LI IDM 000

#### 2.2 Label Elements



Signal Words: Warning

**Hazard Statement(s):** H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P272: Contaminated work clothing should not be allowed out of the

workplace.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P273: Avoid release to the environment.

**Response:** P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P321: Specific treatment (see on this label). P363: Wash contaminated clothing before reuse.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations.

and product characteristics at time of disposal.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:**Due to information available product does not contain any ingredients of

unknown toxicity.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in solvent refined

mineral oil.

Chemical name	Identifier	Concentration *	Notes
base oil, paraffinic	64742-65-0	5.00 - <10.00%	
ZnDTP	4259-15-8	3.00 - <5.00%	
Mo dithiophosphate	72030-25-2	1.00 - <5.00%	

Issue Date: 11.01.2021
Revision Date: 03.11.2022

Version: 1.2

Print date: 13.03.2024 SDS\_US - CP1011012



### Product name: RENOLIT LI IDM 000

Fatty alcohol, ethoxylated	68439-50-9	0.10 - <1.00%	
organic Polysulphide	68937-96-2	0.25 - <1.00%	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Identifier	Classification
base oil, paraffinic	64742-65-0	Asp. Tox. 1;H304
ZnDTP	4259-15-8	Eye Dam. 1;H318, Aquatic Chronic 2;H411
Mo dithiophosphate	72030-25-2	, Aquatic Chronic 4;H413, Skin Sens. 1B;H317, Skin Irrit. 2;H315
Fatty alcohol, ethoxylated	68439-50-9	, Aquatic Acute 1;H400, Aquatic Chronic 3;H412
organic Polysulphide	68937-96-2	Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Skin Sens. 1B;H317; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

### 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

**Ingestion:** Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

Suspected to cause hypersensitivity and allergy.

4.3 Indication of any immediate medical attention and special

treatment needed

Symptoms may be delayed.

### SECTION 5: Firefighting measures

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024 SDS\_US - CP1011012

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: RENOLIT LI IDM 000

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

**Special fire-fighting** 

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**6.2 Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this

is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

### **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage, including any

incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed.

7.3 Specific end use(s): Not applicable

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024 SDS\_US - CP1011012



Product name: RENOLIT LI IDM 000

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **8.1.Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
base oil, paraffinic	PEL	500 ppm 2,000 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil, paraffinic - Mist.	PEL	5 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
base oil, paraffinic	TWA	400 ppm 1,600 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
base oil, paraffinic - Mist.	TWA	5 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
base oil, paraffinic - Inhalable fraction.	TWA	5 mg/m	3 US. ACGIH Threshold Limit Values, as amended (03 2014)

8.2. Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below

recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Skin protection

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Not relevant, due to the form of the product.

Thermal hazards: No data available.

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024

SDS\_US - CP1011012



Product name: RENOLIT LI IDM 000

9

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

### PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state:solidForm:PasteColor:Green

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

**pH:** substance/mixture is non-soluble (in water)

**Drop Point:** Not applicable for mixtures

**Boiling Point:** Value not relevant for classification

Flash Point: Not applicable

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

**Density:** 0.92 g/ml (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

**NLGI**: 000

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

**9.2 Other information** No data available.

### **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

Issue Date: 11.01.2021
Revision Date: 03.11.2022

Version: 1.2

Print date: 13.03.2024 SDS\_US - CP1011012



Product name: RENOLIT LI IDM 000

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

**10.6 Hazardous Decomposition** 

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

### 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** May cause an allergic skin reaction.

**Eye contact:** No data available.

**Acute toxicity** 

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

. ZnDTP

LD 50 (Rat): 4,358 mg/kg

organic Polysulphide

LD 50 (Rat): 6,500 mg/kg

**Dermal** 

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

**ZnDTP** 

LD 50 (Rabbit): > 5,000 mg/kg (OECD 402)

Mo dithiophosphate LD 50 (Rabbit): 10,000 mg/kg

Inhalation

**Product:** 

Not classified for acute toxicity based on available data.

**Skin Corrosion/Irritation:** 

**Product:** 

Based on available data, the classification criteria are not met.

Specified substance(s)

ZnDTP

(Rabbit): None.

Mo dithiophosphate OECD 439 Irritating.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

ZnDTP (Rabbit): Slightly irritating.

Mo dithiophosphate OECD 437 Not irritant.

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024 SDS\_US - CP1011012



Product name: RENOLIT LI IDM 000

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

ZnDTP , OECD 406-1 (Guinea Pig)Not a skin sensitizer.

Mo dithiophosphate , OECD 429 (Mouse)sensitizing

organic Polysulphide , OECD 406-1sensitizing

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

#### 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met. Based on

available data, the classification criteria are not met.

Fish

Specified substance(s)

ZnDTP LC 50 (Fish, 96 h): 4.4 mg/l (OECD 203)

Mo dithiophosphate LC 50 (Rainbow Trout, 48 h): 100 mg/l

Issue Date: 11.01.2021
Revision Date: 03.11.2022

Version: 1.2

Print date: 13.03.2024 SDS\_US - CP1011012

8/11



Product name: RENOLIT LI IDM 000

organic Polysulphide LC 50 (Fish, 96 h): > 0.088 mg/l

Aquatic Invertebrates Specified substance(s)

ZnDTP EC 50 (Water Flea, 48 h): 75 mg/l (OECD 202)

Mo dithiophosphate EC 50 (Water Flea, 48 h): 100 mg/l (OECD 202)

organic Polysulphide EC 50 (Water Flea, 48 h): 0.24 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

**Fish** 

Specified substance(s)

**ZnDTP** NOEC (Fish, 4 d): 3.2 mg/l

Aquatic Invertebrates Specified substance(s)

. ZnDTP NOEC (Water Flea, 21 d): 0.4 mg/l

**Toxicity to Aquatic Plants** Specified substance(s)

. ZnDTP EC 50 (Alga, 72 h): 410 mg/l

NOEC (Alga, 72 h): 220 mg/l

Mo dithiophosphate EC 50 (Alga, 72 h): 100 mg/l (OECD 201)

organic Polysulphide LC 50 (Alga, 72 h): 0.838 mg/l (OECD 201)

EC 10 (Alga, 71 h): 0.04 mg/l

12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Specified substance(s)

**ZnDTP** 5 % (28 d, OECD 301B) Not readily degradable.

Mo dithiophosphate 11 % (28 d, OECD 301B)

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

SDS\_US - CP1011012

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: Harmful to aquatic life with long lasting effects.

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024



Product name: RENOLIT LI IDM 000

13 Disposal considerations

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

### 14 TRANSPORT INFORMATION

DOT

Not regulated.

**IMDG - International Maritime Dangerous Goods Code** 

Not regulated.

**IATA** 

Not regulated.

#### 15 REGULATORY INFORMATION

#### **US Federal Regulations**

#### **US State Regulations**

**US. California Proposition 65** 

WARNING! This product can expose you to chemicals including

DIETHANOLAMINE	which is [are	known to the State of California to cause cancer.
----------------	---------------	---

For more information go to www.P65Warnings.ca.gov.

**Inventory Status** 

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory
NDSL	Not in compliance with the inventory.

### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

# Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

**Revision Date:** 03.11.2022

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024 SDS\_US - CP1011012



Product name: RENOLIT LI IDM 000

Disclaimer:

SDS\_US - CP1011012

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Issue Date: 11.01.2021 Revision Date: 03.11.2022 Print date: 13.03.2024