

US Distributor

(708) 333-8900

Emergency

Fuchs Lubricants Co.

17050 Lathrop Avenue Harvey, IL 60426

(800) 255-3924 24 hrs

SAFETY DATA SHEET

Classified in accordance with Health Canada Hazardous Products Regulations (SOR/2015-17)

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: RENOLIT LX P 00

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Recommended use and restriction on use

Recommended use: Lubricating grease

Restrictions on use: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19

68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

1.4 Emergency telephone number: +49 621 3701-0 (Mo - Fr 08:00 am - 04:00 pm, GMT + 1)

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Health Hazards

Reproductive toxicity Category 2

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H361f: Suspected of damaging fertility.

Precautionary Statements

Prevention: P201: Obtain special instructions before use.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

Issue Date: 05.12.2017
Revision Date: 16.01.2024

Version: 1.0



Product name: RENOLIT LX P 00

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international regulations.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective

equipment (item 8) are kept.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Identifier	Concentration (%w/w)	Notes
Amine aromatic , alkylated	68411-46-1	0.10 - 1.00	

A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Amine aromatic, alkylated	68411-46-1	Repr. 2;H361f, Aquatic Chronic 3;H412

FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

SDS_CA - CP1017892

Get medical attention if symptoms occur. Get medical attention if

symptoms occur.

SECTION 5: Firefighting measures

Issue Date: 05.12.2017 Revision Date: 16.01.2024 Print date: 11.07.2025

Version: 1.0

2/9



Product name: RENOLIT LX P 00

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces. Not required.

6.2 Environmental Precautions:

Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Keep separate from food, feedstuffs, fertilizers and other sensitive material. Store away from incompatible materials. No special precautions necessary if used correctly. Use only containers specifically permitted for this substance/product.

Protect from contamination

7.3 Specific end use(s): No data available.

Issue Date: 05.12.2017 Revision Date: 16.01.2024 Print date: 11.07.2025 SDS_CA - CP1017892

Version: 1.0



Product name: RENOLIT LX P 00

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

8

None of the components have assigned exposure limits.

8.2. Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Not relevant, due to the form of the product.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

Issue Date: 05.12.2017 Revision Date: 16.01.2024 Print date: 11.07.2025 SDS_CA - CP1017892



Product name: RENOLIT LX P 00

9.1 Information on basic physical and chemical properties

Appearance

Physical state:solidForm:PasteColor:Yellow

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: substance/mixture is non-soluble (in water)

Drop Point: Not applicable for mixtures

Boiling Point: Value not relevant for classification

Flash Point: Not applicable

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Explosion Limit - Upper (%):

Explosion Limit - Lower (%):

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Relative density: 0.90 g/cm3 (20 °C)

Solubility(ies)

Solubility in Water: Practically Insoluble Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

NLGI: 00

Explosive properties:Value not relevant for classification
Oxidizing properties:
Value not relevant for classification

9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Thermal decomposition or combustion may liberate carbon oxides and

Products: other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Issue Date: 05.12.2017
Revision Date: 16.01.2024

Version: 1.0



Product name: RENOLIT LX P 00

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

No data available. Eye contact:

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Amine aromatic,

alkylated

LD 50 (Rat): > 5,000 mg/kg (OECD 401)

Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Specified substance(s)

Amine aromatic,

OECD 405 (Rabbit): Not irritant.

alkylated

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

6/9

are not met.

Specified substance(s)

Amine aromatic,

No sensitizing effect (guinea pig); OECD 406

alkylated

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

SDS_CA - CP1017892

Product: Based on available data, the classification criteria are not met.

Issue Date: 05.12.2017 Revision Date: 16.01.2024

Version: 1.0 Print date: 11.07.2025



Product name: RENOLIT LX P 00

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH: US.ACGIH Threshold Limit Values:

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

General information: Not applicable

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Amine aromatic,

alkylated

LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

Amine aromatic,

alkylated

EC 50 (Daphnia magna): 51 mg/l (OECD 202)

Chronic Toxicity

Product: Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Amine aromatic,

EC 50 (72 h): > 100 mg/l (OECD 201)

alkylated

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Issue Date: 05.12.2017
Revision Date: 16.01.2024

Version: 1.0



Product name: RENOLIT LX P 00

Specified substance(s)

Amine aromatic,

alkylated

Not readily degradable.

12.3 Bioaccumulative potential

Product:

Not applicable for mixtures

12.4 Mobility in soil:

Product:

Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

14 TRANSPORT INFORMATION

TDG

Not Regulated.

IMDG - International Maritime Dangerous Goods Code

Not Regulated.

IATA

Not Regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

15 REGULATORY INFORMATION

Inventory Status

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

Issue Date: 05.12.2017
Revision Date: 16.01.2024

Version: 1.0



Product name: RENOLIT LX P 00

Revision Date: Disclaimer:

16.01.2024

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other

products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 05.12.2017
Revision Date: 16.01.2024

Print date: 11.07.2025 SDS_CA - CP1017892 Version: 1.0