

## SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: RENOLIT LX-ERP 2

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH US

Friesenheimer Str. 19

68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

**US** Distributor

Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426 (708) 333-8900

(800) 255-3924 24 hrs

Emergency

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone:** 800-255-3924

#### 2 HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

**Health Hazards** 

Skin sensitizer Category 1

**Environmental Hazards** 

Toxic to reproduction

Chronic hazards to the aquatic environment Category 3

Issue Date: 30.10.2013
Revision Date: 09.11.2023
Version: 4.0

Category 1B

Revision Date: 09.11.2023 Print date: 22.02.2024 SDS\_US - CP1005271



Product name: RENOLIT LX-ERP 2

**Hazard summary** 

Physical Hazards: No data available.

#### 2.2 Label Elements



Signal Words: Danger

Hazard Statement(s): H317: May cause an allergic skin reaction.

H360D: May damage the unborn child.

H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P201: Obtain special instructions before use.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response: P333+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international regulations.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:**Due to information available product does not contain any ingredients of

unknown toxicity.

#### 3 COMPOSITION / INFORMATION ON INGREDIENTS

## 3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Identifier	Concentration *	Notes
Polyglycol	31587-08-3	50.00 - <100.00%	
Quinoline polymer	26780-96-1	1.00 - <5.00%	
carboxylic acid zinc salt	12001-85-3	1.00 - <5.00%	

Issue Date: 30.10.2013
Revision Date: 09.11.2023

Version: 4.0

Print date: 22.02.2024 SDS\_US - CP1005271



## Product name: RENOLIT LX-ERP 2

dilithium sebacate	68815-49-6	1.00 - <5.00%	
Zn compound	12001-85-3	1.00 - <2.50%	
Molybdenum thiocarbamate	68412-26-0	1.00 - <5.00%	
Zn-Octoate	136-53-8	0.30 - <1.00%	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Identifier	Classification
Polyglycol	31587-08-3	Aquatic Chronic 3;H412
Quinoline polymer	26780-96-1	Aquatic Chronic 3;H412
carboxylic acid zinc salt	12001-85-3	Skin Sens. 1;H317, Aquatic Chronic 3;H412
dilithium sebacate	68815-49-6	Acute Tox. 4;H302
Zn compound	12001-85-3	Aquatic Chronic 2;H411, Skin Sens. 1B;H317, Eye Irrit. 2;H319
Molybdenum thiocarbamate	68412-26-0	Aquatic Chronic 4;H413
Zn-Octoate	136-53-8	Repr. 1B;H360D, Eye Irrit. 2;H319, Aquatic Chronic 3;H412

### 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

**Ingestion:** Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

Suspected to cause hypersensitivity and allergy.

4.3 Indication of any immediate medical attention and special

treatment needed

Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024 SDS\_US - CP1005271

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: RENOLIT LX-ERP 2

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**6.2 Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this

is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

## **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage,

including any incompatibilities: Store locked up. Local regulations concerning handling and storage of

waterpolluting products have to be followed.

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024 SDS\_US - CP1005271



Product name: RENOLIT LX-ERP 2

7.3 Specific end use(s): Not applicable

### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1.Exposure Limits** 

8

None of the components have assigned exposure limits.

8.2. Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Not relevant, due to the form of the product.

Thermal hazards: No data available.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024 SDS\_US - CP1005271



Product name: RENOLIT LX-ERP 2

#### PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: solid
Form: Paste
Color: Yellow

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

**pH:** substance/mixture is non-soluble (in water)

substance/mixture is non-soluble (in water)

Drop Point:250 °C (IP 396)Boiling Point:Not applicableFlash Point:Not applicable

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Explosion Limit - Upper (%):

Explosion Limit - Lower (%):

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

**Density:** 1.02 g/ml (15.00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

NLGI: 2

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

**9.2 Other information** No data available.

#### **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

SDS\_US - CP1005271

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024



Product name: RENOLIT LX-ERP 2

### 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** May cause an allergic skin reaction.

**Eye contact:** No data available.

**Acute toxicity** 

Oral

**Product:** 

ATEmix: 60,056.85 mg/kg

Specified substance(s)

Quinoline polymer L

LD 50 (Rat): 3,190 mg/kg

dilithium sebacate LD 50 (Rat): 2,000 mg/kg (OECD 420)

Zn compound LC 50 (Rat): 4,920 mg/kg

**Dermal** 

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Quinoline polymer

LD 50 (Rabbit): > 5,100 mg/kg

Inhalation

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

dilithium sebacate

No data available.

Zn compound LC 0 (Rat, 4 h): > 11.6 mg/l

**Skin Corrosion/Irritation:** 

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Quinoline polymer

OECD 404 (Rabbit): Not irritant.

dilithium sebacate OECD 431 Based on available data, the classification criteria are not met.

OECD 439 Based on available data, the classification criteria are not met.

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024 SDS\_US - CP1005271



8/11

Product name: RENOLIT LX-ERP 2

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

Quinoline polymer OECD 405 (Rabbit): Not irritant.

dilithium sebacate OECD 405 (Rabbit): Based on available data, the classification criteria are

not met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Quinoline polymer No sensitizing effect (guinea pig); OECD 406

dilithium sebacate , OECD 429 (Mouse)Based on available data, the classification criteria are

not met.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

In vitro

Specified substance(s)

dilithium sebacate (OECD 471)

Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

### 12 ECOLOGICAL INFORMATION

Issue Date: 30.10.2013
Revision Date: 09.11.2023
Version: 4.0

Print date: 22.02.2024 SDS\_US - CP1005271



Product name: RENOLIT LX-ERP 2

**General information:** Not applicable Not applicable

12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Fish** 

Specified substance(s)

Quinoline polymer LC 50 (Fish, 96 h): 50 - 64 mg/l

dilithium sebacate LC 50 (Fish, 96 h): 100 mg/l (OECD 203)

Zn compound LC 50 (Fish, 96 h): > 100 mg/l

Aquatic Invertebrates Specified substance(s)

Polyglycol EC 50 (Water Flea, 48 h): > 10 mg/l (OECD 202)

Quinoline polymer EC 50 (Water Flea, 48 h): 56 mg/l

dilithium sebacate EC 50 (Water Flea, 48 h): 100 mg/l (OECD 202)

Zn compound EC 50 (Water Flea, 48 h): 35 mg/l

Molybdenum thiocarbamate

EC 50 (Water Flea, 48 h): 100 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

Toxicity to Aquatic Plants Specified substance(s)

Quinoline polymer EC 50 (Alga, 72 h): > 100 mg/l

dilithium sebacate EC 50 (Alga, 72 h): 100 mg/l (OECD 201)

Zn compound EC 50 (Alga, 72 h): 4 mg/l

Molybdenum EC 50 (Alga, 72 h): 100 mg/l

thiocarbamate

## 12.2 Persistence and Degradability

Biodegradation

**Product:** Not applicable for mixtures

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024 SDS\_US - CP1005271



Product name: RENOLIT LX-ERP 2

Specified substance(s)

Polyglycol 0 % (28 d, OECD 301F)

carboxylic acid zinc salt 29 % (28 d, OECD 301B) Not easily biodegradable

dilithium sebacate (OECD 301D) Inherently biodegradable

Molybdenum thiocarbamate

0 % (28 d, OECD 301B) Not easily biodegradable

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** Harmful to aquatic life with long lasting effects.

### 13 Disposal considerations

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

## 14 TRANSPORT INFORMATION

## DOT

Not Regulated.

#### **TDG**

Not Regulated.

### **IMDG - International Maritime Dangerous Goods Code**

Not Regulated.

#### **IATA**

Not Regulated.

#### 15 REGULATORY INFORMATION

### **US Federal Regulations**

### **US State Regulations**

**Inventory Status** 

SDS\_US - CP1005271

DSL	Not in compliance with the inventory.	
TSCA	E (special case)	

Issue Date: 30.10.2013
Revision Date: 09.11.2023
Print date: 22.02.2024



Product name: RENOLIT LX-ERP 2

### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

## Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H360D May damage the unborn child.

H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

Revision Date: 09.11.2023

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 30.10.2013 Revision Date: 09.11.2023 Print date: 22.02.2024

SDS\_US - CP1005271

ion Date: 09.11.2023 Version: 4.0