

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: RF VP F230004-37 USA

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Metal working

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19 68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

1.4 US contact telephone : 708-333-8900 **Emergency telephone:** 800-255-3924

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Health Hazards

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2A

Hazard summary

Physical Hazards: No data available.

Issue Date: 28.09.2023

Revision Date: 28.09.2023

Version: 1.0

Print date: 04.10.2023 SDS_US - 300000024464



Product name: RF VP F230004-37 USA

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary Statements

Prevention: P262: Do not get in eyes, on skin, or on clothing.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives. This product is

a trial product. All information complies with the current state of knowledge. The final specification will be established with the commercialization of the

product.

Chemical name	Identifier	Concentration *	Notes
tert. alkanol amine	102-81-8	1.00 - <3.00%	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
tert. alkanol amine		Skin Corr. 1C;H314, Acute Tox. 4;H302, Acute Tox. 4;H312, Eye Dam. 1;H318, STOT SE 3;H335

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation EC 1272/2008."

Issue Date: 28.09.2023

Revision Date: 28.09.2023

Version: 1.0

Print date: 04.10.2023 SDS_US - 300000024464



Product name: RF VP F230004-37 USA

FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eve contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do.

remove contact lenses. Get medical attention.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash contaminated clothing

before reuse. Get medical attention.

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/ physician if you feel

unwell.

4.2 Most important symptoms and effects, both acute and

delayed:

Causes serious eye irritation. Causes skin irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

Issue Date: 28.09.2023 Revision Date: 28.09.2023 Print date: 04.10.2023 SDS_US - 300000024464

Version: 1.0

3/10



Product name: RF VP F230004-37 USA

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with skin. Prevent formation of aerosols. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any

incompatibilities:

8

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): Not applicable

EXPOSURE CONTROLS / PERSONAL PROTECTION

Issue Date: 28.09.2023 Revision Date: 28.09.2023 Print date: 04.10.2023 SDS_US - 300000024464



Product name: RF VP F230004-37 USA

8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Base oil paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil paraffinic	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
tert. alkanol amine	TWA	2 ppm 14 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
tert. alkanol amine	TWA	0.5 ppm	US. ACGIH Threshold Limit Values, as amended (02 2012)
Low viscous base oil	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Low viscous base oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Low viscous base oil	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Low viscous base oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Low viscous base oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Issue Date: 28.09.2023 Revision Date: 28.09.2023 Print date: 04.10.2023 SDS_US - 300000024464



Product name: RF VP F230004-37 USA

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid
Form: liquid
Color: Dark yellow
Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: substance/mixture is non-soluble (in water)

Freezing point: Not applicable for mixtures

Boiling Point: Value not relevant for classification

Flash Point: > 150 °C

Evaporation Rate:Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0.96 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Issue Date: 28.09.2023

Revision Date: 28.09.2023

Version: 1.0

Print date: 04.10.2023 SDS_US - 300000024464



Product name: RF VP F230004-37 USA

Auto-ignition temperature: Value not relevant for classification Value not relevant for classification **Decomposition Temperature:**

93 mm2/s (40 °C) Kinematic viscosity:

Explosive properties: Value not relevant for classification Oxidizing properties: Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

Stable under normal use conditions. 10.1 Reactivity:

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11 **TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: Causes skin irritation.

Eye contact: Causes eye irritation.

Acute toxicity

Oral

Product:

ATEmix: 57,142.86 mg/kg

Specified substance(s)

tert, alkanol amine LD 50 (Rat): 600 mg/kg

Dermal

Product:

SDS_US - 300000024464

ATEmix: 160,000 mg/kg

Specified substance(s)

tert. alkanol amine LD 50 (Rabbit): 1,680 mg/kg

Issue Date: 28.09.2023 Revision Date: 28.09.2023 Print date: 04.10.2023

Version: 1.0

7/10



Product name: RF VP F230004-37 USA

Inhalation Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

tert. alkanol amine LC 50500 mg/l

Vapour

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

SDS_US - 300000024464

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

Issue Date: 28.09.2023 Revision Date: 28.09.2023 Print date: 04.10.2023



Product name: RF VP F230004-37 USA

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

tert. alkanol amine LC 50 (Fish, 96 h): 29 mg/l

Aquatic Invertebrates Specified substance(s)

tert. alkanol amine EC 50 (Water Flea, 48 h): 73.7 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Aquatic Invertebrates Specified substance(s)

tert. alkanol amine NOEC (Water Flea, 21 d): 4.4 mg/l (OECD 211)

Toxicity to Aquatic Plants Specified substance(s)

tert. alkanol amine EC 50 (Alga, 72 h): 3.2 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

tert. alkanol amine 80 - 90 % (28 d, OECD 301B)

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

Issue Date: 28.09.2023 Revision Date: 28.09.2023 Print date: 04.10.2023 SDS_US - 300000024464

Version: 1.0



Product name: RF VP F230004-37 USA

14 TRANSPORT INFORMATION

DOT

Not Regulated.

TDG

Not Regulated.

IMDG - International Maritime Dangerous Goods Code

Not Regulated.

IATA

Not Regulated.

15 REGULATORY INFORMATION

US Federal Regulations

US State Regulations

Inventory Status

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Causes serious eye damage. H318 Causes serious eye irritation. H319 May cause respiratory irritation. H335

Revision Date: 28.09.2023

Disclaimer: The data contained in this safety data sheet are based on our current

> knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date

safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 28.09.2023 Revision Date: 28.09.2023

SDS_US - 300000024464

Version: 1.0 Print date: 04.10.2023

10/10