

SAFETY DATA SHEET

Classified in accordance with Health Canada Hazardous Products Regulations (SOR/2015-17)

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: TITAN CYTRAC FE SYNTH 75W-85

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Recommended use and restriction on use

Recommended use: Lubricant

Restrictions on use: No uses advised against identified.

US Distributor

Fuchs Lubricants Co. 17050 Lathrop Avenue

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUE

FUCHS LUBRICANTS GERMANY GmbH

Harvey, IL 60426 (708) 333-8900

Friesenheimer Str. 19 68169 Mannheim (708) 333-8900 (800) 255-3924 24 hrs

Emergency

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

1.4 Emergency telephone number: +49 621 3701-0 (Mo - Fr 08:00 am - 04:00 pm, GMT + 1)

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Health Hazards

Reproductive toxicity Category 2

Environmental Hazards

Chronic hazards to the aquatic environment Category 2

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H361f: Suspected of damaging fertility.

H411: Toxic to aquatic life with long lasting effects.

Issue Date: 22.07.2015 Revision Date: 26.04.2024

Print date: 19.03.2025 SDS_CA - CP1003271 Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Precautionary Statements

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P280: Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

P391: Collect spillage.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international regulations.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

General information: Mixture of synthetic base oils with additives.

Chemical name	Identifier	Concentration (%w/w)	Notes
Hydrocarbons, low viscous	68037-01-4	30.00 - 60.00	
Alkyl dithiophosphate	255881-94-8	0.10 - 1.00	
alkylamine	68955-53-3	0.10 - 1.00	
Amine aromatic , alkylated	68411-46-1	0.10 - 1.00	
ethoxylated amine	25307-17-9	0.00 - 0.10	

A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Issue Date: 22.07.2015
Revision Date: 26.04.2024

Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Classification

Chemical name	Identifier	Classification
Hydrocarbons, low viscous	68037-01-4	Asp. Tox. 1;H304
Alkyl dithiophosphate	255881-94-8	Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Repr. 2;H361; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 10
alkylamine	68955-53-3	Skin Corr. 1B;H314, Skin Sens. 1A;H317, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302, Acute Tox. 3;H311, Acute Tox. 2;H330
Amine aromatic , alkylated	68411-46-1	Repr. 2;H361f, Aquatic Chronic 3;H412
ethoxylated amine	25307-17-9	Acute Tox. 4;H302, Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Eye Dam. 1;H318; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1

4 FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Issue Date: 22.07.2015 Revision Date: 26.04.2024 Print date: 19.03.2025 SDS_CA - CP1003271

Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Special fire-fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal

binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the

flash point.

7.3 Specific end use(s): Not applicable

B EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure Limits

None of the components have assigned exposure limits.

8.2. Exposure controls

Issue Date: 22.07.2015
Revision Date: 26.04.2024

Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid
Color: Yellow

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: substance/mixture is non-soluble (in water)

Freezing point: Not applicable for mixtures

Issue Date: 22.07.2015
Revision Date: 26.04.2024

Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Boiling Point: Value not relevant for classification

Flash Point: 226 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Explosion Limit - Upper (%):

Not applicable for mixtures

Relative density: 0.84 g/ml (15.00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 75 mm2/s (40.00 °C)

Explosive properties: Value not relevant for classification

Oxidizing properties: Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Issue Date: 22.07.2015 Revision Date: 26.04.2024 Print date: 19.03.2025 SDS_CA - CP1003271

Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Hydrocarbons, low

viscous

LD 50 (Rat): > 5,000 mg/kg

alkylamine LD 50 (Rat): 612 mg/kg (OECD 401)

Amine aromatic,

alkylated

LD 50 (Rat): > 5,000 mg/kg (OECD 401)

ethoxylated amine LD 50 (Rat): 1,350 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Alkyl dithiophosphate LD 50 (Rat): > 5,000 mg/kg

alkylamine LD 50 (Rat): 251 mg/kg (OECD 402)

Inhalation

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Hydrocarbons, low

LC 50 (Rat, 4 h): > 5 mg/l

viscous

Dust and mist

alkylamine LC 50 (Rat, 4 h): 1.19 mg/l (OECD 403)

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Alkyl dithiophosphate OECD 404 (Rabbit): Not irritant.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Specified substance(s)

Alkyl dithiophosphate OECD 405 (Rabbit): Not irritant.

Amine aromatic,

alkylated

OECD 405 (Rabbit): Not irritant.

Issue Date: 22.07.2015
Revision Date: 26.04.2024

Version: 1.1

Print date: 19.03.2025 SDS_CA - CP1003271

7/11



Product name: TITAN CYTRAC FE SYNTH 75W-85

Respiratory or Skin Sensitization:

Product: , OECD 406-2Experimental data has shown that the concentration of

potentially sensitizing components present in this product does not induce

skin sensitization.

Specified substance(s)

Alkyl dithiophosphate No sensitizing effect (guinea pig); OECD 406

Amine aromatic,

alkylated

No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH: US.ACGIH Threshold Limit Values:

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

General information: Not applicable

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Hydrocarbons, low

viscous

LC 50 (Fish, 96 h): > 750 mg/l

alkylamine LL 50 (Fish, 96 h): 1.3 mg/l

Issue Date: 22.07.2015
Revision Date: 26.04.2024

Version: 1.1



Product name: TITAN CYTRAC FE SYNTH 75W-85

Amine aromatic,

alkylated

LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

LC 50 (Fish, 96 h): 0.1 mg/l (OECD 203) ethoxylated amine

Aquatic Invertebrates Specified substance(s)

Hydrocarbons, low

viscous

EC 50 (Water Flea, 48 h): 190 mg/l

EL50 (Water Flea, 48 h): 2.5 mg/l alkylamine

Amine aromatic,

alkylated

EC 50 (Daphnia magna): 51 mg/l (OECD 202)

ethoxylated amine EC 50 (Water Flea, 48 h): 0.043 mg/l (OECD 202)

Chronic Toxicity

Product: Based on available data, the classification criteria are met.

Fish

Specified substance(s)

alkylamine NOEC (Fish, 96 d): 0.078 mg/l

Toxicity to Aquatic Plants Specified substance(s)

Hydrocarbons, low

viscous

EC 50 (Alga, 72 h): > 1,000 mg/l

alkylamine ErC50 (Alga, 72 h): 0.44 mg/l

Amine aromatic,

alkylated

EC 50 (72 h): > 100 mg/l (OECD 201)

ethoxylated amine EC 50 (Alga, 72 h): 0.0867 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

alkylamine 21.8 % (28 d, OECD 301D) Not easily biodegradable

Amine aromatic,

alkylated

Not readily degradable.

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

Revision Date: 26.04.2024

Print date: 19.03.2025 SDS_CA - CP1003271

Issue Date: 22.07.2015

Version: 1.1

9/11



Product name: TITAN CYTRAC FE SYNTH 75W-85

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: Harmful to aquatic life with long lasting effects.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

14 TRANSPORT INFORMATION

TDG

14.1 UN number or ID number: UN 3082

14.2 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.(Alkyl dithiophosphate)

14.3 Transport Hazard Class(es): 9
14.5 Subsidiary risk label: –
14.6 Packing Group: III
14.7 Label(s): 9

IMDG - International Maritime Dangerous Goods Code

14.1 UN number or ID number: UN 3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.(Alkyl dithiophosphate)

14.3 Transport Hazard Class(es): 9
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 9

14.7 Marine Pollutant: Marine pollutant

14.8 EmS No.: F-A; S-F

IATA

14.1 UN number or ID number: UN 3082

14.2 Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.(Alkyl

dithiophosphate)

14.3 Transport Hazard Class(es): 9
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 9MI

14.7 Marine Pollutant: Dangerous for the environment

Amounts up to 5kg or 5 L are not regulated, (ADR/RID SP 375, IMDG 2.10.2.7, IATA SP A197)

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

15 REGULATORY INFORMATION

Issue Date: 22.07.2015
Revision Date: 26.04.2024

Version: 1.1

Print date: 19.03.2025 SDS_CA - CP1003271

10/11



Product name: TITAN CYTRAC FE SYNTH 75W-85

Inventory Status

TSCA	On or in compliance with the inventory
DSL	Not in compliance with the inventory.
NDSL	On or in compliance with the inventory

OTHER INFORMATION 16

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision Date: 26.04.2024

The data contained in this safety data sheet are based on our current Disclaimer: knowledge and experience and are given to the best of our knowledge and

belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 22.07.2015 Revision Date: 26.04.2024

SDS_CA - CP1003271

Version: 1.1 Print date: 19.03.2025