



SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier Product name: TITAN EM 30 MTU

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH Friesenheimer Str. 19 68169 Mannheim
- · ·	

Telephone: Fax:

1

+49 621 3701-0 (ZENTRALE) +49 621 3701-570

Contact for request of safety data sheets

E-mail:	Automotive lubricants	CS.Services-FLG@fuchs.com
	Industrial lubricants	
Telephone:	+49 621 3701-0 (ZENTRALE)	

Informing department for safety data sheets

E-mail:	produktsicherheit-FLG@fuchs.com
1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

Hazard summary	
Physical Hazards:	No data available.

2.2 Label Elements

Not applicable





Product name: TITAN EM 30 MTU

2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

3 **COMPOSITION / INFORMATION ON INGREDIENTS**

3.2 Mixtures

Chemical name	Identifier	Concentration *	Notes
Calcium long-chain alkylphenate sulfide	68784-26-9	1.00 - 5.00%	
ZnDTP	68784-31-6	1.00 - 5.00%	
Calcium Sulfonate	722503-68-6	0.50 - 1.50%	
Phenol derivative	121158-58-5	0.10 - 1.00%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Calcium long-chain alkylphenate sulfide	68784-26-9	Aquatic Chronic 4;H413
ZnDTP	68784-31-6	Eye Dam. 1;H318, Aquatic Chronic 2;H411
Calcium Sulfonate	722503-68-6	Skin Sens. 1B;H317
Phenol derivative	121158-58-5	Skin Corr. 1C;H314, Eye Dam. 1;H318, Repr. 1B;H360F, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

4 FIRST AID MEASUR	RES
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first a	id measures
Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.

Product name: TITAN EM 30 MTU



4.2 Most important symptoms May cause skin and eye irritation. and effects, both acute and delayed: 4.3 Indication of any immediate Get medical attention if symptoms occur. medical attention and special treatment needed SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing CO2, fire extinguishing powder or fog like water spraying. Extinguish larger media: fires with alcohol resistant foam or spray water with suitable surfactant added Unsuitable extinguishing Water with a full water jet. media: 5.2 Special hazards arising During fire, gases hazardous to health may be formed. from the substance or mixture: 5.3 Advice for firefighters Special fire fighting Move container from fire area if it can be done without risk. Dispose of fire procedures: debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. Special protective Self-contained breathing apparatus and full protective clothing must be equipment for fire-fighters: worn in case of fire. SECTION 6: Accidental release measures 6.1 Personal precautions, In case of spills, beware of slippery floors and surfaces. protective equipment and emergency procedures: 6.2 Environmental Precautions: Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water. 6.3 Methods and material for Absorb with liquid-binding material (sand, diatomite, acidbinders, universal containment and cleaning binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk. up: See Section 8 of the SDS for Personal Protective Equipment. See Section 6.4 Reference to other sections: 7 for information on safe handling See Section 13 for information on

disposal.



Product name: TITAN EM 30 MTU

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	Not applicable

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Base oil paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values,
			as amended (03 2014)
Base oil paraffinic	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air
		o ing/inc	Contaminants (29 CFR 1910.1000),
			as amended (02 2006)
Base oil paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000), as amended (1989)
Base oil paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000), as amended (1989)

8.2.Exposure controls

Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measure	es, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling. Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.



Product name: TITAN EM 30 MTU

Skin protection	
Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance		
Physical state:	liquid	
Form:	liquid	
Color:	Brown	
Odor:	Characteristic	
Odor Threshold:	Not applicable for mixtures	
pH:	Not applicable	
Freezing point:	Not applicable for mixtures	
Boiling Point:	Not applicable	
Flash Point:	186 °C	
Evaporation Rate:	Not applicable for mixtures	
Flammability (solid, gas):	Value not relevant for classification	
Flammability Limit - Upper (%)–:	Not applicable for mixtures	
Flammability Limit - Lower (%)–:	Not applicable for mixtures	
Vapor pressure:	Not applicable for mixtures	
Relative vapor density:	Not applicable for mixtures	
Density:	0.89 g/ml (15.00 °C)	
Solubility(ies)		
Solubility in Water:	Insoluble in water	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/water):	Not applicable for mixtures	



Product name: TITAN EM 30 MTU

Autoignition Temperature: Decomposition Temperature: Kinematic viscosity: Explosive properties: Oxidizing properties: 9.2 Other information Value not relevant for classification Value not relevant for classification 91.3 mm2/s (40.00 °C) Value not relevant for classification Value not relevant for classification No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation: No data available.	
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Acute toxicity	
Oral Product:	Not classified for acute toxicity based on available data.
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation Product:	Not classified for acute toxicity based on available data.



Product name: TITAN EM 30 MTU

	Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
	Serious Eye Damage/Eye Irri Product:	itation: Based on available data, the classification criteria are not met.
	Respiratory or Skin Sensitiza Product:	ation: Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.
	Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
	Carcinogenicity Product:	Based on available data, the classification criteria are not met.
	IARC: IARC Monographs o	n the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
	NTP: US. National Toxicolo	ogy Program (NTP) Report on Carcinogens: No carcinogenic components identified
	OSHASP: US. OSHA Speci	fically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
	Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
	Specific Target Organ Toxicity - Single Exposure Product: Based on available data, the classification criteria are not met.	
	Specific Target Organ Toxici Product:	i ty - Repeated Exposure Based on available data, the classification criteria are not met.
	Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
12	ECOLOGICAL INFORMATIO	N
12. ⁻	2.1 Toxicity	
	Acute toxicity Product:	Based on available data, the classification criteria are not met.
	Fish Specified substance(s) Phenol derivative	LC 50 (Fish, 96 h): 0.14 mg/l

12



Product name: TITAN EM 30 MTU

Aquatic Invertebrates Specified substance(s) Calcium long-chain alkylphenate sulfide	EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)
ZnDTP	EC 50 (Water Flea, 48 h): 1.2 mg/l
Phenol derivative	EC 50 (Water Flea, 48 h): 0.017 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Toxicity to Aquatic Plants Specified substance(s) Phenol derivative	EC 50 (Alga, 72 h): 0.091 mg/l
12.2 Persistence and Degradability	
Biodegradation Product:	Not applicable for mixtures
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
13 Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code Not regulated.

ΙΑΤΑ

Not regulated.



Product name: TITAN EM 30 MTU

15 REGULATORY INFORMATION

US Federal Regulations

US State Regulations

Inventory Status

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory
NDSL	Not in compliance with the inventory.

16 OTHER INFORMATION

Revision Information:

Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

wording of the H	-statements in section 2 and 5
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Revision Date:	15.09.2021
Disclaimer:	The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.