

## SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: TITAN FRICOFIN DP 50

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Antifreeze/coolant Containers >=20l for commercial use only

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19

68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

**US** Distributor

Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426 (708) 333-8900

(800) 255-3924 24 hrs

**Emergency** 

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone:** 800-255-3924

#### 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

**Health Hazards** 

Toxic to reproduction Category 2

Specific Target Organ Toxicity - Repeated Category 2

Exposure

**Hazard summary** 

Physical Hazards: No data available.

Issue Date: 23.10.2014
Revision Date: 22.03.2024

Version: 1.1

Revision Date: 22.03.2024 Print date: 14.05.2024 SDS\_US - CP1016802



Product name: TITAN FRICOFIN DP 50

#### 2.2 Label Elements



Signal Words: Warning

**Hazard Statement(s):** H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs through prolonged or repeated

exposure.

**Precautionary Statements** 

**Prevention:** P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P260: Do not breathe dust/fume/gas/mist/vapors/spray. P280: Wear protective gloves/ eye protection/ face protection.

**Response:** P314: Get medical advice/attention if you feel unwell.

**Storage:** P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international regulations.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:** Due to information available product does not contain any ingredients of

unknown toxicity.

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures

**General information:** Mixture of the substances listed below with harmless additions.

Chemical name	Identifier	Concentration *	Notes
Ethanediol	107-21-1	25.00 - <50.00%	
Na-Sebacat	17265-14-4	1.00 - <5.00%	
Tolutriazole derivative	64665-57-2	0.10 - <1.00%	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

Issue Date: 23.10.2014 Revision Date: 22.03.2024 Print date: 14.05.2024 SDS\_US - CP1016802

Version: 1.1

vPvB: very persistent and very bioaccumulative substance.



Product name: TITAN FRICOFIN DP 50

#### Classification

Chemical name	Identifier	Classification
Ethanediol	107-21-1	Acute Tox. 4;H302, STOT RE 2;H373
Na-Sebacat	17265-14-4	Eye Irrit. 2;H319
Tolutriazole derivative		Acute Tox. 4;H302, Skin Corr. 1B;H314, Aquatic Chronic 2;H411, Eye Dam. 1;H318, Repr. 2;H361d

## 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Issue Date: 23.10.2014
Revision Date: 22.03.2024

Version: 1.1

Print date: 14.05.2024 SDS\_US - CP1016802



Product name: TITAN FRICOFIN DP 50

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** 

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

### **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting

products have to be followed.

7.3 Specific end use(s): Not applicable

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1.Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
Ethanediol	Ceiling	50 ppm 125 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000), as amended (1989)
Ethanediol - Aerosol.	Ceiling	100 mg/m3	US. ACGIH Threshold Limit Values,
		_	as amended (02 2012)

### 8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below

recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Issue Date: 23.10.2014 Revision Date: 22.03.2024 Print date: 14.05.2024 SDS\_US - CP1016802



Product name: TITAN FRICOFIN DP 50

**General information:** Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

**Skin protection** 

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

### PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid
Form: liquid
Color: light pink
Odor: Characteristic

Odor Threshold:Not applicable for mixturespH:8.3 (DIN 51369, 529 g/l, 20 °C)Freezing point:Not applicable for mixtures

**Boiling Point:** Value not relevant for classification

Flash Point: > 100 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Explosion Limit - Upper (%): Not applicable for mixtures

Issue Date: 23.10.2014

Revision Date: 22.03.2024

Version: 1.1

Print date: 14.05.2024 SDS\_US - CP1016802

9



Product name: TITAN FRICOFIN DP 50

Explosion Limit - Lower (%):

Vapor pressure:

Relative vapor density:

Not applicable for mixtures

Not applicable for mixtures

**Density:** 1.07 g/ml (15.00 °C)

Solubility(ies)

Solubility in Water: Soluble

**Solubility (other):**No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature:

Decomposition Temperature:

Value not relevant for classification

**9.2 Other information** No data available.

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

## 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Acute toxicity** 

Oral

**Product:** 

ATEmix: 3,354.93 mg/kg

Issue Date: 23.10.2014 Revision Date: 22.03.2024 Print date: 14.05.2024 SDS\_US - CP1016802

Version: 1.1



Product name: TITAN FRICOFIN DP 50

Specified substance(s)

Ethanediol LD 50 (Human): 1,600 mg/kg

Na-Sebacat LD 50 (Rat): > 5,000 mg/kg (OECD 401)

Tolutriazole derivative LD 50 (Rat): 735 mg/kg (OECD 401)

**Dermal** 

**Product:** 

ATEmix: 7,338.91 mg/kg

Specified substance(s)

Ethanediol LD 50 (Mouse): 3,500 mg/kg

Inhalation Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Ethanediol (Rabbit, 20 h): Not irritating

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Ethanediol No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are met.

Issue Date: 23.10.2014
Revision Date: 22.03.2024

Version: 1.1

Print date: 14.05.2024 SDS\_US - CP1016802



Product name: TITAN FRICOFIN DP 50

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are met.

Specified substance(s)

Ethanediol Kidney

May cause damage to kidneys through prolonged or repeated exposure if

swallowed

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

### 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Fish** 

Specified substance(s)

Ethanediol LC 50 (Fish, 96 h): 72,860 mg/l

Na-Sebacat LC 50 (Fish, 96 h): > 101 mg/l

Tolutriazole derivative LC 50 (Fish, 96 h): 25 mg/l

Aquatic Invertebrates Specified substance(s)

Ethanediol EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)

**Chronic ToxicityProduct:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Ethanediol NOEC (Fish, 7 d): 15,380 mg/l

Aquatic Invertebrates Specified substance(s)

Ethanediol NOEC (Water Flea, 7 d): 8,590 mg/l

Toxicity to Aquatic Plants Specified substance(s)

Tolutriazole derivative EC 50 (Alga, 72 h): 26.2 mg/l

## 12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Issue Date: 23.10.2014
Revision Date: 22.03.2024

Version: 1.1

Revision Date: 22.03.2024 Print date: 14.05.2024 SDS\_US - CP1016802



Product name: TITAN FRICOFIN DP 50

Specified substance(s)

Ethanediol > 90 % (10 d, OECD 301A) The product is easily biodegradable.

Tolutriazole derivative 70 % (28 d) Readily biodegradable

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** No data available.

### 13 Disposal considerations

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

### 14 TRANSPORT INFORMATION

**DOT** 

Not Regulated.

**TDG** 

Not Regulated.

### **IMDG - International Maritime Dangerous Goods Code**

Not Regulated.

**IATA** 

Not Regulated.

### 15 REGULATORY INFORMATION

### **US Federal Regulations**

### **US State Regulations**

### **US. California Proposition 65**

WARNING! This product can expose you to chemicals including

ETHYLENE GLYCOL (INGESTED) which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

Issue Date: 23.10.2014 Revision Date: 22.03.2024 Print date: 14.05.2024

SDS\_US - CP1016802

Version: 1.1



Product name: TITAN FRICOFIN DP 50

**Inventory Status** 

DSL	Not in compliance with the inventory.	
TSCA	E (special case)	

#### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

## Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects.

**Revision Date:** 22.03.2024

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 23.10.2014 Revision Date: 22.03.2024 Print date: 14.05.2024

SDS\_US - CP1016802