

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier Product name: VP-759-SW-60 (VP)

1

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricating grease Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS GERMANY GmbH
	Friesenheimer Str. 19
	68169 Mannheim

Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570

Contact for request of safety data sheets

E-mail:	Automotive lubricants	CS.Services-FLG@fuchs.com
	Industrial lubricants	
Telephone:	+49 621 3701-0 (ZENTRALE)	

Informing department for safety data sheets

E-mail:	produktsicherheit-FLG@fuchs.com
1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Environmental Hazards

Chronic hazards to the aquatic environment Category 3

Hazard summary

Physical Hazards: No data available.



Product name: VP-759-SW-60 (VP)

2.2 Label Elements

Hazard Statement(s):	H412: Harmful to aquatic life with long lasting effects.	
Precautionary Statemen	ts	
Prevention:	P273: Avoid release to the environment.	
Disposal:	P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.	
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.	
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.	

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

General information:

Lubricating grease: Thickener system and additives in solvent refined mineral oil. This product is a trial product. All information complies with the current state of knowledge. The final specification will be established with the commercialization of the product.

Chemical name	Identifier	Concentration *	Notes
calciumcarbonate	471-34-1	5.00 - <10.00%	
Triaryl phosphate, alkylated	68937-40-6	0.10 - <1.00%	
organic Polysulphide	68937-96-2	0.25 - <1.00%	
phenolic antioxidant	128-37-0	0.10 - <0.25%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
calciumcarbonate	471-34-1	
Triaryl phosphate, alkylated	68937-40-6	Aquatic Acute 1;H400, Aquatic Chronic 2;H411; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
organic Polysulphide	68937-96-2	Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Skin Sens. 1B;H317; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."



Product name: VP-759-SW-60 (VP)

General:	Instantly remove any clothing soiled by the product.	
.1 Description of first aid measu	ures	
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
I.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
.3 Indication of any immediate nedical attention and special reatment needed	Get medical attention if symptoms occur.	
ECTION 5: Firefighting measure	S	
5.1 Extinguishing media		
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
Suitable extinguishing	fires with alcohol resistant foam or spray water with suitable surfactant	
Suitable extinguishing media: Unsuitable extinguishing media:	fires with alcohol resistant foam or spray water with suitable surfactant added	
Suitable extinguishing media: Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or mixture:	fires with alcohol resistant foam or spray water with suitable surfactant added Water with a full water jet.	
Suitable extinguishing media: Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or mixture:	fires with alcohol resistant foam or spray water with suitable surfactant added Water with a full water jet.	
Suitable extinguishing media: Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or mixture: 5.3 Advice for firefighters Special fire-fighting	fires with alcohol resistant foam or spray water with suitable surfactant added Water with a full water jet. During fire, gases hazardous to health may be formed. Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not	
Suitable extinguishing media: Unsuitable extinguishing media: 5.2 Special hazards arising from the substance or mixture: 5.3 Advice for firefighters Special fire-fighting procedures: Special protective	fires with alcohol resistant foam or spray water with suitable surfactant added Water with a full water jet. During fire, gases hazardous to health may be formed. Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	



Product name: VP-759-SW-60 (VP)

6.2 Environmental Precautions:	Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage	:	
7.1 Precautions for safe handling:	Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.	
7.2 Conditions for safe storage, including any incompatibilities:	Store in original tightly closed container. Keep separate from food, feedstuffs, fertilizers and other sensitive material. Store away from incompatible materials. No special precautions necessary if used correctly. Use only containers specifically permitted for this substance/product. Protect from contamination	
7.3 Specific end use(s):	Not applicable	

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
calciumcarbonate - Total dust.	PEL		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
calciumcarbonate - Respirable fraction.	PEL	_	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
calciumcarbonate - Total dust.	TWA		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
calciumcarbonate - Respirable fraction.	TWA		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

8.2.Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment



Product name: VP-759-SW-60 (VP)

General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Not relevant, due to the form of the product.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state:	solid
Form:	solid
Color:	Brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	substance/mixture is non-soluble (in water)
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	Not applicable
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures



Product name: VP-759-SW-60 (VP)

Relative vapor density:	Not applicable for mixtures
Density:	0.90 g/cm3 (25 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
NLGI:	0
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation:	of exposure No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Acute toxicity	
Oral	

Product:

Not classified for acute toxicity based on available data.



Product name: VP-759-SW-60 (VP)

Specified substance(s) calciumcarbonate	LD 50 (Rat): 6,450 mg/kg
Triaryl phosphate, alkylated	LD 50 (Rat): > 5,001 mg/kg
organic Polysulphide	LD 50 (Rat): 6,500 mg/kg
phenolic antioxidant	LD 50 (Rat): > 2,930 mg/kg (OECD 401)
Dermal Product:	
	Not classified for acute toxicity based on available data.
Specified substance(s) phenolic antioxidant	LD 50 (Rat): > 5,000 mg/kg (OECD 402)
Inhalation Product:	
Specified substance(s)	Not classified for acute toxicity based on available data.
Triaryl phosphate, alkylated	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye Irri Product:	tation: Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiza Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s) organic Polysulphide	, OECD 406-1sensitizing
phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Product: Carcinogenicity Product:	

No carcinogenic components identified



Prod	uct name: VP-759-SW-60 (VP)	
	NTP: US. National Toxicolo	ogy Program (NTP) Report on Carcinogens: No carcinogenic components identified
	OSHASP: US. OSHA Speci	ifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
	Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
	Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
	Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
	Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
12	ECOLOGICAL INFORMATIO	N
	General information:	Not applicable
12.1	Toxicity	
	Acute toxicity Product:	Based on available data, the classification criteria are not met.
	Fish Specified substance(s) calciumcarbonate	LC 50 (Fish, 96 h): > 101 mg/l
	Triaryl phosphate, alkylated	LC 50 (Fish, 96 h): 0.8 mg/l
	organic Polysulphide	LC 50 (Fish, 96 h): > 0.088 mg/l
	Aquatic Invertebrates Specified substance(s) calciumcarbonate	EC 50 (Daphnia magna, 48 h): > 101 mg/l
	Triaryl phosphate, alkylated	EC 50 (Water Flea, 48 h): 0.202 mg/l
	organic Polysulphide	EC 50 (Water Flea, 48 h): 0.24 mg/l (OECD 202)
	phenolic antioxidant	EC 50 (Water Flea, 48 h): 0.61 mg/l (OECD 202)
	Chronic ToxicityProduct:	Based on available data, the classification criteria are met.
	Fish Specified substance(s) Triaryl phosphate, alkylated	NOEC (Fish, 90 d): 0.093 mg/l



Product name: VP-759-SW-60 (VP)

Aquatic Invertebrates Specified substance(s)	
Triaryl phosphate, alkylated	NOEC (Water Flea, 21 d): 0.0399 mg/l
phenolic antioxidant	NOEC (Water Flea, 21 d): > 0.39 mg/l
Toxicity to Aquatic Plants Specified substance(s)	
Triaryl phosphate,	EC 50 (Alga, 72 h): 1.4 mg/l
alkylated	NOEC (Alga, 72 h): 0.05 mg/l
organic Polysulphide	LC 50 (Alga, 72 h): 0.838 mg/l (OECD 201) EC 10 (Alga, 71 h): 0.04 mg/l

12.2 Persistence and Degradability

Product: 12.5 Results of PBT and vPvB	Not applicable for mixtures The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.4 Mobility in soil:	, , , , , , , , , , , , , , , , , , , ,
Specified substance(s) phenolic antioxidant	May be accumulated in organism
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
phenolic antioxidant	30 % (OECD 302C) Not readily degradable.
Specified substance(s) Triaryl phosphate, alkylated	61 % (28 d) Readily biodegradable
Biodegradation Product:	Not applicable for mixtures

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

14 TRANSPORT INFORMATION

DOT

Not regulated.





Product name: VP-759-SW-60 (VP)

TDG

Not regulated.

IMDG - International Maritime Dangerous Goods Code Not regulated.

Not regulated

ΙΑΤΑ

Not regulated.

US Federal Regulations

US State Regulations

Inventory Status

DSL	Not in compliance with the inventory.
TSCA	Not in compliance with the inventory.

16 OTHER INFORMATION

Revision Information:

Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision Date:
Disclaimer:

03.03.2023

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.