



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: CEDRACON SL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRITECH GmbH Werner-Heisenberg-Straße 1 67661 Kaiserslautern/Germany
Telephone:	+49 (0) 6301 3206-0
Fax:	+49 (0) 6301 3206-940
Contact Person:	FUCHS LUBRITECH GmbH - Product Safety Management
Telephone:	+49 (0) 6301 3206-0
Fax:	+49 (0) 6301 3206-940
E-mail:	reach@fuchs-lubritech.de

1.4 Emergency telephone number: +49 (0) 6301 3206-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Hazard summary Physical Hazards:	Can form flammable vapour-air mixtures during the application.
Health Hazards	
Skin Contact:	At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.
2.2 Label Elements	
Hazard Statement(s):	EUH210: Safety data sheet available on request.





Precautionary Statement	is a second s
	EUH066: Repeated exposure may cause skin dryness or cracking.
2.3 Other hazards:	By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Mixture based on severely refined mineral base oils with corrosion preventive agents and volatile hydrocarbons.

Chemical name	ldentifier		REACH Registration No.	Notes
Hydrocarbons, low viscosity	EC: 918-481-9	20,00 - <50,00%	01-2119457273-39	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Hydrocarbons, low viscosity EC: 918-481-9 CLP: Asp. Tox. 1;H304	Chemical name	Identifier	Classification	
	Hydrocarbons, low viscosity	EC: 918-481-9	CLP: Asp. Tox. 1;H304	

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measu Inhalation:	u res Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with water and soap; pay attention: skin degreasing product.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	Headache.
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur. Get medical attention if symptoms occur.





SECTION 5: Firefighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool.	
5.1 Extinguishing media		
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
Unsuitable extinguishing media:	Water with a full water jet.	
5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed. Can form explosive vapor-air mixtures at higher temperatures.	
5.3 Advice for firefighters		
Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release mo	easures	
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.	
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage	:	
7.1 Precautions for safe	Use only in well-ventilated areas. Prevent formation of aerosols. Do not eat,	

handling: when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.





7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	Not applicable
Storage Class:	10, Combustible liquids
SECTION 8: Exposure controls/pe	ersonal protection
8.1 Control Parameters Occupational Exposure Limit	s None of the components have assigned exposure limits.
8.2 Exposure controls	
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measure	es, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile-butadiene rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.





Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Black
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	179 °C
Flash Point:	66 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0,87 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	23 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.





Product name: CEDRACON SL		
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.	
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
SECTION 11: Toxicological inform	nation	
11.1 Information on toxicologica	I effects	
Acute toxicity		
Oral Product:	Net clearified for coute toxicity based on excitable date	
Specified substance(s)	Not classified for acute toxicity based on available data.	
Hydrocarbons, low viscosity	LD 50 (Rat): > 5.000 mg/kg (OECD 401)	
Dermal		
Product:	Not classified for acute toxicity based on available data.	
Inhalation		
Product:	Not classified for acute toxicity based on available data.	
	Not classified for acute toxicity based of available data.	
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Irritation: Product: Based on available data, the classification criteria are not met.		
Respiratory or Skin Sensitiz	ation:	
Product:	Skin sensitizer: Based on available data, the classification criteria are not met.	
	Respiratory sensitizer: Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	
Carcinogenicity Product:	Based on available data, the classification criteria are not met.	
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.	
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.	





Specific Target Organ Toxicity - Repeated Exposure Product: Based on available data, the classification criteria are not met.		
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.	
Other adverse effects:	No data available.	
ECTION 12: Ecological informati	on	
2.1 Toxicity		
Acute toxicity Product:	Based on available data, the classification criteria are not met.	
Fish Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 1.001 mg/l (OECD 203)	
Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscosity	EC 50 (Water Flea, 48 h): > 1.000 mg/l (OECD 202)	
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.	
Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low viscosity	EC 50 (Alga, 72 h): > 1.000 mg/l (OECD 201)	
2.2 Persistence and Degradabili	ty	
Biodegradation Product: Specified substance(s) Hydrocarbons, low	Not applicable for mixtures 80 % (28 d, OECD 301F) Readily biodegradable	
viscosity		
2.3 Bioaccumulative potential Product:	Not applicable for mixtures	
2.4 Mobility in soil: Product:	Not applicable for mixtures	
2.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteri	
2.6 Other adverse effects:	No data available.	
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.	





ECTION 13: Disposal considerati	ons	
13.1 Waste treatment methods		
General information:	Dispose in accordance with all applicable regulations.	
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.	
ECTION 14: Transport informatio	n	
ADR/RID		
14.1 UN Number:		
14.2 UN Proper Shipping Name		
14.3 Transport Hazard Class(es		
Class:	Non-dangerous goods	
Label(s):	_	
Hazard No. (ADR):	_	
Tunnel restriction code:	_	
14.4 Packing Group:		
14.5 Environmental hazards:	_	
14.6 Special precautions for use	er: –	
IMDG		
14.1 UN Number:	_	
14.2 UN Proper Shipping Name	: –	
14.3 Transport Hazard Class(es		
Class:	Non-dangerous goods	
Label(s):	_	
EmS No.:	-	
14.3 Packing Group:	_	
14.5 Environmental hazards:	_	
14.6 Special precautions for use	er: –	
IATA		
14.1 UN Number:	_	
14.2 Proper Shipping Name:	_	
14.3 Transport Hazard Class(es	3):	
Class:	Non-dangerous goods	
Label(s):	_	
14.4 Packing Group:		
14.5 Environmental hazards:	_	
14.6 Special precautions for use		
	и. —	

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:





EU Regulations		
Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none		
Regulation (EC) No. 850/2004 on persistent organic pollutants: none		
15.2 Chemical safety assessment:	No Chemical Safety Assessment has been carried out.	
SECTION 16: Other information		
Revision Information:	Vertical lines in the margin indicate an amendment.	
Wording of the H-state EUH210 H304 Other information:	 ments in section 2 and 3 Safety data sheet available on request. May be fatal if swallowed and enters airways. The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method. 	
Revision Date: Disclaimer:	06.06.2018 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.	