



US Distributor

Fuchs Lubricants Co.

17050 Lathrop Avenue

Harvey, IL 60426 (708) 333-8900 (800) 255-3924 24 hrs Emergency

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: CEDRACON SL

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer FUCHS LUBRITECH GmbH

Werner-Heisenberg-Straße 1

67661 Kaiserslautern/Germany

Telephone: +49 (0) 6301 3206-0

Fax: +49 (0) 6301 3206-940

Contact Person: FUCHS LUBRITECH GmbH - Product Safety Management

Telephone: +49 (0) 6301 3206-0 Fax: +49 (0) 6301 3206-940

E-mail: INFO@FUCHS-LUBRITECH.DE

1.4 US contact telephone : 708-333-8900 **Emergency telephone:** 800-255-3924

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Physical Hazards

Flammable liquids Category 4

Hazard summary

Physical Hazards: Can form flammable vapour-air mixtures during the application.

Health Hazards

Skin Contact: At long or repeated contact with skin it may cause dermatitis due to the

degreasing effect of the solvent.

Issue Date: 10.02.2015
Revision Date: 12.06.2019
Print date: 12.06.2019

SDS_US - 000000000601066429





Version: 1.0

Product name: CEDRACON SL

2.2 Label Elements

Signal Words: Warning

Hazard Statement(s): H227: Combustible liquid.

Precautionary Statements

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

2.3 Other hazards: By handling of chemical products no particular hazard is known when

normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information: Mixture based on severely refined mineral base oils with corrosion

preventive agents and volatile hydrocarbons.

Chemical name	Identifier	Concentration *	Notes
Mineral base oil	72623-83-7	20.00 - <50.00%	
Hydrocarbons, low viscosity	918-481-9	20.00 - <50.00%	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

Classification

Chemical name	Identifier	Classification
Mineral base oil	72623-83-7	
Hydrocarbons, low viscosity	918-481-9	Asp. Tox. 1;H304

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

Print date: 12.06.2019 SDS_US - 00000000601066429 2/10

vPvB: very persistent and very bioaccumulative substance.





4 **FIRST AID MEASURES**

> General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Promptly wash eyes with plenty of water while lifting the eye lids. **Eve contact:**

Skin Contact: Wash with water and soap; pay attention: skin degreasing product.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

Headache.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur. Get medical attention if

symptoms occur.

SECTION 5: Firefighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool.

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed. Can form explosive

vapor-air mixtures at higher temperatures.

5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official

regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces. Keep away from

sources of ignition - No smoking.

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

SDS_US - 000000000601066429

Version: 1.0

3/10





6.2 Environmental Precautions: Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the

environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow

to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal

binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section

7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Use only in well-ventilated areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good

industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures

close to the flash point.

7.3 Specific end use(s): Not applicable

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Mineral base oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Mineral base oil	PEL		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Mineral base oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Mineral base oil	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Mineral base oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

SDS US - 000000000601066429

Version: 1.0

4/10





Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile-butadiene rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid Form: liquid Color: Black

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: Not applicable

Freezing point: Not applicable for mixtures

179 °C **Boiling Point:** Flash Point: 66 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

9

SDS US - 000000000601066429

5/10

Version: 1.0





Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0.87 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 23 mm2/s (40 °C)

Explosive properties:Value not relevant for classification
Oxidizing properties:
Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

Print date: 12.06.2019 SDS_US - 00000000601066429

6/10

Version: 1.0





Specified substance(s)

Mineral base oil LD 50 (Rat): > 5,000 mg/kg

Hydrocarbons, low

viscosity

LD 50 (Rat): > 5,000 mg/kg (OECD 401)

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Mineral base oil LD 50 (Rabbit): > 5,000 mg/kg

Inhalation **Product:**

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Based on available data, the classification criteria are not met. Product:

Serious Eye Damage/Eye Irritation:

Based on available data, the classification criteria are not met. **Product:**

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

Version: 1.0 SDS_US - 000000000601066429

7/10





Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Mineral base oil LC 50 (Fish, 96 h): 1,000 - 5,000 mg/l

Hydrocarbons, low

viscosity

LC 50 (Fish, 96 h): > 1,001 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

Mineral base oil EC 50 (Water Flea, 48 h): > 10,000 mg/l

Hydrocarbons, low

viscosity

EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Mineral base oil LC 50 (Alga, 96 h): > 1,000 mg/l

Hydrocarbons, low

viscosity

EC 50 (Alga, 72 h): > 1,000 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

Hydrocarbons, low

viscosity

80 % (28 d, OECD 301F) Readily biodegradable

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

Version: 1.0

8/10

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

SDS_US - 00000000601066429





Version: 1.0

Product name: CEDRACON SL

12.6 Other adverse effects: No data available.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

14 TRANSPORT INFORMATION

DOT

14.1 UN Number: NA 1993

Combustible liquid, n.o.s.(Hydrocarbons, low viscosity) 14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es): **CBL** 14.4 Subsidiary risk label: 14.5 Packing Group: Ш 14.6 Label(s): NONE

IMDG - International Maritime Dangerous Goods Code

Not regulated.

IATA

Not regulated.

15 **REGULATORY INFORMATION**

US Federal Regulations

US State Regulations

Inventory Status

oo. y o.u.u.o	
DSL	Not in compliance with the inventory.
NDSL	Not in compliance with the inventory.
TSCA	On or in compliance with the inventory

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

Revision Date: 12.06.2019

Revision Date: 12.06.2019 Print date: 12.06.2019

Issue Date: 10.02.2015

SDS_US - 000000000601066429 9/10





Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Issue Date: 10.02.2015 Revision Date: 12.06.2019 Print date: 12.06.2019

SDS US - 000000000601066429