



# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

## PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: CEDRACON SPRAY

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer FUCHS LUBRITECH GmbH

Werner-Heisenberg-Straße 1 67661 Kaiserslautern/Germany

Telephone: +49 (0) 6301 3206-0 Fax: +49 (0) 6301 3206-940

Contact Person: FUCHS LUBRITECH GmbH - Product Safety Management

Telephone: +49 (0) 6301 3206-0 Fax: +49 (0) 6301 3206-940

E-mail: INFO@FUCHS-LUBRITECH.DE

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone: 800-255-3924** 

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Physical Hazards** 

Flammable aerosol Category 1

**Health Hazards** 

Aspiration Hazard Category 1

**Hazard summary** 

**Physical Hazards:** Flammable aerosol.

**Health Hazards** 

**Ingestion:** If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

CP1000567

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

vision Date: 19.09.2017 Version: 1.0





#### 2.2 Label Elements



Signal Words: Danger

**Hazard Statement(s):** H222: Extremely flammable aerosol.

H229: Pressurized container: May burst if heated. H304: May be fatal if swallowed and enters airways.

**Precautionary Statements** 

**Prevention:** P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

**Response:** P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

**Storage:** P410: Protect from sunlight.

P412: Do not expose to temperatures exceeding 50 °C/ 122 °F.

P405: Store locked up.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:** Due to information available product does not contain any ingredients of

unknown toxicity.

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064





**General information:** Mixture of components with propellant in aerosol can.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscosity	918-481-9	20.00 - <50.00%	
Propane	74-98-6	10.00 - <20.00%	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Classification		
Hydrocarbons, low viscosity	918-481-9	Asp. Tox. 1;H304	
Propane	74-98-6	Flam. Gas 1;H220, Press. Gas H280	

#### 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed:

If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately. Dizziness Freeze burns

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

## **SECTION 5: Firefighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.





5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

Danger of explosion with aerosol cans.

5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind. Keep away from sources of ignition - No smoking.

**6.2 Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.





## SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with flame and heat source, prevent contact with direct sunlight Use only in well-ventilated

areas.

7.2 Conditions for safe storage, including any

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Local regulations for the storage and handling of aerosol

cans and flammable liquids have to be kept. Keep away from

heat/sparks/hot surfaces. - No smoking.

7.3 Specific end use(s): not applicable

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0





# 8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Va	lues	Source
Mineral base oil - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Mineral base oil	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Mineral base oil - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Mineral base oil	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Mineral base oil - Mist.	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Propane	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Propane	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, paraffinic	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, paraffinic - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, paraffinic	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, paraffinic - Mist.	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, paraffinic - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Base oil - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Base oil	PEL	500 ppm	, 0	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil - Mist.	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,3-butadiene; buta-1,3-diene	TWA	1,000 ppm	2,200 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,3-butadiene; buta-1,3-diene	TWA	2 ppm		US. ACGIH Threshold Limit Values (02 2012)

# 8.2. Exposure controls

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS\_US - 000000000601081064

Version: 1.0





Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhead line the chamicals as the mineral oil products.

be adhered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Safety glasses (EN 166) recommended during refilling.

Skin protection

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0

CP1000567 7/13





Physical state: Aerosols
Form: Aerosols
Color: Black

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

**Boiling Point:** Value not relevant for classification

Flash Point: < 0 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Vapor density (air=1): Not applicable for mixtures

**Density:** 0.73 g/cm3

Solubility(ies)

Solubility in Water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:

Decomposition Temperature:

Value not relevant for classification

**9.2 Other information** No data available.

## SECTION 10: Stability and reactivity

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0





10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

## 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Acute toxicity** 

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Hydrocarbons, low

viscosity

LD 50 (Rat): > 5,000 mg/kg (OECD 401)

**Dermal** 

**Product:** 

Not classified for acute toxicity based on available data.

Inhalation

**Product:** 

Not classified for acute toxicity based on available data.

**Skin Corrosion/Irritation:** 

**Product:** Based on available data, the classification criteria are not met.

**Serious Eye Damage/Eye Irritation:** 

**Product:** Based on available data, the classification criteria are not met.

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0





Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** May be fatal if swallowed and enters airways.

#### 12 **ECOLOGICAL INFORMATION**

## 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Fish** 

Specified substance(s)

Hydrocarbons, low LC 50 (Fish, 96 h): > 1,001 mg/l (OECD 203)

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017

SDS US - 000000000601081064

10/13

Version: 1.0





viscosity

Aquatic Invertebrates Specified substance(s)

Hydrocarbons, low

viscosity

EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Hydrocarbons, low

viscosity

EC 50 (Alga, 72 h): > 1,000 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

**Product:** Not applicable for mixtures

Specified substance(s)

Hydrocarbons, low

viscosity

80 % (28 d, OECD 301F) Readily biodegradable

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** No data available.

13 Disposal considerations

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

CP1000567

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0





## 14 TRANSPORT INFORMATION

#### DOT

14.1 UN Number: UN 1950

14.2 Proper Shipping Name: Aerosols, flammable, n.o.s.

14.3 Transport Hazard Class(es): 2.1
14.4 Subsidiary risk label: –
14.5 Packing Group: –
14.6 Label(s): 2.1

## **IMDG - International Maritime Dangerous Goods Code**

14.1 UN Number: UN 195014.2 UN Proper Shipping Name: AEROSOLS14.3 Transport Hazard Class(es): 2.1

14.4 Subsidiary risk label:

14.5 Packing Group:

14.6 Label(s):

14.7 Marine Pollutant:

14.8 EmS No.: F-D; S-U

## **IATA**

14.1 UN Number: UN 1950

14.2 Proper Shipping Name: Aerosols, flammable

14.3 Transport Hazard Class(es): 2.1 14.4 Subsidiary risk label: – 14.5 Packing Group: – 14.6 Label(s): 2.1

# 15 REGULATORY INFORMATION

## **US Federal Regulations**

#### **US State Regulations**

#### **Inventory Status**

DSL	On or in compliance with the inventory
NDSL	Not in compliance with the inventory.
TSCA	On or in compliance with the inventory

CP1000567

## 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 000000000601081064

Version: 1.0





# Wording of the R-phrases and H-statements in section 2 and 3

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

**Revision Date:** 19.09.2017

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 18.11.2016 Revision Date: 19.09.2017 Supersedes Date: 22.10.2017 SDS US - 00000000601081064