



US Distributor

Fuchs Lubricants Co.

Harvey, IL 60426

17050 Lathrop Avenue

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: CEPLATTYN GT 10

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer FUCHS LUBRITECH GmbH

Werner-Heisenberg-Straße 1 67661 Kaiserslautern/Germany

+49 (0) 6301 3206-0

Telephone: +49 (0) 6301 3206-0 Fax: +49 (0) 6301 3206-940

Contact Person: FUCHS LUBRITECH GmbH - Product Safety Management

Telephone: +49 (0) 6301 3206-0 Fax: +49 (0) 6301 3206-940

E-mail: INFO@FUCHS-LUBRITECH.DE

1.4 US contact telephone : 708-333-8900 **Emergency telephone: 800-255-3924**

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Health Hazards

Specific Target Organ Toxicity - Repeated Category 2

Exposure

Environmental Hazards

Chronic hazards to the aquatic environment Category 3

Hazard summary

Physical Hazards: No data available.





2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H373: May cause damage to organs through prolonged or repeated

exposure.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P260: Do not breathe dust or mists.

P273: Avoid release to the environment.

Response: P314: Get medical advice/attention if you feel unwell.

P391: Collect spillage.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information: Mixture of synthetic base oils with additives.

Chemical name	Identifier	Concentration *	Notes
Traizine derivative	37640-57-6	1.00 - 5.00%	
Thiadiazol derivative	59656-20-1	1.00 - 5.00%	
Base oil, paraffinic	64742-55-8	0.10 - 1.00%	
Cocoamine	61788-46-3	0.10 - 1.00%	





^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Classification		
Traizine derivative	37640-57-6	STOT RE 2;H373	
Thiadiazol derivative	59656-20-1	Aquatic Chronic 3;H412	
Base oil, paraffinic	64742-55-8	Asp. Tox. 1;H304	
Cocoamine	61788-46-3	Acute Tox. 4;H302, Skin Corr. 1B;H314, Asp. Tox. 1;H304, STOT SE 3;H335, STOT RE 2;H373, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10	
Tolutriazole derivative	939-700-4	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411	

4 FIRST AID MEASURES

General: Change clothes and shoes contaminated or soaked by the product. Never

put rags contaminated by the product into clothing pockets.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.





5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising

from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting

procedures:

No data available.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers).

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust).

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Prevent formation of aerosols. Do not heat up to temperatures close to the flash point.





7.3 Specific end use(s): not applicable

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure Limits

8

Chemical name	type	Exposure Limit Values	Source
Base oil, paraffinic - Mist.	PEL	_	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, paraffinic - Inhalable fraction.	TWA	_	US. ACGIH Threshold Limit Values (03 2014)

8.2. Exposure controls

Appropriate engineering

controls:

No data available.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

> Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Not relevant, due to the form of the product.

Thermal hazards: No data available.





9

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid Form: liquid

Color: Dark yellow Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

Boiling Point: No data available.

Flash Point: > 200 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Vapor density (air=1): Not applicable for mixtures

Density: 0.91 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:

Decomposition Temperature:

Value not relevant for classification

9.2 Other information No data available.





SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal temperature conditions and recommended use.

10.2 Chemical Stability: No data available.

10.3 Possibility of hazardous

reactions:

Possible release of flammable substances by distillation in systems with

solvent recovery.

10.4 Conditions to avoid: Avoid heat or contamination.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Acute toxicity

Oral

Product:

ATEmix: 120,000 mg/kg

Specified substance(s)

Traizine derivative LD 50 (Rat): > 3,000 mg/kg

Base oil, paraffinic LD 50 (Rat): > 5,000 mg/kg

Tolutriazole derivative LD 50 (Rat, Female, Male): 3,313 mg/kg (OECD 401)





Dermal

Product:

ATEmix: 133,400 mg/kg

Specified substance(s)

Base oil, paraffinic LD 50 (Rabbit): > 3,000 mg/kg

Tolutriazole derivative LD 50 (Rat): > 2,000 mg/kg (OECD 402)

Inhalation

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil, paraffinic LC 50 (Rat, 4 h): > 5.1 mg/l

Dusts, mists and fumes

Skin Corrosion/Irritation:

Product: Prolonged or repeated contact may cause irritation.

Specified substance(s)

Tolutriazole derivative (Rabbit): Irritating.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Specified substance(s)

Tolutriazole derivative OECD 405 (Rabbit): Not irritant.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Tolutriazole derivative , OECD 406-1 (Guinea Pig)sensitizing

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:





No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met. Based on

available data, the classification criteria are not met.

Fish

Specified substance(s)

Tolutriazole derivative LC 50 (Fish, 96 h): 1.3 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

Tolutriazole derivative EC 50 (Water Flea, 48 h): 2.05 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are met.Based on

available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Tolutriazole derivative EC 50 (Alga, 72 h): 0.976 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures





Specified substance(s)

Tolutriazole derivative Not readily degradable.

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code

Not regulated.

IATA

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

Inventory Status

TSCA	On or in compliance with the inventory	
------	--	--

16 OTHER INFORMATION





Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

g of the ix-pinase	3 and 11-statements in section 2 and 3
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Training information: Follow training instructions when handling this material.

Revision Date: 22.11.2016

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.