



US Distributor

Fuchs Lubricants Co.

Harvey, IL 60426

17050 Lathrop Avenue

# **SAFETY DATA SHEET**

acc.to ISO/DIS 11014 for USA

### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

**Product name: CEPLATTYN RN** 

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRITECH GmbH

Werner-Heisenberg-Strasse 1

67661 Kaiserslautern

Telephone: +49 (0) 6301 3206-0

Fax: +49 (0) 6301 3206-940

Contact Person: FUCHS LUBRITECH GmbH - Product Safety Management

E-mail: flt.reach@fuchs.com
Telephone: +49 (0) 6301 3206-0
Fax: +49 (0) 6301 3206-940

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone:** 800-255-3924

## 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

**Hazard summary** 

Physical Hazards: No data available.

2.2 Label Elements Not applicable

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:**Due to information available product does not contain any ingredients of

unknown toxicity.

Issue Date: 10.02.2015
Revision Date: 21.05.2021
Print date: 21.05.2021

Print date: 21.05.2021 SDS\_US - CP1000222 Version: 1.0





#### 3 COMPOSITION / INFORMATION ON INGREDIENTS

**General information:** The components are not hazardous or are below required disclosure limits.

Chemical name	Identifier	Concentration *	Notes
Base oil	64742-62-7	50.00 - <100.00%	
mineral oil, highly refined	72623-83-7	10.00 - <20.00%	
succinic acid derivative	68413-48-9	0.10 - <1.00%	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Identifier	Classification
Base oil	64742-62-7	
mineral oil, highly refined	72623-83-7	
succinic acid derivative	68413-48-9	Aquatic Chronic 4;H413, Skin Sens. 1B;H317

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

### 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water. Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

No data available.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Issue Date: 10.02.2015 Revision Date: 21.05.2021 Print date: 21.05.2021 SDS\_US - CP1000222

Version: 1.0

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.





Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

rrom the substance mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

**Special fire fighting** 

procedures:

No data available.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to

regulations.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

## **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting

products have to be followed.

**7.3 Specific end use(s):** No data available.

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION





## **8.1.Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
Base oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
mineral oil, highly refined - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
mineral oil, highly refined	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
mineral oil, highly refined - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
mineral oil, highly refined	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
mineral oil, highly refined - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

## 8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.





Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Not relevant, due to the form of the product.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid

Form: highly viscous

Color: Black

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

**pH:** substance/mixture is non-soluble (in water)

Freezing point: Not applicable for mixtures

**Boiling Point:** Value not relevant for classification

Flash Point: Not applicable

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Relative vapor density: Not applicable for mixtures

**Density:** 0.90 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures





Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

NLGI: 00

**Explosive properties:**Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

**9.2 Other information** No data available.

**SECTION 10: Stability and reactivity** 

**10.1 Reactivity:** Stable under normal temperature conditions and recommended use.

**10.2 Chemical Stability:** No data available.

10.3 Possibility of hazardous

reactions:

None under normal conditions.

**10.4 Conditions to avoid:** Keep away from heat, sparks and open flame.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Acute toxicity** 

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil LD 50 (Rat): > 5,000 mg/kg

mineral oil, highly refined LD 50 (Rat): > 5,000 mg/kg

**Dermal** 

**Product:** 

Not classified for acute toxicity based on available data.





Inhalation

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil LC 50 (Rat, 4 h): > 5 mg/l

**Skin Corrosion/Irritation:** 

**Product:** Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION





12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Fish** 

Specified substance(s)

Base oil LC 50 (Fish, 96 h): > 101 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** No data available.

13 Disposal considerations

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

14 TRANSPORT INFORMATION

DOT

Not regulated.

**IMDG - International Maritime Dangerous Goods Code** 

Not regulated.

**IATA** 

Not regulated.

15 REGULATORY INFORMATION

**US Federal Regulations** 





## **US State Regulations**

**Inventory Status** 

DSL	On or in compliance with the inventory
NDSL	Not in compliance with the inventory.
TSCA	On or in compliance with the inventory

## 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

**Training information:** Follow training instructions when handling this material.

**Revision Date:** 21.05.2021

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case.

products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.