



# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

#### **PRODUCT AND COMPANY IDENTIFICATION**

#### **1.1 Product identifier** Product name: GLEITMO 680 XT

1

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricating grease Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of the safe Manufacturer	ty data sheet FUCHS LUBRITECH GmbH Werner-Heisenberg-Straße 1 67661 Kaiserslautern/Germany	<u>US Distributor</u> Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426
Telephone:	+49 (0) 6301 3206-0	
Fax:	+49 (0) 6301 3206-940	
<b>Contact Person:</b> Telephone: Fax: E-mail:	FUCHS LUBRITECH GmbH - Pro +49 (0) 6301 3206-0 +49 (0) 6301 3206-940 INFO@FUCHS-LUBRITECH.DE	duct Safety Management
1.4 US contact telephone : Emergency telephone:	708-333-8900 <b>800-255-3924</b>	

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

#### **Environmental Hazards**

Chronic hazards to the aquatic environment Category 3

#### Hazard summary

**Physical Hazards:** No data available.



#### Product name: GLEITMO 680 XT

#### 2.2 Label Elements

2.3

Hazard Statement(s):	H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement	S
Prevention:	P273: Avoid release to the environment.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

#### 3 COMPOSITION / INFORMATION ON INGREDIENTS

**General information:** Lubricating grease: Thickener system and additives in solvent refined mineral oil.

Chemical name	Identifier	Concentration *	Notes
dilithium sebacate	19370-86-6	1.00 - <5.00%	
Base oil, low viscous	64742-55-8	1.00 - <5.00%	
Base oil, low viscous	74869-22-0	0.10 - <1.00%	
cycl. phosphine derivative, antioxidant	26741-53-7	0.25 - <1.00%	
Ca sulfonate	939-603-7	0.10 - <1.00%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Identifier	Classification	
dilithium sebacate	19370-86-6	Acute Tox. 4;H302	
Base oil, low viscous	64742-55-8	Asp. Tox. 1;H304	
Base oil, low viscous	74869-22-0	Asp. Tox. 1;H304	
cycl. phosphine derivative, antioxidant	26741-53-7	Aquatic Chronic 1;H410	
Ca sulfonate	939-603-7	Skin Sens. 1B;H317	

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."



## Product name: GLEITMO 680 XT

4 FIRST AID MEASURES	
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measured	ures
Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	No data available.
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.
SECTION 5: Firefighting measure	s
5.1 Extinguishing media	
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters	
Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.
Issue Date: 29.03.2017 Revision Date: 11.06.2018	Version: 1.0





## Product name: GLEITMO 680 XT

6.3 Methods and material for containment and cleaning up:	Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	:
7.1 Precautions for safe handling:	Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.
7.2 Conditions for safe storage, including any incompatibilities:	Store in original tightly closed container. Keep separate from food, feedstuffs, fertilizers and other sensitive material. Store away from incompatible materials. No special precautions necessary if used correctly. Use only containers specifically permitted for this substance/product. Protect from contamination
7.3 Specific end use(s):	Not applicable

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Base oil, paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Base oil, paraffinic	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, naphthenic	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, naphthenic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, naphthenic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, naphthenic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, naphthenic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)



Product name: GLEITMO 680 XT

8.2.Exposure controls	
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measur	res, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile-butadiene rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the
	manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
<b>Respiratory Protection:</b>	Not relevant, due to the form of the product.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties Appearance

Physical state:	solid
Form:	Paste
Color:	Beige
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable Not applicable
Melting Point:	Not applicable for mixtures

# **LUBRITECH**

Special Application Lubricants



### Product name: GLEITMO 680 XT

Boiling Point:	Value not relevant for classification
Flash Point:	Not applicable
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	No data available.
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
NLGI:	1
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

#### SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### 11 **TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure Inhalation:

No data available.

**Skin Contact:** No data available.

Eye contact: No data available.



### Product name: GLEITMO 680 XT

Acute toxicity	
Oral Product:	
	ATEmix: 54,945.05 mg/kg
Specified substance(s) dilithium sebacate	LD 50 (Rat): 2,000 mg/kg (OECD 420)
cycl. phosphine derivative, antioxidant	LD 50 (Rat): > 5,000 mg/kg
Dermal Product:	
	Not classified for acute toxicity based on available data.
Inhalation Product:	
<b>Specified substance(s)</b> dilithium sebacate	Not classified for acute toxicity based on available data.
	No data available.
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Specified substance(s) dilithium sebacate	OECD 431 Based on available data, the classification criteria are not met. OECD 439 Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye In Product:	ritation: Based on available data, the classification criteria are not met.
Specified substance(s) dilithium sebacate	OECD 405 (Rabbit): Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiz Product:	zation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s) dilithium sebacate	, OECD 429 (Mouse)Based on available data, the classification criteria are not met.



#### Product name: GLEITMO 680 XT

Germ Cell Mutagenicity Product: In vitro	Based on available data, the classification criteria are not met.
Specified substance(s) dilithium sebacate	(OECD 471) Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs o	n the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
NTP: US. National Toxicolo	ogy Program (NTP) Report on Carcinogens: No carcinogenic components identified
OSHASP: US. OSHA Speci	fically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	<b>ty - Single Exposure</b> Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	ty - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
2 ECOLOGICAL INFORMATIO	Ν

#### 12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) dilithium sebacate	LC 50 (Fish, 96 h): 100 mg/l (OECD 203)
Ca sulfonate	LC 50 (Fish, 96 h): > 101 mg/l
Aquatic Invertebrates Specified substance(s) dilithium sebacate	EC 50 (Water Flea, 48 h): 100 mg/l (OECD 202)
Ca sulfonate	EC 50 (Water Flea, 48 h): > 1,001 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.



Product name: GLEITMO 680 XT

Toxicity to Aquatic Plants	
Specified substance(s) dilithium sebacate	EC 50 (Alga, 72 h): 100 mg/l (OECD 201)
Ca sulfonate	EC 50 (Alga, 72 h): > 101 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s) dilithium sebacate	Not applicable for mixtures (OECD 301D) Inherently biodegradable
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Harmful to aquatic life with long lasting effects.
13 Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
14 TRANSPORT INFORMATION	

#### DOT

Not regulated.

#### IMDG - International Maritime Dangerous Goods Code Not regulated.

ΙΑΤΑ

Not regulated.

#### 15 REGULATORY INFORMATION

#### **US Federal Regulations**

#### **US State Regulations**

#### **Inventory Status**

DSL

Not in compliance with the inventory.





#### Product name: GLEITMO 680 XT

NDSL	Not in compliance with the inventory.
TSCA	On or in compliance with the inventory

#### 16 OTHER INFORMATION

#### **Revision Information:**

Vertical lines in the margin indicate an amendment.

#### Wording of the H-statements in section 2 and 3

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

#### Revision Date: 11.0

Disclaimer:

#### 11.06.2018

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.