

Fuchs Lubricants Co.

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: GLEITMO 905

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricant Uses advised against: No uses advised against identified. US Distributor

1.3 Details of the supplier of the safety data sheet 17050 Lathrop Avenue Harvey, IL 60426 Manufacturer FUCHS LUBRITECH GmbH Werner-Heisenberg-Straße 1 Canadian Distributor FUCHS LUBRICANTS CANADA LTD. 67661 Kaiserslautern/Germany 405 Dobbie Drive Cambridge, ON N1T 1S8 Telephone: +49 (0) 6301 3206-0 519-622-2040 (Business hours) CANUTEC 1-888-226-8832 (24 hrs) Fax: +49 (0) 6301 3206-940 Contact Person: FUCHS LUBRITECH GmbH - Product Safety Management

1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924
Fax:	+49 (0) 6301 3206-940
E-mail:	INFO@FUCHS-LUBRITECH.DE
Telephone:	+49 (0) 6301 3206-0
Contact i erson.	

HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

Hazard summary	
Physical Hazards:	No data available.

2.2 Label Elements

2

not applicable



Product name: GLEITMO 905 2.3 Other hazards: The product may not be released into the environment without control. By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. Unknown toxicity: Due to information available product does not contain any ingredients of unknown toxicity.

COMPOSITION / INFORMATION ON INGREDIENTS

General information:	Mixture of the substances listed below with harmless additions.
----------------------	---

Chemical name	ldentifier	Concentration *	Notes
Isopropyl alcohol	67-63-0	1.00 - <5.00%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

3

Chemical name	Classification	
Isopropyl alcohol	67-63-0	Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336

4 FIRST AID MEASURES

General:	Instantly remove any clothing soiled by the product.	
4.1 Description of first aid measured	ures	
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water. Wash with soap and water. The product is not skin irritating.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	No data available.	
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.	



SECTION 5: Firefig	hting measures	3	
General Fire H	azards:	None (non-combustible). Use fire fighting measures that suit the environment.	
5.1 Extinguishing	media		
Suitable exting media:	guishing	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added	
Unsuitable ext media:	tinguishing	Water with a full water jet.	
5.2 Special hazard from the subst mixture:	-	During fire, gases hazardous to health may be formed.	
5.3 Advice for fire	fighters		
Special fire fig procedures:	•	Generally this product is not burnable on account of its water content. Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protec equipment for		Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accide	ental release me	easures	
6.1 Personal preca protective equ emergency pro	ipment and	In case of spills, beware of slippery floors and surfaces.	
6.2 Environmenta	Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and r containment a up:		Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	

 6.4 Reference to other sections:
 See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.





SECTION 7: Handling and storage:			
7.1 Precautions for safe handling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.		
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed.		
7.3 Specific end use(s):	not applicable		

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Isopropyl alcohol	PEL	400 ppm 980) mg/m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Isopropyl alcohol	TWA	400 ppm 980) mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Isopropyl alcohol	STEL	500 ppm 1,225	5 mg/m3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Isopropyl alcohol	TWA	200 ppm	US. ACGIH Threshold Limit Values (02 2012)
Isopropyl alcohol	STEL	400 ppm	US. ACGIH Threshold Limit Values (02 2012)

8.2.Exposure controls

Appropriate engineering
controls:Provide adequate ventilation. Ventilation rates should be matched to
conditions. If applicable, use process enclosures, local exhaust ventilation,
or other engineering controls to maintain airborne levels below
recommended exposure limits. If exposure limits have not been
established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.



Product name: GLEITMO 905

Eye/face protection:	Safety glasses (EN 166) recommended during refilling.	
Skin protection Hand Protection:	Avoid long-term and repeated skin contact. It is a good industrial hygiene practice to minimize skin contact.	
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.	
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.	
Thermal hazards:	No data available.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.	
Environmental Controls:	No data available.	

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

3.1 information on basic physical and chen	near propertiesAppearance
Physical state:	liquid
Form:	liquid
Color:	Dark gray
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	8.5
Freezing point:	Not applicable for mixtures
Boiling Point:	100 °C
Flash Point:	Value not relevant for classification
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	1.20 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Soluble

LUBRITECH

Special Application Lubricants



Product name: GLEITMO 905

No data available.
Not applicable for mixtures
Value not relevant for classification
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Inhalation: No data available.

Ingestion: No data available.

- Skin Contact: No data available.
- **Eye contact:** No data available.

Acute toxicity

Oral

Product:

ATEmix: 253,888.89 mg/kg



Product name: GLEITMO 905

Specified substance(s) Isopropyl alcohol	LD 50 (Rat): 4,570 mg/kg	
Dermal Product:		
Specified substance(s)	Not classified for acute toxicity based on available data.	
Isopropyl alcohol	LD 50 (Rabbit): 13,400 mg/kg	
Inhalation Product:		
Specified substance(s)	Not classified for acute toxicity based on available data.	
Specified substance(s) Isopropyl alcohol	LC 50 (Rat, 4 h): 30 mg/l	
Skin Corrosion/Irritation: Product:	Prolonged or repeated contact may cause irritation.	
Serious Eye Damage/Eye Irr Product:	itation: Splashes may irritate.	
Respiratory or Skin Sensitization:		
Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	
Carcinogenicity Product:	Based on available data, the classification criteria are not met.	
IARC: IARC Monographs o	on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified	
NTP: US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		



	Reproductive toxicity Product:	Based on available data, the classification criteria are not met.	
	Specific Target Organ Toxicity - Single ExposureProduct:Based on available data, the classification criteria are not met.		
	Specific Target Organ Toxicity - Repeated Exposure Product: Based on available data, the classification criteria are not met.		
	Aspiration Hazard Product:	Based on available data, the classification criteria are not met.	
12	ECOLOGICAL INFORMATIO	N	
12.1	12.1 Toxicity		
	Acute toxicity Product:	Based on available data, the classification criteria are not met.	
	Fish Specified substance(s) Isopropyl alcohol	LC 50 (Fish, 96 h): 9,640 mg/l	
	Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.	
12.2	12.2 Persistence and Degradability		
	Biodegradation Product:	Not applicable for mixtures	
12.3	3 Bioaccumulative potential Product:	Not applicable for mixtures	
12.4	4 Mobility in soil: Product:	Not applicable for mixtures	
12.	5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.	
12.6	6 Other adverse effects:	No data available.	



13	Disposal considerations	
13.1	Waste treatment methods	
	General information:	Dispose in accordance with all applicable regulations.
	Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code

Not regulated.

IATA

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

US State Regulations

Inventory Status

DSL	On or in compliance with the inventory
NDSL	Not in compliance with the inventory.
TSCA	On or in compliance with the inventory

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Revision Date: 25.07.2017



Product name: GLEITMO 905

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.