

## SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifier

**Product name:** GLEITMO 920

**Other means of identification:** For further information, please refer to section 9 of the SDS.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer

FUCHS LUBRITECH GmbH  
Werner-Heisenberg-Strasse 1  
67661 Kaiserslautern

##### US Distributor

Fuchs Lubricants Co.  
17050 Lathrop Avenue  
Harvey, IL 60426

Telephone:

+49 (0) 6301 3206-0

Fax:

+49 (0) 6301 3206-940

##### Contact Person:

FUCHS LUBRITECH GmbH - Product Safety Management

Telephone:

+49 (0) 6301 3206-0

Fax:

+49 (0) 6301 3206-940

E-mail:

INFO@FUCHS-LUBRITECH.DE

#### 1.4 US contact telephone :

708-333-8900

**Emergency telephone:**

800-255-3924

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

##### Physical Hazards

Flammable liquids

Category 3

##### Health Hazards

Specific Target Organ Toxicity - Single  
Exposure

Category 3

##### Hazard summary

###### Physical Hazards:

Can form flammable vapour-air mixtures during the application.

###### Health Hazards

###### Inhalation:

Has a narcotic effect.

###### Skin Contact:

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

Product name: GLEITMO 920

## 2.2 Label Elements



**Signal Words:** Warning

**Hazard Statement(s):** H226: Flammable liquid and vapour.  
H336: May cause drowsiness or dizziness.

### Precautionary Statements

**Prevention:** P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

**Unknown toxicity:** Due to information available product does not contain any ingredients of unknown toxicity.

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

**General information:** Mixture of the substances listed below with harmless additions.

| Chemical name     | Identifier | Concentration * | Notes |
|-------------------|------------|-----------------|-------|
| n-butyl acetate   | 123-86-4   | 20.00 - <50.00% |       |
| Acetic acid ester | 108-65-6   | 20.00 - <50.00% |       |
| Xylene            | 1330-20-7  | 1.00 - <5.00%   |       |
| Phenol            | 108-95-2   | 0.10 - <1.00%   |       |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

| Chemical name     | Identifier | Classification   |
|-------------------|------------|--|
| n-butyl acetate   | 123-86-4   | Flam. Liq. 3;H226, STOT SE 3;H336  |
| Acetic acid ester | 108-65-6   | Flam. Liq. 3;H226  |
| Xylene            | 1330-20-7  | Flam. Liq. 3;H226, Acute Tox. 4;H312, Acute Tox. 4;H332, Skin Irrit. 2;H315  |
| Phenol            | 108-95-2   | Acute Tox. 3;H301, Acute Tox. 3;H331, Acute Tox. 3;H311, Skin Corr. 1B;H314, Muta. 2;H341, Eye Irrit. 1;H318, STOT RE 2;H373, Aquatic Chronic 2;H411 |

**Product name:** GLEITMO 920

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

#### **4 FIRST AID MEASURES**

**General:** Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into clothing pockets.

##### **4.1 Description of first aid measures**

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Get medical attention if symptoms occur. Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash with water and soap; pay attention: skin degreasing product.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** Headache.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

#### **SECTION 5: Firefighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

##### **5.1 Extinguishing media**

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Avoid water in straight hose stream; will scatter and spread fire.

**5.2 Special hazards arising from the substance or mixture:** Can form explosive vapor-air mixtures at higher temperatures.

##### **5.3 Advice for firefighters**

**Special fire fighting procedures:** No data available.

Product name: GLEITMO 920

**Special protective equipment for fire-fighters:**

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:**

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.

**6.2 Environmental Precautions:**

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers).

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust).

**6.4 Reference to other sections:**

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

**SECTION 7: Handling and storage:**

**7.1 Precautions for safe handling:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Use only in well-ventilated areas. Risk of vapor concentration on the floor and in low-lying areas.

**7.2 Conditions for safe storage, including any incompatibilities:**

Store in a well-ventilated place. Store in a cool place. Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Prevent formation of aerosols. Do not heat up to temperatures close to the flash point.

**7.3 Specific end use(s):**

Not applicable

**8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Product name:** GLEITMO 920

### 8.1.Exposure Limits

| Chemical name   | Type | Exposure Limit Values |                       | Source  |
|-----------------|------|-----------------------|-----------------------|---|
| n-Butyl acetate | PEL  | 150 ppm               | 710 mg/m <sup>3</sup> | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| n-Butyl acetate | TWA  | 150 ppm               | 710 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| n-Butyl acetate | STEL | 200 ppm               | 950 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| n-Butyl acetate | TWA  | 150 ppm               |                       | US. ACGIH Threshold Limit Values, as amended (02 2012)                                  |
| n-Butyl acetate | STEL | 200 ppm               |                       | US. ACGIH Threshold Limit Values, as amended (02 2012)                                  |
| Xylene          | PEL  | 100 ppm               | 435 mg/m <sup>3</sup> | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Xylene          | TWA  | 100 ppm               | 435 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| Xylene          | STEL | 150 ppm               | 655 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| Xylene          | TWA  | 100 ppm               |                       | US. ACGIH Threshold Limit Values, as amended (02 2012)                                  |
| Xylene          | STEL | 150 ppm               |                       | US. ACGIH Threshold Limit Values, as amended (02 2012)                                  |
| Phenol          | PEL  | 5 ppm                 | 19 mg/m <sup>3</sup>  | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Phenol          | TWA  | 5 ppm                 | 19 mg/m <sup>3</sup>  | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| Phenol          | TWA  | 5 ppm                 |                       | US. ACGIH Threshold Limit Values, as amended (02 2012)                                  |

### 8.2.Exposure controls

**Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:**

Safety glasses (EN 166) recommended during refilling.

Product name: GLEITMO 920

**Skin protection**

**Hand Protection:**

Material: Nitrile-butadiene rubber (NBR).  
Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

**Respiratory Protection:**

Seek advice from local supervisor. Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

**Thermal hazards:**

No data available.

**Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

**Environmental Controls:**

No data available.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

|   |                                       |
|---|---------------------------------------|
| <b>Physical state:</b>                          | liquid                                |
| <b>Form:</b>                                    | liquid                                |
| <b>Color:</b>                                   | Black                                 |
| <b>Odor:</b>                                    | Characteristic                        |
| <b>Odor Threshold:</b>                          | Not applicable for mixtures           |
| <b>pH:</b>                                      | Not applicable                        |
| <b>Freezing point:</b>                          | Not applicable for mixtures           |
| <b>Boiling Point:</b>                           | No data available.                    |
| <b>Flash Point:</b>                             | 26 °C                                 |
| <b>Evaporation Rate:</b>                        | Not applicable for mixtures           |
| <b>Flammability (solid, gas):</b>               | Value not relevant for classification |
| <b>Flammability Limit - Upper (%)—:</b>         | Not applicable for mixtures           |
| <b>Flammability Limit - Lower (%)—:</b>         | Not applicable for mixtures           |
| <b>Vapor pressure:</b>                          | Not applicable for mixtures           |
| <b>Vapor density (air=1):</b>                   | Not applicable for mixtures           |
| <b>Density:</b>                                 | 1.04 g/cm <sup>3</sup> (15 °C)        |
| <b>Solubility(ies)</b>                          |                                       |
| <b>Solubility in Water:</b>                     | Insoluble in water                    |
| <b>Solubility (other):</b>                      | No data available.                    |
| <b>Partition coefficient (n-octanol/water):</b> | Not applicable for mixtures           |
| <b>Autoignition Temperature:</b>                | Value not relevant for classification |
| <b>Decomposition Temperature:</b>               | Value not relevant for classification |

Product name: GLEITMO 920

|                       |                                       |
|-----------------------|---------------------------------------|
| Flow time:            | Value not relevant for classification |
| Explosive properties: | Value not relevant for classification |
| Oxidizing properties: | Value not relevant for classification |
| 9.2 Other information | No data available.                    |

#### SECTION 10: Stability and reactivity

|  |   |
|--|---|
| 10.1 Reactivity:                         | Stable under normal temperature conditions and recommended use.                                 |
| 10.2 Chemical Stability:                 | Material is stable under normal conditions.   |
| 10.3 Possibility of hazardous reactions: | None under normal conditions.   |
| 10.4 Conditions to avoid:                | Heat, sparks, flames.   |
| 10.5 Incompatible Materials:             | Strong oxidizing substances. Strong acids. Strong bases.  |
| 10.6 Hazardous Decomposition Products:   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

#### 11 TOXICOLOGICAL INFORMATION

##### Information on likely routes of exposure

|               |                    |
|---------------|--------------------|
| Inhalation:   | No data available. |
| Ingestion:    | No data available. |
| Skin Contact: | No data available. |
| Eye contact:  | No data available. |

##### Acute toxicity

###### Oral

|                        |                           |
|------------------------|---------------------------|
| Product:               | ATEmix: 54,259.36 mg/kg   |
| Specified substance(s) |                           |
| n-Butyl acetate        | LD 50 (Rat): 14,000 mg/kg |
| Acetic acid ester      | LD 50 (Rat): 8,500 mg/kg  |
| Xylene                 | LD 50 (Rat): 8,700 mg/kg  |

---

**Product name:** GLEITMO 920

---

**Dermal**

**Product:**

ATEmix: 82,349.71 mg/kg

**Specified substance(s)**

Acetic acid ester

LD 50 (Rat): 8,500 mg/kg

Xylene

LD 50 (Rabbit): 2,000 mg/kg

**Inhalation**

**Product:**

ATEmix: 276.72 mg/l

Dusts, mists and fumes

**Specified substance(s)**

n-Butyl acetate

LC 50 (Rat, 4 h): 21 mg/l

Acetic acid ester

LC 50 (Rat, 4 h): 35.7 mg/l

Xylene

LC 50 (Rat, 4 h): 6,350 mg/l  
Vapour

**Skin Corrosion/Irritation:**

**Product:**

Based on available data, the classification criteria are not met.

**Serious Eye Damage/Eye Irritation:**

**Product:**

Based on available data, the classification criteria are not met.

**Respiratory or Skin Sensitization:**

**Product:**

Skin sensitizer: Based on available data, the classification criteria are not met.

Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Germ Cell Mutagenicity**

**Product:**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:**

Based on available data, the classification criteria are not met.

**IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**NTP: US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**OSHA: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Reproductive toxicity**

**Product:**

Based on available data, the classification criteria are not met.



---

**Product name:** GLEITMO 920

---

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Based on available data, the classification criteria are met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

|                                  |
|----------------------------------|
| <b>12 ECOLOGICAL INFORMATION</b> |
|----------------------------------|

**12.1 Toxicity**

**Acute toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Chronic ToxicityProduct:** Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

Phenol NOEC (Fish): 0.077 mg/l

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:** Not applicable for mixtures

**Specified substance(s)**

Phenol 62 % (OECD 301C) Readily biodegradable

**12.3 Bioaccumulative potential**

**Product:** Not applicable for mixtures

**12.4 Mobility in soil:**

**Product:** Not applicable for mixtures

**12.5 Results of PBT and vPvB assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

No data available.

|                                   |
|-----------------------------------|
| <b>13 Disposal considerations</b> |
|-----------------------------------|

**13.1 Waste treatment methods**

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

Product name: GLEITMO 920

## 14 TRANSPORT INFORMATION

### DOT

14.1 UN Number: UN 1993  
14.2 Proper Shipping Name: Flammable liquids, n.o.s.(Acetic acid ester, n-Butylacetat, Xylene)  
14.3 Transport Hazard Class(es): 3  
14.4 Subsidiary risk label: –  
14.5 Packing Group: III  
14.6 Label(s): 3

### IMDG - International Maritime Dangerous Goods Code

14.1 UN Number: UN 1993  
14.2 UN Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.(Acetic acid ester, n-Butylacetat, Xylene)  
14.3 Transport Hazard Class(es): 3  
14.4 Subsidiary risk label: –  
14.5 Packing Group: III  
14.6 Label(s): 3  
14.7 Marine Pollutant: –  
14.8 EmS No.: F-E; S-E

### IATA

14.1 UN Number: UN 1993  
14.2 Proper Shipping Name: Flammable liquid, n.o.s.(Acetic acid ester, n-Butylacetat, Xylene)  
14.3 Transport Hazard Class(es): 3  
14.4 Subsidiary risk label: –  
14.5 Packing Group: III  
14.6 Label(s): 3

## 15 REGULATORY INFORMATION

### US Federal Regulations

### US State Regulations

#### US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

### Inventory Status

|      |  |
|------|--|
| DSL  | Not in compliance with the inventory.  |
| NDSL | Not in compliance with the inventory.  |
| TSCA | On or in compliance with the inventory |

## 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

---

**Product name:** GLEITMO 920

---

**Wording of the H-statements in section 2 and 3**

|      |  |
|------|--|
| H226 | Flammable liquid and vapour.                                       |
| H301 | Toxic if swallowed.  |
| H311 | Toxic in contact with skin.  |
| H312 | Harmful in contact with skin.                                      |
| H314 | Causes severe skin burns and eye damage.                           |
| H315 | Causes skin irritation.  |
| H318 | Causes serious eye damage.   |
| H331 | Toxic if inhaled.  |
| H332 | Harmful if inhaled.  |
| H336 | May cause drowsiness or dizziness.                                 |
| H341 | Suspected of causing genetic defects.                              |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects.                   |

**Revision Date:**

29.08.2019

**Disclaimer:**

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.