

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: LAGERMEISTER XXL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

Mexico Distributor
LUBRICANTES FUCHS DE MEXICO, S.A. DE C.V.
Acceso C No. 101 Parque Industrial Jurica
C.P. 76120 Querétaro, Qro/México
+ 52 (442) 238-9100
+ 52 (442) 238-9110
Departamento de Calidad
info@fuchs.com.mx

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

FUCHS LUBRITECH GmbH
Werner-Heisenberg-Straße 1
67661 Kaiserslautern/Germany

Telephone:

+49 (0) 6301 3206-0

Fax:

+49 (0) 6301 3206-940

Contact Person:

FUCHS LUBRITECH GmbH - Product Safety Management

Telephone:

+49 (0) 6301 3206-0

Fax:

+49 (0) 6301 3206-940

E-mail:

reach@fuchs-lubritech.de

1.4 Emergency telephone number: +49 (0) 6301 3206-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Hazard summary

Physical Hazards:

No data available.

2.2 Label Elements

EUH208: Contains Ca sulfonate. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

Product name: LAGERMEISTER XXL

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in solvent refined mineral oil.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
Ca sulfonate	EINECS: 939-603-7	0,10 - <1,00%	01-2119978241-36	
phosphate	EINECS: 215-548-8	0,10 - <0,25%	01-2119531335-46	
Fatty alcohol, ethoxylated	EC: 500-241-6	0,10 - <1,00%		

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Ca sulfonate	EINECS: 939-603-7	CLP: Skin Sens. 1B;H317
phosphate	EINECS: 215-548-8	CLP: Repr. 2;H361fd, Aquatic Acute 1;H400, Aquatic Chronic 1;H410
Fatty alcohol, ethoxylated	EC: 500-241-6	CLP: Eye Dam. 1;H318, Acute Tox. 4;H302

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

General: Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into clothing pockets.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water. The product is not skin irritating.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed: No data available.

Product name: LAGERMEISTER XXL

- 4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing media: Water with a full water jet.

- 5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:** Not required.

- 6.2 Environmental Precautions:** Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

- 6.3 Methods and material for containment and cleaning up:** Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.

- 6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

- 7.2 Conditions for safe storage, including any incompatibilities:** Local regulations concerning handling and storage of waterpolluting products have to be followed.

Product name: LAGERMEISTER XXL

7.3 Specific end use(s): not applicable

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering controls: No data available.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory Protection: Not relevant, due to the form of the product.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

Product name: LAGERMEISTER XXL

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Form:	Paste
Color:	Yellow
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	317 °C
Flash Point:	247 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)—:	Not applicable for mixtures
Flammability Limit - Lower (%)—:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0,90 g/cm ³ (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Flow time	Value not relevant for classification
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal temperature conditions and recommended use.
10.2 Chemical Stability:	No data available.
10.3 Possibility of hazardous reactions:	None under normal conditions.
10.4 Conditions to avoid:	Avoid heat or contamination.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Product name: LAGERMEISTER XXL

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:	ATEmix: 101.010,1 mg/kg
Specified substance(s)	
Ca sulfonate	No data available.
phosphate	LD 50 (Rat): 15.750 mg/kg
Fatty alcohol, ethoxylated	LD 50 (Rat): > 200 - 2.000 mg/kg

Dermal

Product:	Not classified for acute toxicity based on available data.
-----------------	--

Specified substance(s)

Ca sulfonate	No data available.
phosphate	LD 50 (Rabbit): 3.700 mg/kg
Fatty alcohol, ethoxylated	LD 50 (Rat): > 2.001 mg/kg

Inhalation

Product:	Not classified for acute toxicity based on available data.
-----------------	--

Specified substance(s)

Ca sulfonate	No data available.
phosphate	No data available.
Fatty alcohol, ethoxylated	No data available.

Repeated dose toxicity

Product:	No data available.
-----------------	--------------------

Specified substance(s)

Ca sulfonate	No data available.
phosphate	No data available.
Fatty alcohol, ethoxylated	No data available.

Skin Corrosion/Irritation:

Product:	No data available.
-----------------	--------------------

Specified substance(s)

Ca sulfonate	No data available.
phosphate	No data available.
Fatty alcohol, ethoxylated	No data available.

Product name: LAGERMEISTER XXL

Serious Eye Damage/Eye Irritation:

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Respiratory or Skin Sensitization:

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

In vivo

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Carcinogenicity

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Product name: LAGERMEISTER XXL

Specified substance(s)

Ca sulfonate	No data available.
phosphate	No data available.
Fatty alcohol, ethoxylated	No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Ca sulfonate	No data available.
phosphate	No data available.
Fatty alcohol, ethoxylated	No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

Ca sulfonate	No data available.
phosphate	No data available.
Fatty alcohol, ethoxylated	No data available.

Other Adverse Effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Ca sulfonate	LC 50 (Fish, 96 h): > 101 mg/l
phosphate	LC 50 (Fish, 96 h): 0,6 mg/l
Fatty alcohol, ethoxylated	LC 50 (Fish, 96 h): 1,1 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Ca sulfonate	EC 50 (Water Flea, 48 h): > 1.001 mg/l
phosphate	EC 50 (Water Flea, 48 h): 0,14 mg/l
Fatty alcohol, ethoxylated	EC 50 (Water Flea, 48 h): 1,1 mg/l

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Ca sulfonate	No data available.
--------------	--------------------

Product name: LAGERMEISTER XXL

phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Ca sulfonate EC 50 (Alga, 72 h): > 101 mg/l
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

12.3 Bioaccumulative Potential

Product: No data available.

Specified substance(s)

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

12.4 Mobility in Soil:

No data available.

Known or predicted distribution to environmental compartments

Ca sulfonate No data available.
phosphate No data available.
Fatty alcohol, ethoxylated No data available.

12.5 Results of PBT and vPvB assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other Adverse Effects:

No data available.

Water Hazard Class (WGK):

WGK 2: water-endangering.

Product name: LAGERMEISTER XXL

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

SECTION 14: Transport information

ADR/RID

14.1 UN Number:	—
14.2 UN Proper Shipping Name:	—
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	—
Hazard No. (ADR):	—
Tunnel restriction code:	—
14.4 Packing Group:	—
14.5 Environmental hazards:	—
14.6 Special precautions for user:	—

ADN

14.1 UN Number:	—
14.2 UN Proper Shipping Name:	—
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	—
14.3 Packing Group:	—
14.5 Environmental hazards:	—
14.6 Special precautions for user:	—

IMDG

14.1 UN Number:	—
14.2 UN Proper Shipping Name:	—
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	—
EmS No.:	—
14.3 Packing Group:	—
14.5 Environmental hazards:	—
14.6 Special precautions for user:	—

Product name: LAGERMEISTER XXL

IATA

- | | |
|------------------------------------|---------------------|
| 14.1 UN Number: | — |
| 14.2 Proper Shipping Name: | — |
| 14.3 Transport Hazard Class(es): | |
| Class: | Non-dangerous goods |
| Label(s): | — |
| 14.4 Packing Group: | — |
| 14.5 Environmental hazards: | — |
| 14.6 Special precautions for user: | — |

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

National Regulations

Water Hazard Class (WGK): WGK 2: water-endangering.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

- | | |
|--------|--|
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Training information: Follow training instructions when handling this material.

Other information: The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

Revision Date: 24.02.2016

Product name: LAGERMEISTER XXL

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.