

2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product

LUBRODAL F 318 N - HV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

metal forming lubricant

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor

1.4. Emergency telephone number

FUCHS LUBRITECH GMBH

Werner-Heisenberg-Straße 1, D-67661 Kaiserslautern/Germany Phone +49 (0) 6301 3206 - 0, Fax +49 (0) 6301 3206 - 940

E-Mail reach@fuchs-lubritech.de Internet www.fuchs-lubritech.com

Advice Product Safety Management

(708) 333-8900

Emergency advice +49 (0)171 / 4632154

Phone 06301/3206-808 (800) 255-3924 24 hrs Emergency

This number is only available at office times.

! SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

! Additional hints

The product does not require a hazard warning label in accordance with EC directives/German regulations on dangerous substances.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Additional information

! Remark

This mixture is not classified as hazardous according to Regulation (EC) 1272/2008

2.3. Other hazards

Information pertaining to special dangers for human and environment

none at appropriate handling and storage

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description

solution of alkaline carboxylates, native and synthetic polymers in water

Additional advice

No hazardous material resp. below level of consideration according to Directive 67/548 EWG

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately, don't leave to dry.

In case of inhalation

Not applicable: No harmful steam concentration due to low volatility

In case of skin contact

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.





2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

In case of eye contact

In case of contact with eyes rinse thoroughly with water.

In case of ingestion

Call doctor in case of indisposition If swallowed give water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

No symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

unknown

5.2. Special hazards arising from the substance or mixture

No special hazards arising from the use of the product product itself does not burn.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Additional information

Carry out fire extinguishing measures in accordance with environmental fire.

! SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes

High risk of slipping due to leakage/spillage of product.

! For emergency responders

no special dangers known

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Send in suitable containers for recovery or disposal.

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

! Additional Information

no special dangers known

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

Emergency telephone number: see section 1





2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Take the usual precautions when handling with chemicals.

General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

Hygiene measures

At work do not eat, drink, smoke or take drugs.

Follow general rules of industrial hygiene for safe handling of chemical products

Remove soaked clothing immediately.

Wash hands before breaks and after work.

Wash hands and skin before breaks and after work.

Use barrier skin cream

Advice on protection against fire and explosion

The product is not combustible.

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Prevent penetration into the ground.

Advice on storage compatibility

Do not store together with food

Further information on storage conditions

Keep container tightly closed, store at cool and aired place, open and handle carefully.

Protect from frost.

Recommended storage temperature: room temperature.

Information on storage stability

In enclosed original container and at storage temperature of 25 °C maximum product keeps stabile for at least 12 months.

Storage group 12

7.3. Specific end use(s)

No information available.

! SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice

This product as such does not contain any relevant ingredients with to be observed limited values

As basis for this information served the valid references.

8.2. Exposure controls

Respiratory protection

Not required at determined application

Hand protection

Take care before use that the safety gloves are not damaged

Eye protection

tightly fitting goggles, in case of splashing

Other protection measures

Usual working clothes for chemical industries

! Thermal hazards

no special dangers known

Appropriate engineering controls

Closed holders to avoid evaporation loss





2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

 Appearance
 Colour
 Odour

 liquid
 Colourless - yellowish/ greyish
 characteristic

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	9 - 10	20 ℃			mild alkaline
boiling range	ca. 100 ℃				Steam
solidifying range	ca. 0 ℃				concerning solvent
Flash point				not applicable	waterbased product
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature					unknown
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	ca. 1,1 - 1,2 g/cm3	20 °C		DIN 51757	
Vapour density	not determined				
Solubility in water					miscible
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	250 - 750 mPa*s	20 ℃		Brookf-Visk.RVT Sp.5	
Oxidising properties					
Explosive properties					
9.2. Other information No information available.					

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.





2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

none at appropriate handling and storage

10.5. Incompatible materials

Materials to avoid Reactions with acids.

10.6. Hazardous decomposition products

none at appropriate handling and storage

Thermal decomposition

Remark No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark	
LD50 acute oral				not determined	

Irritability skin no irritating effects known

Irritability eye may have irritating effect if splash reaches eye

Skin sensitization No sensitizing effect known

Experiences made from practice

no harmful effects at appropriate handling and determined usage

Additional information

No toxical dates available.

Product contains biocide against microbial attack

The product was classified on the basis of the calculation procedure of the directive 67/548/EEC (conventional method).

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

Value	Species	Method	Validation	
Fish			not determined	

12.2. Persistence and degradability

Biological not determined

degradability

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Behaviour in sewage plant

Product gets duly not into waste water before it is not treated according to the local regulations.





2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

Additional ecological information

Method Remark

COD 120 - 300 gO2/l

General regulation

Ecological dates are not available.

Do not allow uncontrolled leakage of product into the environment. Product is not allowed to be discharged into aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No. Name of waste

06 02 99 wastes not otherwise specified

11 01 07* pickling bases

12 01 09* machining emulsions and solutions free of halogens

20 01 15 alkalines

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Standardized regulations for residual waste disposal within the EG member states do not exist.

Disposal according to local authority prescriptions

German statutes are prescribed in the law of "recycling and waste" (KrW/AbfG)

used absorbents of chapter 6: EAK 07 06 10

Recommendations for packaging

Uncontaminated packaging may be taken for recycling.

For containers with contamination is valid the EAC: 150199 D1 Containers with contamination

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken fot reuse.

Dispose one-trip container according to local authority prescriptions

Recommended cleansing agent

Water, surfactant if necessary

General information

Ultimately responsible for correct classification is the waste producer, as the EWC names different codes for different origins of same waste

Therefore the a.m. recommendation has to be checked in case of need

Disposal according to local authority prescriptions

! SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

14.6. Special precautions for user

no special dangers known

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

Marine transport IMDG

No dangerous goods as defined by these transport regulations.

Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

! Transport/further information

No hazardous goods as defined by prescriptions





2006 (REACH)

Printed 07.12.2015

revision 17.04.2015 (GB) Version 1.5

LUBRODAL F 318 N - HV

A01-03399

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 0 %

National regulations

Water hazard class 1 Mixture-WGK according to VwVwS (GER)

15.2. Chemical Safety Assessment

Chemical Safety Assessments for mixtures is not required.

SECTION 16: Other information

Training advice

Use information in this MSDS

Recommended uses and restrictions

usage only according to instructions for use and observance of warning notes National and local regulations concerning chemicals shall be observed.

Further information

The information given in this MSDS is based on the present state of knowledge and is intended to describe our products from the point of view of safety requirements only.

Substantial changes to the former version are marked by "!" on the left margin of the paper.

Refer to product information paper.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.4

Sources of key data used

Material Safety Data Sheets of raw materials



FUCHS LUBRITECH GmbH, 67661 Kaiserslautern/Germany