



SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier Product name: STABYLAN 5006

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

| Manufacturer | FUCHS LUBRITECH GmbH Werner-Heisenberg-Straße 1 67661 Kaiserslautern/Germany |
|----------------------------|--|
| Telephone: | +49 (0) 6301 3206-0 |
| Fax: | +49 (0) 6301 3206-940 |
| Contact Person: | FUCHS LUBRITECH GmbH - Product Safety Management |
| Telephone: | +49 (0) 6301 3206-0 |
| Fax: | +49 (0) 6301 3206-940 |
| E-mail: | INFO@FUCHS-LUBRITECH.DE |
| 1.4 US contact telephone : | 708-333-8900 |
| Emergency telephone: | 800-255-3924 |

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

| Hazard summary Physical Hazards: | No data available. |
|-------------------------------------|---|
| 2.2 Label Elements | Not applicable |
| 2.3 Other hazards: | By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control. |
| Unknown toxicity: | Due to information available product does not contain any ingredients of unknown toxicity. |

3 COMPOSITION / INFORMATION ON INGREDIENTS

LUBRITECH Special Application Lubricants



Product name: STABYLAN 5006

General information:

Mixture of synthetic base oils with additives.

| Chemical name | Identifier | Concentration * | Notes |
|--|------------|-----------------|-------|
| Thioester aromatischer Carbonsäuren, thioesters of aromatic carboxylic acids | 41484-35-9 | 1.00 - <5.00% | |
| Triaryl phosphate, alkyladed | 68937-40-6 | 1.00 - <2.50% | |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

| Chemical name | Identifier | Classification |
|--|------------|------------------------|
| Thioester aromatischer Carbonsäuren, thioesters of aromatic carboxylic acids | 41484-35-9 | Aquatic Chronic 4;H413 |
| Triaryl phosphate, alkyladed | 68937-40-6 | Aquatic Chronic 2;H411 |

4 FIRST AID MEASURES

| and effects, both acute and delayed: | |
|---|--|
| 4.2 Most important symptoms | May cause skin and eye irritation. |
| Ingestion: | Rinse mouth thoroughly. |
| Skin Contact: | Wash with soap and water. The product is not skin irritating. |
| Eye contact: | Promptly wash eyes with plenty of water while lifting the eye lids. |
| 4.1 Description of first aid measu Inhalation: | Ires Supply fresh air; consult doctor in case of symptoms. |
| General: | Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into clothing pockets. |
| | |

| Suitable extinguishing media Suitable extinguishing media: | CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added |
|--|--|
| Unsuitable extinguishing media: | Water with a full water jet. |





| Product name: STABYLAN 5006 | | |
|--|--|--|
| 5.2 Special hazards arising from the substance or mixture: | During fire, gases hazardous to health may be formed. | |
| 5.3 Advice for firefighters Special fire fighting procedures: | No data available. | |
| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | |
| SECTION 6: Accidental release m | easures | |
| 6.1 Personal precautions, protective equipment and emergency procedures: | In case of spills, beware of slippery floors and surfaces. | |
| 6.2 Environmental Precautions: | Prevent from spreading (e.g. by binding or oil barriers). | |
| 6.3 Methods and material for containment and cleaning up: | Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). | |
| 6.4 Reference to other sections: | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal. | |
| SECTION 7: Handling and storage: | | |
| 7.1 Precautions for safe handling: | Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. | |
| 7.2 Conditions for safe storage, including any incompatibilities: | Local regulations concerning handling and storage of waterpolluting products have to be followed. Prevent formation of aerosols. Do not heat up to temperatures close to the flash point. | |
| 7.3 Specific end use(s): | Not applicable | |

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

None of the components have assigned exposure limits.

8.2.Exposure controls





| Appropriate engineering controls: | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
|-------------------------------------|--|
| Individual protection measure | es, such as personal protective equipment |
| General information: | Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products. |
| Eye/face protection: | Safety glasses (EN 166) recommended during refilling. |
| Skin protection Hand Protection: | Material: Nitrile-butadiene rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| Other: | Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing. |
| Respiratory Protection: | Seek advice from local supervisor. Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol. |
| Thermal hazards: | No data available. |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. |
| Environmental Controls: | No data available. |

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical propertiesAppearance

| Physical state: | liquid |
|-----------------|-----------------------------|
| Form: | liquid |
| Color: | Pale yellow |
| Odor: | Characteristic |
| Odor Threshold: | Not applicable for mixtures |
| pH: | Not applicable |
| Freezing point: | Not applicable for mixtures |
| Boiling Point: | No data available. |

LUBRITECH

Special Application Lubricants



Product name: STABYLAN 5006

| Flash Point: | 245 °C |
|--|---------------------------------------|
| Evaporation Rate: | Not applicable for mixtures |
| Flammability (solid, gas): | Value not relevant for classification |
| Flammability Limit - Upper (%)–: | Not applicable for mixtures |
| Flammability Limit - Lower (%)–: | Not applicable for mixtures |
| Vapor pressure: | Not applicable for mixtures |
| Vapor density (air=1): | Not applicable for mixtures |
| Density: | 0.94 g/cm3 (15 °C) |
| Solubility(ies) | |
| Solubility in Water: | Insoluble in water |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | Not applicable for mixtures |
| Autoignition Temperature: | Value not relevant for classification |
| Decomposition Temperature: | Value not relevant for classification |
| Flow time: | Value not relevant for classification |
| Explosive properties: | Value not relevant for classification |
| Oxidizing properties: | Value not relevant for classification |
| 9.2 Other information | No data available. |
| | |

SECTION 10: Stability and reactivity

| 10.1 Reactivity: | Stable under normal temperature conditions and recommended use. |
|---|---|
| 10.2 Chemical Stability: | No data available. |
| 10.3 Possibility of hazardous reactions: | None under normal conditions. |
| 10.4 Conditions to avoid: | Avoid heat or contamination. |
| 10.5 Incompatible Materials: | Strong oxidizing substances. Strong acids. Strong bases. |
| 10.6 Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

11 TOXICOLOGICAL INFORMATION

| Information on likely ro Inhalation: | utes of exposure No data available. |
|---|--|
| Ingestion: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |

LUBRITECH Special Application Lubricants



Product name: STABYLAN 5006

| Oral Product: | |
|---|---|
| | Not classified for acute toxicity based on available data. |
| Specified substance(s) Thioester aromatischer Carbonsäuren, thioesters of aromatic carboxylic acids | LD 50 (Rat): > 5,000 mg/kg |
| Triaryl phosphate, alkyladed | LD 50 (Rat): > 5,000 mg/kg |
| Dermal Product: | |
| | Not classified for acute toxicity based on available data. |
| Inhalation Product: | |
| Spacified substance(s) | Not classified for acute toxicity based on available data. |
| Specified substance(s) Thioester aromatischer Carbonsäuren, thioesters of aromatic carboxylic acids | LC 50 (Rat, 4 h): > 5 mg/l |
| Triaryl phosphate, alkyladed | LC 50 (Rat, 4 h): > 200 mg/l |
| Skin Corrosion/Irritation: Product: | Based on available data, the classification criteria are not met. |
| Serious Eye Damage/Eye Irr Product: | itation: Based on available data, the classification criteria are not met. |
| Respiratory or Skin Sensitiz Product: | ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met. |
| Germ Cell Mutagenicity Product: | Based on available data, the classification criteria are not met. |
| Carcinogenicity Product: | Based on available data, the classification criteria are not met. |



| IARC: IARC M | onographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified |
|-----------------------------|--|
| NTP: US. Natio | onal Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified |
| OSHASP: US. | OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified |
| Reproductive to Product: | xicity Based on available data, the classification criteria are not met. |
| Specific Target (| Organ Toxicity - Single Exposure |
| Product: | Based on available data, the classification criteria are not met. |
| Specific Target (| Drgan Toxicity - Repeated Exposure |
| Product: | Based on available data, the classification criteria are not met. |
| Aspiration Haza Product: | rd Based on available data, the classification criteria are not met. |
| 12 ECOLOGICAL IN | |

12.1 Toxicity

| Acute toxicity Product: | Based on available data, the classification criteria are not met. |
|---|---|
| Fish Specified substance(s) Triaryl phosphate, alkyladed | LC 50 (Fish, 96 h): 3.4 mg/l |
| Aquatic Invertebrates Specified substance(s) Thioester aromatischer Carbonsäuren, thioesters of aromatic carboxylic acids | EC 50 (Water Flea, 48 h): > 100 mg/l |
| Triaryl phosphate, alkyladed | EC 50 (Water Flea, 48 h): 3.9 mg/l |
| Chronic ToxicityProduct: | Based on available data, the classification criteria are not met. |
| Toxicity to Aquatic Plants Specified substance(s) Thioester aromatischer Carbonsäuren, thioesters of aromatic carboxylic acids | EC 50 (Alga): > 100 mg/l |





| 12.2 Persistence and Degradability | | |
|--|--|--|
| Biodegradation Product: | Not applicable for mixtures | |
| 12.3 Bioaccumulative potential Product: | Not applicable for mixtures | |
| 12.4 Mobility in soil: Product: | Not applicable for mixtures | |
| 12.5 Results of PBT and vPvB assessment: | The product does not contain any substances fulfilling the PBT/vPvB criteria. | |
| 12.6 Other adverse effects: | No data available. | |
| 13 Disposal considerations | | |
| 13.1 Waste treatment methods | | |
| General information: | Dispose in accordance with all applicable regulations. | |
| Disposal methods: | Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed. | |

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code

Not regulated.

IATA

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

US State Regulations

Inventory Status

| DSL | Not in compliance with the inventory. |
|------|--|
| NDSL | Not in compliance with the inventory. |
| TSCA | On or in compliance with the inventory |

16 OTHER INFORMATION

Revision Information:

Vertical lines in the margin indicate an amendment.





| Wording of the H-st | atements in section 2 and 3 |
|-----------------------|---|
| H411 | Toxic to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| Training information: | Follow training instructions when handling this material. |
| Revision Date: | 23.04.2018 |
| Disclaimer: | The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature. |