FUCHS LUBRITECH GmbH

No further relevant information available.





Page 1/5

MATERIAL SAFETY DATA SHEET acc. to ISO/DIS 11014 for USA

Printing date 08/14/2015

Reviewed on 08/14/2015

(Contd. on page 2)

```
1 Identification
· Product identifier
· Trade name: URETHYN XHD 2 Mod 1
· Relevant identified uses of the substance or mixture and uses advised against
  No uses advised against identified.
· Application of the substance / the preparation: Lubricating grease
· Details of the supplier of the safety data sheet
· Manufacturer/Supplier:
  FUCHS LUBRITECH GmbH
  Werner-Heisenberg-Strasse 1
  D - 67661 Kaiserslautern

    Information department:

  Fuchs Lubritech GmbH
  Product Safety Management Tel: +49 (0)6301 3206 808
                                                                   EMERGENCY
                                                                  TELEPHONE NO.
  E-mail: reach@fuchs-lubritech.de
                                                                    800-255-3924
· Emergency telephone number: +1149 (0) 171/4632154
2 Hazard(s) identification
  Classification of the substance or mixture
  The product is not classified according to the Globally Harmonized System (GHS).
· Label elements
  GHS label elements Void
  Hazard pictograms Void
  Signal word Void
· Hazard statements Void
  {\tt Classification\ system:}

    NFPA ratings (scale 0 - 4)

  Health = 1
  Fire = 1
  Reactivity = 0
· HMIS-ratings (scale 0 - 4)
  Health
  Fire
  Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
  PBT: Not applicable.
  vPvB: Not applicable.
3 Composition/information on ingredients
  Chemical characterization: Mixtures
  Description:
  Lubricating grease: Thickener system and additives in synthetic base oil.
· Dangerous components / Hazard communications / Concentration range %
                                                                                         2.4 -4.9%
  471-34-1 calcium carbonate
  Additional information:
For further information on the hazard ingredients and established PELs and TLVs
  refer to section 15.
4 First-aid measures
· Description of first aid measures
  General information:
  Change clothes and shoes contaminated or soaked by the product.
 Never put rags contaminated by the product into cloth-pockets. After inhalation: Seek medical treatment in case of complaints.
· After skin contact: Generally the product does not irritate the skin.
· After eye contact: Rinse opened eye for several minutes under running water.
· After swallowing: Seek medical treatment.

    Information for doctor:

 Most important symptoms and effects, both acute and delayed No further relevant information available.
\cdot Indication of any immediate medical attention and special treatment needed
```

MATERIAL SAFETY DATA SHEET acc. to ISO/DIS 11014 for USA

Printing date 08/14/2015

Reviewed on 08/14/2015

Trade name: URETHYN XHD 2 Mod 1

(Contd. of page 1)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with alcohol resistant foam or surfactant containing water jet.
Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

No further relevant information available. Advice for firefighters

Protective equipment:
In case of fire fighting: wear self containing breathing apparatus

6 Accidental release measures

- \cdot Personal precautions, protective equipment and emergency procedures ${\tt Not\ required}.$
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires:

No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:
Use only receptacles specifically permitted for this substance/product.
Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about storage conditions:

Local regulations concerning handling and storage of water polluting products have to be followed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

471-34-1 calcium carbonate

PEL Long-term value: 15* 5** mg/m³

*total dust **respirable fraction

REL Long-term value: $10* 5** mg/m^3$

*total dust **respirable fraction

TLV TLV withdrawn

Additional information:

The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.
Avoid close or long term contact with the skin.
Use skin protection cream for skin protection.

Breathing equipment: Avoid breathing vapour/ aerosol.

· Protection of hands: Protective gloves and protective skin cream

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

MATERIAL SAFETY DATA SHEET acc. to ISO/DIS 11014 for USA

Printing date 08/14/2015

on the eye: No irritating effect.

Reviewed on 08/14/2015

(Contd. on page 4)

Trade name: URETHYN XHD 2 Mod 1 (Contd. of page 2) · For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Neoprene gloves · Not suitable are gloves made of the following materials: Butyl rubber, BR Natural rubber, NR
• Eye protection: Not required.
• Body protection: Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Pasty Light beige Color: · Odor: Characteristic · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: > 230 °C 249 °C Boiling point/Boiling range: · Flash point: 221 °C (EN ISO 2592) · Flammability (solid, gaseous): Not determined. 378 °C · Ignition temperature: like paper · Decomposition temperature: Not determined · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapor pressure: Not applicable. · Density at 20 °C: 0.868 g/cm³ (DIN 51 757) Relative density Not determined. · Vapour density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: 2 NLGI · Dynamic: Not applicable. Not applicable.
No further relevant information available. Kinematic: · Other information 10 Stability and reactivity · Reactivity Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. · Hazardous decomposition products: No dangerous decomposition products known. 11 Toxicological information · Information on toxicological effects · Acute toxicity: Primary irritant effect: on the skin: No irritant effect.

MATERIAL SAFETY DATA SHEET acc. to ISO/DIS 11014 for USA

Printing date 08/14/2015

Reviewed on 08/14/2015

Trade name: URETHYN XHD 2 Mod 1

(Contd. of page 3)

· Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Polytetrafluorethylen: 3

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No data available
 Mobility in soil No further relevant information available.

· Ecotoxical effects:

Behavior in sewage processing plants: The product can be mechanically separated.

The product swims on the water surface. Additional ecological information:

General notes:

(German) Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste. When storing used products, ensure that the waste categories and mixing instructions are observed.

Delivery of waste products to offically authorized collectors only.

· Uncleaned packagings:

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

· UN-Number

DOT, ADR, ADN, IMDG, IATA Void UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) Void

· DOT, ADR, ADN, IMDG, IATA

Class Void Packing group · DOT, ADR, IMDG, IATA Void Environmental hazards:

Marine pollutant:

No Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable. · Transport/Additional information:

Not dangerous according to the above specifications.

· UN "Model Regulation":

(Contd. on page 5)

MATERIAL SAFETY DATA SHEET acc. to ISO/DIS 11014 for USA

Printing date 08/14/2015

E-mail: reach@fuchs-lubritech.de

· Date of preparation / last revision 08/14/2015 / ~

Reviewed on 08/14/2015

Trade name: URETHYN XHD 2 Mod 1 (Contd. of page 4) 15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture Sara · Section 355 (extremely hazardous substances): None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings): zinc sulphide · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Cancerogenity categories EPA (Environmental Protection Agency) zinc sulphide: D, I, II
• TLV (Threshold Limit Value established by ACGIH) 115-86-6 aromatic phosphoric acid ester derivative: A4 · MAK (German Maximum Workplace Concentration) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · National regulations: · Water hazard class: (German) Water hazard class 1 (Self-assessment): slightly hazardous for water. Other regulations, limitations and prohibitive regulations Local regulations are to be kept. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: FUCHS LUBRITECH GmbH Product Safety Management Contact: Product Safety Management Tel: +49 (0)6301 3206 808