

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier Product name: ANTICORIT MPC 5000

1

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Anticorrosion product Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer	Fuchs Schmierstoffe GmbH Friesenheimer Str. 19 68169 Mannheim	US Distributor Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426
Telephone: Fax:	+49 621 3701-0 (ZENTRALE) +49 621 3701-570	(708) 333-8900 (800) 255-3924 24 hrs Emergency
Contact Person: Telephone: Fax: E-mail:	Fuchs Schmierstoffe GmbH A +49 621 3701-1333 +49 621 3701-7303 produktsicherheit-FS@fuchs.cd	
1.4 US contact telephone : Emergency telephone:	708-333-8900 800-255-3924	

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Health Hazards

Skin sensitizer

Category 1

Hazard summary Physical Hazards:

No data available.



2.2 Label Elements

!	
Signal Words:	Warning
Hazard Statement(s):	H317: May cause an allergic skin reaction.
Precautionary Statemen	ts
Prevention:	P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection.
Response:	P302+P352: IF ON SKIN: Wash with plenty of water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	Notes
Base oil, low viscous	64742-55-8	10.00 - <20.00%	
Sodium sulfonate	68608-26-4	1.00 - <5.00%	
Calcium Sulfonate	61789-86-4	1.00 - <5.00%	
Calcium Sulfonate	68584-23-6	1.00 - <5.00%	
Ca Sulfonate	70024-69-0	1.00 - <5.00%	
Ca sulfonate	252315-85-8	0.10 - <1.00%	
Ca sulfonate	93820-57-6	0.10 - <1.00%	
phenolic antioxidant	128-37-0	0.10 - <0.25%	
Alkaryl phosphite	26544-23-0	0.10 - <1.00%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Base oil, low viscous	64742-55-8	Asp. Tox. 1;H304
Sodium sulfonate	68608-26-4	Eye Irrit. 2;H319
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317
Calcium Sulfonate	68584-23-6	Skin Sens. 1B;H317
Ca Sulfonate	70024-69-0	Skin Sens. 1B;H317
Ca sulfonate	252315-85-8	Skin Sens. 1;H317
Ca sulfonate	93820-57-6	Skin Sens. 1B;H317
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410
Alkaryl phosphite	26544-23-0	Skin Sens. 1;H317, Aquatic Chronic 2;H411, STOT RE 2;H373

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

4 FIRST AID MEASURES

General:	Instantly remove any clothing soiled by the product.	
4.1 Description of first aid meas	ures	
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.	
SECTION 5: Firefighting measure	s	
5.1 Extinguishing media		
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant	

added



5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage):
7.1 Precautions for safe handling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	No data available.
8 EXPOSURE CONTROLS / P	ERSONAL PROTECTION



8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Base oil, paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Base oil, paraffinic	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil, paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Base oil, paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Base oil, paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

8.2.Exposure controls

LAPOSULE CONTIONS	
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measure	es, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling. Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile-butadiene rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be
	recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	No data available.



Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated
	footwear that cannot be cleaned.

Environmental Controls: No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state:	liquid
Form:	liquid
Color:	Dark brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	234 °C (DIN EN ISO 2592)
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0.89 g/ml (15.00 °C) (DIN 51757)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	90 mm2/s (40 °C, DIN 51562-1)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.



0.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.		
0.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
I TOXICOLOGICAL INFORMATION		
Information on likely routes Inhalation:	of exposure No data available.	
Ingestion:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Acute toxicity		
Oral Product:		
Specified substance(s)	Not classified for acute toxicity based on available data.	
Specified substance(s) Base oil, low viscous	LD 50 (Rat): > 5,000 mg/kg	
Calcium Sulfonate	LD 50 (Rat): > 16,000 mg/kg	
Ca Sulfonate	LD 50 (Rat): > 5,000 mg/kg (OECD 401)	
phenolic antioxidant	LD 50 (Rat): 2,930 mg/kg (OECD 401)	
Alkaryl phosphite	LD 50 (Rat): 3,840 mg/kg	
Dermal Product:		
	Not classified for acute toxicity based on available data.	
Specified substance(s) Ca Sulfonate	LD 50 (Rabbit): > 5,000 mg/kg (OECD 402)	
phenolic antioxidant	LD 50 (Rat): > 5,000 mg/kg (OECD 402)	
Alkaryl phosphite	LD 50 (Rabbit): 5,000 mg/kg	
Inhalation Product:		
	Not classified for acute toxicity based on available data.	



Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Specified substance(s) Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Specified substance(s) Calcium Sulfonate	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiz Product:	ation: Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.
Specified substance(s) Ca sulfonate	(Guinea Pig)May cause sensitization by skin contact.
phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs o	on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
NTP: US. National Toxicol	ogy Program (NTP) Report on Carcinogens: No carcinogenic components identified
OSHASP: US. OSHA Spec	ifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
ECOLOGICAL INFORMATIO	IN

12



12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Calcium Sulfonate	LC 50 (Fish, 96 h): > 10,000 mg/l (OECD 203)
Ca Sulfonate	LC 50 (Fish, 96 h): > 1,001 mg/l
Ca sulfonate	LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) Base oil, low viscous	EC 50 (Water Flea, 48 h): > 10,000 mg/l
Calcium Sulfonate	EC 50 (Water flea (Simocephalus vetulus), 48 h): > 100 mg/l (OECD 202)
Ca Sulfonate	EC 50 (Water Flea, 48 h): > 1,001 mg/l
Ca sulfonate	EC 50 (Water Flea, 48 h): > 1,001 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Aquatic Invertebrates Specified substance(s) Base oil, low viscous	NOEC (Water Flea, 21 d): 10 mg/l
phenolic antioxidant	NOEC (Water Flea, 21 d): > 0.39 mg/l
Toxicity to Aquatic Plants Specified substance(s) Ca Sulfonate	EC 50 (Alga, 72 h): > 1,000 mg/l
Ca sulfonate	EC 50 (Alga, 72 h): > 101 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s)	Not applicable for mixtures
Base oil, low viscous	31 % (28 d, OECD 301F)
Calcium Sulfonate	8.6 % (28 d) Not easily biodegradable
phenolic antioxidant	30 % (OECD 302C)
12.3 Bioaccumulative notential	

12.3 Bioaccumulative potential Product:

Not applicable for mixtures



Specified substance(s) phenolic antioxidant	May be accumulated in organism
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
13 Disposal considerations	
13Disposal considerations13.1Waste treatment methods	
	Dispose in accordance with all applicable regulations.

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code Not regulated.

IATA

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

US State Regulations

Inventory Status

TSCA	On or in compliance with the inventory
DSL	Not in compliance with the inventory.

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.



Wording of the H-statements in section 2 and 3

- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated
- exposure if swallowed.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Revision Date: 12.02.2020 Disclaimer: The data co

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.