

# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

# PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifier Product name: ANTICORIT 04 W 2

1

Other means of identification: For further information, please refer to section 9 of the SDS.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Anticorrosion product Uses advised against: No uses advised against identified.

# 1.3 Details of the supplier of the safety data sheet

Manufacturer	Fuchs Schmierstoffe GmbH Friesenheimer Str. 19 68169 Mannheim
Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570
<b>Contact Person:</b>	Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit
Telephone:	+49 621 3701-1333
Fax:	+49 621 3701-7303
E-mail:	PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE
1.4 US contact telephone :	708-333-8900
Emergency telephone:	<b>800-255-3924</b>

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Physical Hazards Flammable liquids		Category 4
Health Hazards		
Skin sensitizer		Category 1
Environmental Hazards		
Chronic hazards to the aquatic environment		Category 3
Hazard summary Physical Hazards:	Can form flamma	able vapour-air mixtures during the application.



#### 2.2 Label Elements

(!	
Signal Words:	Warning
Hazard Statement(s):	H227: Combustible liquid. H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.
Precautionary Statemen	ts
Prevention:	<ul> <li>P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P261: Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P273: Avoid release to the environment.</li> </ul>
Storage:	P235: Keep cool.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

# **COMPOSITION / INFORMATION ON INGREDIENTS**

General information:

3

Mixture based on severely refined mineral base oils with corrosion preventive agents and volatile hydrocarbons.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscosity	64742-48-9	15.00 - 40.00%	
Calcium Sulfonate	61789-86-4	10.00 - 30.00%	
Na sulphonate	68608-26-4	5.00 - 10.00%	
Ca sulfonate	Polymer	5.00 - 10.00%	
phenolic antioxidant	128-37-0	0.50 - 1.50%	
Tolutriazole derivative	939-700-4	0.10 - 1.00%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



## Classification

Chemical name	Identifier	Classification
Hydrocarbons, low viscosity	64742-48-9	Asp. Tox. 1;H304
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317
Na sulphonate	68608-26-4	Eye Irrit. 2;H319
Ca sulfonate	Polymer	Aquatic Chronic 4;H413
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410
Tolutriazole derivative	939-700-4	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Acute 1;H400, Aquatic Chronic 2;H411

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

# 4 FIRST AID MEASURES

General:	Instantly remove any clothing soiled by the product.		
4.1 Description of first aid meas	ures		
Inhalation:	Supply fresh air; consult doctor in case of symptoms.		
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.		
Skin Contact:	Wash with water and soap; pay attention: skin degreasing product.		
Ingestion:	Rinse mouth thoroughly.		
4.2 Most important symptoms and effects, both acute and delayed:	Suspected to cause hypersensitivity and allergy. Headache.		
4.3 Indication of any immediate medical attention and special treatment needed	Symptoms may be delayed.		
SECTION 5: Firefighting measure	S		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool.		
5.1 Extinguishing media Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added		
Unsuitable extinguishing media:	Water with a full water jet.		



#### Product name: ANTICORIT 04 W 2 5.2 Special hazards arising Can form explosive vapor-air mixtures at higher temperatures. from the substance or mixture: 5.3 Advice for firefighters Special fire fighting Move container from fire area if it can be done without risk. Dispose of fire procedures: debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. **Special protective** Self-contained breathing apparatus and full protective clothing must be equipment for fire-fighters: worn in case of fire. **SECTION 6: Accidental release measures** 6.1 Personal precautions, In case of spills, beware of slippery floors and surfaces. Keep away from protective equipment and sources of ignition - No smoking. emergency procedures: **6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water. 6.3 Methods and material for Absorb with liquid-binding material (sand, diatomite, acidbinders, universal containment and cleaning binders, sawdust). Dispose of the material collected according to up: regulations. Stop the flow of material, if this is without risk. 6.4 Reference to other See Section 8 of the SDS for Personal Protective Equipment. See Section sections: 7 for information on safe handling See Section 13 for information on disposal. **SECTION 7: Handling and storage:** 7.1 Precautions for safe Use only in well-ventilated areas. Risk of vapor concentration on the floor handling: and in low-lying areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation. 7.2 Conditions for safe storage, Local regulations concerning handling and storage of waterpolluting including anv products have to be followed. The precautions for storing and handling of incompatibilities: flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point. 7.3 Specific end use(s): Not applicable

#### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION



### 8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
base oil, paraffinic	PEL		3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
base oil, paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
base oil, paraffinic	TWA	400 ppm 1,600 mg/m3	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
base oil, paraffinic - Mist.	TWA	5 mg/m3	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
base oil, paraffinic - Inhalable fraction.	TWA	5 mg/m3	3 US. ACGIH Threshold Limit Values (03 2014)
Base oil - Inhalable fraction.	TWA	5 mg/m3	3 US. ACGIH Threshold Limit Values (03 2014)
Base oil	PEL	500 ppm 2,000 mg/m3	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil - Mist.	PEL	5 mg/m3	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil	TWA	400 ppm 1,600 mg/m3	3US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil - Mist.	TWA	5 mg/m3	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Paraffin - Fume.	TWA	2 mg/m3	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Paraffin - Fume.	TWA	2 mg/m3	3 US. ACGIH Threshold Limit Values (02 2012)
phenolic antioxidant	TWA	10 mg/m3	3US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
phenolic antioxidant - Inhalable fraction and vapor.	TWA	2 mg/m3	3 US. ACGIH Threshold Limit Values (02 2012)

#### 8.2.Exposure controls

Appropriate engineering controls: Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment

General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.



Skin protection Hand Protection:	Material: Nitrile-butadiene rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the
	manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties Appearance Physical state:

Physical state:	liquid
Form:	liquid
Color:	Brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	67 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0.90 g/ml (15.00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures



Autoignition Temperature: Decomposition Temperature: Kinematic viscosity: Explosive properties: Oxidizing properties: 9.2 Other information Value not relevant for classification Value not relevant for classification 32 mm2/s (40 °C) Value not relevant for classification Value not relevant for classification No data available.

# SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# 11 TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure<br/>Inhalation:No data available.Ingestion:No data available.Skin Contact:No data available.Eye contact:No data available.

#### Acute toxicity

# Oral

Product:

Specified substance(a)	Not classified for acute toxicity based on available data.		
Specified substance(s) Hydrocarbons, low viscosity	LD 50 (Rat): > 10,000 mg/kg		
Calcium Sulfonate	LD 50 (Rat): > 16,000 mg/kg		
phenolic antioxidant	LD 50 (Rat): 2,930 mg/kg (OECD 401)		
Tolutriazole derivative	LD 50 (Rat, Female, Male): 3,313 mg/kg (OECD 401)		



Product:	
<b>.</b>	Not classified for acute toxicity based on available data.
Specified substance(s) phenolic antioxidant	LD 50 (Rat): > 5,000 mg/kg (OECD 402)
Inhalation Product:	
<b>Specified substance(s)</b> Hydrocarbons, low viscosity	Not classified for acute toxicity based on available data.
	LC 50 (Rat, 4 h): > 5 mg/l
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Specified substance(s) Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.
Tolutriazole derivative	(Rabbit): Irritating.
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Specified substance(s)	
Calcium Sulfonate	OECD 405 (Rabbit): Not irritant.
Calcium Sulfonate Tolutriazole derivative	OECD 405 (Rabbit): Not irritant. OECD 405 (Rabbit): Not irritant.
	OECD 405 (Rabbit): Not irritant. ation: Skin sensitizer: Based on available data, the classification criteria are me
Tolutriazole derivative Respiratory or Skin Sensitiz	OECD 405 (Rabbit): Not irritant. <b>ation:</b> Skin sensitizer: Based on available data, the classification criteria are me Respiratory sensitizer: Based on available data, the classification criteria
Tolutriazole derivative Respiratory or Skin Sensitiz Product: Specified substance(s)	OECD 405 (Rabbit): Not irritant. <b>Fation:</b> Skin sensitizer: Based on available data, the classification criteria are me Respiratory sensitizer: Based on available data, the classification criteria are not met.
Tolutriazole derivative Respiratory or Skin Sensitiz Product: Specified substance(s) phenolic antioxidant Tolutriazole derivative	OECD 405 (Rabbit): Not irritant. <b>Fation:</b> Skin sensitizer: Based on available data, the classification criteria are me Respiratory sensitizer: Based on available data, the classification criteria are not met. No sensitizing effect (guinea pig); OECD 406
Tolutriazole derivative Respiratory or Skin Sensitiz Product: Specified substance(s) phenolic antioxidant Tolutriazole derivative Germ Cell Mutagenicity	OECD 405 (Rabbit): Not irritant. <b>Fation:</b> Skin sensitizer: Based on available data, the classification criteria are me Respiratory sensitizer: Based on available data, the classification criteria are not met. No sensitizing effect (guinea pig); OECD 406 , OECD 406-1 (Guinea Pig)sensitizing

NTP: US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified



OSHASP: US. OSHA Spe	cifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Tox Product:	icity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Tox Product:	icity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
12 ECOLOGICAL INFORMAT	ION

#### 12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 101 mg/l
Calcium Sulfonate	LC 50 (Fish, 96 h): > 10,000 mg/l (OECD 203)
Tolutriazole derivative	LC 50 (Fish, 96 h): 1.3 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) Calcium Sulfonate	EC 50 (Water flea (Simocephalus vetulus), 48 h): > 100 mg/l (OECD 202)
Tolutriazole derivative	EC 50 (Water Flea, 48 h): 2.05 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.
Aquatic Invertebrates Specified substance(s) phenolic antioxidant	NOEC (Water Flea, 21 d): > 0.39 mg/l
<b>Toxicity to Aquatic Plants</b> <b>Specified substance(s)</b> Tolutriazole derivative	EC 50 (Alga, 72 h): 0.976 mg/l (OECD 201)
Persistence and Degradability	
Biodegradation	

# 12.2

Biodegradation	
Product:	

Not applicable for mixtures



<b>Specified substance(s)</b> Hydrocarbons, low viscosity	31 % (28 d, OECD 301F) Not readily degradable.
Calcium Sulfonate	8.6 % (28 d) Not easily biodegradable
phenolic antioxidant	30 % (OECD 302C)
Tolutriazole derivative	Not readily degradable.
12.3 Bioaccumulative potential Product: Specified substance(s)	Not applicable for mixtures
phenolic antioxidant	May be accumulated in organism
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Harmful to aquatic life with long lasting effects.
13 Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.

# 14 TRANSPORT INFORMATION

## DOT

14.1 UN Number:	NA 1993	
14.2 Proper Shipping Name:	Combustible liquid, n.o.s.	
14.3 Transport Hazard Class(es)	CBL	
14.4 Subsidiary risk label:	_	
14.5 Packing Group:	III	
14.6 Label(s):	NONE	
IMDG - International Maritime Dangerous Goods Code Not regulated.		

#### ΙΑΤΑ

Not regulated.

# 15 REGULATORY INFORMATION

#### **US Federal Regulations**

# **US State Regulations**



#### **Inventory Status**

DSL	On or in compliance with the inventory
NDSL	Not in compliance with the inventory.
TSCA	On or in compliance with the inventory

#### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

#### Wording of the H-statements in section 2 and 3

H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

**Revision Date:** 

**Disclaimer:** 

#### 04.05.2018

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.