

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: ANTICORIT 5012 S

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anticorrosion product

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer Fuchs Schmierstoffe GmbH **US** Distributor

> Fuchs Lubricants Co. Friesenheimer Str. 19 17050 Lathrop Avenue 68169 Mannheim Harvey, IL 60426

(708) 333-8900

Telephone: +49 621 3701-0 (ZENTRALE)

(800) 255-3924 24 hrs Emergency +49 621 3701-570 Fax:

Contact Person: Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone: +49 621 3701-1333 Fax: +49 621 3701-7303

E-mail: PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE

1.4 US contact telephone: 708-333-8900 **Emergency telephone:** 800-255-3924

HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Environmental Hazards

Chronic hazards to the aquatic environment Category 3

Hazard summary

Physical Hazards: No data available.

Issue Date: 30.10.2013 Revision Date: 10.05.2016 Supersedes Date: 10.05.2016

SDS_US - 000000000600644123

Version: 1.0



2.2 Label Elements

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement

Prevention: P273: Avoid release to the environment.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	Notes
Barium compounds	61790-48-5	1.00 - 5.00%	
Barium alkyl sulphonate	93820-55-4	0.50 - 1.50%	
Ba-compound	513-77-9	0.10 - 1.00%	
Barium alkyl sulphonate	93028-28-5	0.10 - 1.00%	
phenolic antioxidant	128-37-0	0.10 - 1.00%	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Classification	Classification	
Barium compounds	61790-48-5	Acute Tox. 4;H302, Acute Tox. 4;H332	
Barium alkyl sulphonate	93820-55-4	Acute Tox. 4;H302, Acute Tox. 4;H332	
Ba-compound	513-77-9	Acute Tox. 4;H302	
Barium alkyl sulphonate	93028-28-5	Acute Tox. 4;H302, Acute Tox. 4;H332, Eye Irrit. 2;H319	
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410	

4 FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

Issue Date: 30.10.2013 Revision Date: 10.05.2016 Supersedes Date: 10.05.2016 SDS US - 000000000600644123

Version: 1.0

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official

regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal

binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

8

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities: Local regulations concerning handling and storage of waterpolluting

products have to be followed. Do not heat up to temperatures close to the

flash point.

7.3 Specific end use(s): not applicable

EXPOSURE CONTROLS / PERSONAL PROTECTION



8.1.Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Base oil, paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
Base oil, paraffinic - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
Barium compounds - as Ba	TWA	0.5 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
phenolic antioxidant	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inheading the chemicals or the mineral oil products.

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.



9

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid
Form: liquid
Color: Brown

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

Boiling Point: not applicable

Flash Point: 200 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0.89 g/ml (15.00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 41 mm2/s (40.00 °C)

Explosive properties:Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

9.2 Other informationNo data available.



SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Acute toxicity

Oral

Product:

ATEmix: 28,867.32 mg/kg

Specified substance(s)

Ba-compound LD 50 (Rat): 630 mg/kg

phenolic antioxidant LD 50 (Rat): 2,930 mg/kg (OECD 401)

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

phenolic antioxidant LD 50 (Rat): > 5,000 mg/kg (OECD 402)



Inhalation

Product:

ATEmix: 102.94 mg/l Dusts, mists and fumes

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

phenolic antioxidant No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Issue Date: 30.10.2013 Revision Date: 10.05.2016 Supersedes Date: 10.05.2016 SDS US - 000000000600644123

Version: 1.0



Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

phenolic antioxidant LC 50 (Fish, 96 h): > 0.57 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

phenolic antioxidant EC 50 (Water Flea, 48 h): > 0.17 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

Aquatic Invertebrates Specified substance(s)

phenolic antioxidant NOEC (Water Flea, 21 d): > 0.39 mg/l

Toxicity to Aquatic Plants Specified substance(s)

phenolic antioxidant EC 50 (Alga, 72 h): > 0.42 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

phenolic antioxidant 30 % (OECD 302C)

12.3 Bioaccumulative Potential

Product: Not applicable for mixtures

Specified substance(s)

phenolic antioxidant May be accumulated in organism

12.4 Mobility in Soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.



12.6 Other Adverse Effects: Harmful to aquatic life with long lasting effects.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

14 TRANSPORT INFORMATION

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code

Not regulated.

IATA

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

Inventory Status

TSCA	On or in compliance with the inventory
------	--

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Revision Date: 10.05.2016



Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.