

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: ANTICORIT BGI 15

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anticorrosion product

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

US Distributor Fuchs Lubricants Co. 17050 Lathrop Avenue

Manufacturer / Supplier Fuchs Schmierstoffe GmbH

Friesenheimer Str. 19

Harvey, IL 60426 (708) 333-8900

68169 Mannheim

(800) 255-3924 24 hrs Emergency

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact Person: Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone: +49 621 3701-1333 +49 621 3701-7303 Fax:

E-mail: produktsicherheit@fuchs-schmierstoffe.de

1.4 Emergency telephone number: +49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Aspiration Hazard Category 1 H304: May be fatal if swallowed and enters

airways.

Hazard summary

Physical Hazards: No data available.

Health Hazards

Ingestion: If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

2.2 Label Elements

Contains: Base oil, low viscous

Issue Date: 30.10.2013 Revision Date: 20.06.2016

SDS_CY - EN - 000000000600644093

Version: 2.2 Print date: 23.06.2016

1/10





Signal Words: Danger

Hazard Statement(s): H304: May be fatal if swallowed and enters airways.

Precautionary Statement

P301+P310: IF SWALLOWED: Immediately call a POISON Response:

CENTER/doctor.

P331: Do NOT induce vomiting.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

Supplemental label information

EUH208: Contains Calcium Sulfonate. May produce an allergic reaction.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

> hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
Base oil, low viscous	EINECS: 265-159-2	50,00 - <100,00%		
Calcium Sulfonate	EINECS: 263-093-9	5,00 - <10,00%	01-2119488992-18	
Na sulphonate	EINECS: 271-781-5	1,00 - <5,00%		
Carboxylic acid / tert. alkanol amine neutralisation product	Neutralisation product (*)	1,00 - <3,00%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

SDS_CY - EN - 000000000600644093

vPvB: very persistent and very bioaccumulative substance.

^(*) Neutralisation product: Equilibrium of Ionic Pairs in aequous solution according to REACH Annex V, 4.



Classification

Chemical name	Identifier	Classification	
Base oil, low viscous	EINECS: 265-159-2	CLP:	Asp. Tox. 1;H304
Calcium Sulfonate	EINECS: 263-093-9	CLP:	Skin Sens. 1B;H317
Na sulphonate	EINECS: 271-781-5	CLP:	Eye Irrit. 2;H319
Carboxylic acid / tert. alkanol amine neutralisation product	Neutralisation product (*)		Eye Irrit. 2;H319, Skin Irrit. 2;H315, Acute Tox. 3;H311, Acute Tox. 3;H331, Acute Tox. 4;H302, STOT SE 3;H335

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Call a physician or poison control center immediately. Rinse mouth, Never

> give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed:

If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

4.3 Indication of any immediate medical attention and

special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016 SDS_CY - EN - 000000000600644093

Version: 2.2

3/10



Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal

binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices.

Provide adequate ventilation.

7.2 Conditions for safe storage,

including any

incompatibilities:

Store locked up. Local regulations concerning handling and storage of

waterpolluting products have to be followed. Do not heat up to

temperatures close to the flash point.

7.3 Specific end use(s): not applicable

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

SDS_CY - EN - 000000000600644093



Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid

Color: Light brown Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

SDS_CY - EN - 000000000600644093



Boiling Point: Value not relevant for classification

Flash Point: 155 °C

Evaporation Rate:Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Vapor density (air=1):

Density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

O,86 g/ml (15,00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 14 mm2/s (40,00 °C)

Explosive properties:Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: ATEmix: 28.571 mg/kg

Specified substance(s)

Base oil, low viscous LD 50 (Rat): > 5.000 mg/kg

Calcium Sulfonate LD 50 (Rat): > 16.000 mg/kg

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

Print date: 23.06.2016 SDS_CY - EN - 00000000600644093



Dermal

Product: ATEmix: 17.142 mg/kg

Specified substance(s)

Base oil, low viscous LD 50 (Rabbit): > 3.000 mg/kg

Calcium Sulfonate LD 50 (Rat): > 4.000 mg/kg

Inhalation

Product: ATEmix: 171,43 mg/l

Vapour

Specified substance(s)

LC 50 (Rat, 4 h): > 5,01 mg/l Base oil, low viscous

Dusts, mists and fumes

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

Product:

Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin

sensitization.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: May be fatal if swallowed and enters airways.

Other Adverse Effects: No data available.

Issue Date: 30.10.2013 Revision Date: 20.06.2016

SDS_CY - EN - 000000000600644093

Version: 2.2 Print date: 23.06.2016



SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Base oil, low viscous LC 50 (Fish, 96 h): > 101 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

12.3 Bioaccumulative Potential

Product: Not applicable for mixtures

12.4 Mobility in Soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other Adverse Effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

European Waste Codes

12 01 07*: mineral-based machining oils free of halogens (except

emulsions and solutions)

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

SDS_CY - EN - 000000000600644093



SECTION 14: Transport information

ADR/RID

14.1 UN Number: 14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

ADN

14.1 UN Number: 14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

IMDG

14.1 UN Number: 14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): EmS No.: 14.3 Packing Group:

14.5 Environmental hazards:

14.6 Special precautions for user:

IATA

14.1 UN Number:

14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

14.4 Packing Group: 14.5 Environmental hazards:

14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Label(s):

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

SDS_CY - EN - 000000000600644093



Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

H335 May cause respiratory irritation.

Other information: The classification is in line with current EC lists. It is expanded, however, by

information from technical literature and by information furnished by supplier

companies. The classification results from the Conventional Method

mentioned in regulation EU 1272/2008 (CLP).

Revision Date: 20.06,2016

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date

safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 30.10.2013 Revision Date: 20.06.2016 Print date: 23.06.2016

SDS_CY - EN - 000000000600644093