

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: ANTICORIT BW 366

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anticorrosion product

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer Fuchs Schmierstoffe GmbH US Distributor

Friesenheimer Str. 19
68169 Mannheim
Fuchs Lubricants Co.
17050 Lathrop Avenue
Harvey, IL 60426

(708) 333-8900

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570 (800) 255-3924 24 hrs Emergency

Contact Person: Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone: +49 621 3701-1333 Fax: +49 621 3701-7303

E-mail: PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE

1.4 US contact telephone : 708-333-8900 **Emergency telephone: 800-255-3924**

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

Physical Hazards

Flammable liquids Category 3

Health Hazards

Specific Target Organ Toxicity - Single Category 3

Exposure

Issue Date: 30.10.2013
Revision Date: 25.08.2016
Supersedes Date: 27.03.2017

SDS_US - 000000000600126087

Version: 1.0



Hazard summary

Physical Hazards: Can form flammable vapour-air mixtures during the application.

Health Hazards

Inhalation: Has a narcotic effect.



2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H226: Flammable liquid and vapor.

H336: May cause drowsiness or dizziness.

Precautionary Statement

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P264: Wash thoroughly after handling.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area.

Response: P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. P312: Call a POISON CENTER/doctor if you feel unwell.

Storage: P403: Store in well-ventilated place.

P235: Keep cool.

P233: Keep container tightly closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.



2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of

unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information: Mixture based on severely refined mineral base oils and corrosion pre-

ventive agents in volatile hydrocarbons with a flashpoint below 55°C.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscosity	919-857-5	30.00 - 60.00%	
Na sulphonate	68608-26-4	5.00 - 10.00%	
butanol	78-83-1	0.10 - 1.00%	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Classification	Classification		
Hydrocarbons, low viscosity	919-857-5	Asp. Tox. 1;H304, Flam. Liq. 3;H226, STOT SE 3;H336		
Na sulphonate	68608-26-4	Eye Irrit. 2;H319		
butanol	78-83-1	Flam. Liq. 3;H226, Skin Irrit. 2;H315, Eye Dam. 1;H318, STOT SE 3;H335, STOT SE 3;H336		

4 FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Get medical attention if symptoms occur. Take off immediately all

contaminated clothing. Rinse skin with water/shower. Wash with water and

soap; pay attention: skin degreasing product.

Ingestion: Rinse mouth thoroughly.

Issue Date: 30.10.2013 Revision Date: 25.08.2016 Supersedes Date: 27.03.2017 SDS US - 000000000600126087

Version: 1.0

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



4.2 Most important symptoms and effects, both acute and delayed:

Headache.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Water may be

ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger

fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or

mixture:

Can form explosive vapor-air mixtures at higher temperatures.

5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full

protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. In case of spills, beware of slippery floors and surfaces. Keep away

from sources of ignition - No smoking.



6.2 Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

> spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Do not allow to enter drainage system,

surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to

regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other See Section 8 of the SDS for Personal Protective Equipment. See Section sections:

Provide adequate ventilation.

7 for information on safe handling See Section 13 for information on

disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Use only in wellventilated areas. Risk of vapor concentration on the floor and in low-lying areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices.

7.2 Conditions for safe storage,

including any incompatibilities: Store in a well-ventilated place. Store in a cool place. Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids

have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): not applicable

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

8

Chemical name	type	Exposure Limit Valu	ies	Source
butanol	TWA	50 ppm	150 mg/m3	US. OSHA Table Z-1-A (29 CFR
				1910.1000) (1989)

8.2. Exposure controls



Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Issue Date: 30.10.2013 Revision Date: 25.08.2016 Supersedes Date: 27.03.2017 SDS US - 000000000600126087

9

Version: 1.0



Physical state: liquid

Form: highly viscous

Color: Brown

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

Boiling Point: Value not relevant for classification

Flash Point: 40 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Vapor density (air=1): Not applicable for mixtures

Density: 0.88 g/ml (15.00 °C) (DIN 51757)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 60 mm2/s (40 °C)

Explosive properties: Value not relevant for classification

Oxidizing properties: Value not relevant for classification

9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Heat, sparks, flames.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.



10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Hydrocarbons, low

viscosity

LD 50 (Rat): > 5,001 mg/kg

butanol LD 50 (Rat): 2,460 mg/kg

Dermal

Product:

ATEmix: 7,636.13 mg/kg

Specified substance(s)

Hydrocarbons, low

viscosity

LD 50 (Rabbit): > 3,001 mg/kg

butanol LD 50 (Rabbit): 4,200 mg/kg

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.



Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

12 ECOLOGICAL INFORMATION



12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Hydrocarbons, low

viscosity

LC 50 (Fish, 96 h): > 1,000 mg/l

Aquatic Invertebrates
Specified substance(s)

Hydrocarbons, low

viscosity

EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Hydrocarbons, low

viscosity

EC 50 (Alga, 72 h): > 1,001 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

12.3 Bioaccumulative Potential

Product: Not applicable for mixtures

12.4 Mobility in Soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other Adverse Effects: No data available.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.



Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

14 TRANSPORT INFORMATION

DOT

14.1 UN Number: UN 3295

14.2 Proper Shipping Name: Hydrocarbons, liquid, n.o.s.(Kerosine)

14.3 Transport Hazard Class(es): 3
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 3

IMDG - International Maritime Dangerous Goods Code

14.1 UN Number: UN 3295

14.2 UN Proper Shipping Name: HYDROCARBONS, LIQUID, N.O.S.(Kerosine)

14.3 Transport Hazard Class(es): 3
14.4 Subsidiary risk label: 14.5 Packing Group: III
14.6 Label(s): 3
14.7 Marine Pollutant: -

14.8 EmS No.: F-E; S-D

IATA

14.1 UN Number: UN 3295

14.2 Proper Shipping Name: Hydrocarbons, liquid, n.o.s.(Kerosine)

14.3 Transport Hazard Class(es): 3
14.4 Subsidiary risk label: –
14.5 Packing Group: III
14.6 Label(s): 3

15 REGULATORY INFORMATION

US Federal Regulations

Inventory Status

TSCA	On or in compliance with the inventory	
IISCA	1 On or in compliance with the inventory	

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.



Wording of the R-phrases and H-statements in section 2 and 3

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.

Revision Date: 25.08.2016

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for

the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.