

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

1

Product name: ANTICORIT CPX 3373 UBC

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Anticorrosion product Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Fuchs Schmierstoffe GmbH Friesenheimer Str. 19 68169 Mannheim	<u>US Distributor</u> Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426
+49 621 3701-0 (ZENTRALE)	
+49 621 3701-570	
Fuchs Schmierstoffe GmbH A	bteilung Produktsicherheit
+49 621 3701-1333	
+49 621 3701-7303	
PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE	
708-333-8900	
800-255-3924	
	Friesenheimer Str. 19 68169 Mannheim +49 621 3701-0 (ZENTRALE) +49 621 3701-570 Fuchs Schmierstoffe GmbH A +49 621 3701-1333 +49 621 3701-7303 PRODUKTSICHERHEIT@FU 708-333-8900

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

Hazard summary	
Physical Hazards:	No data available.

2.2 Label Elements

not applicable



2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	Notes
baseoil, low viscous	72623-87-1	30.00 - 60.00%	
Calcium Sulfonate	61789-86-4	3.00 - 7.00%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification	
baseoil, low viscous	72623-87-1	Asp. Tox. 1;H304
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317

4 FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water. The product is not skin irritating.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.



4.3 Indication of any immediate Get medical attention if symptoms occur. **medical attention and special treatment needed**

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing	Water with a full water jet.
media:	
5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters	
Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.



SECTION 7: Handling and storage:			
7.1 Precautions for safe handling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.		
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.		
7.3 Specific end use(s):	No data available.		

8 **EXPOSURE CONTROLS / PERSONAL PROTECTION**

8.1.Exposure Limits

Chemical name	type	Exposure Limit Values	Source
calcium sulfate - Respirable	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR
fraction.			1910.1000) (1989)
calcium sulfate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
Base oil, low viscous	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
Base oil, low viscous - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
calciumcarbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR
			1910.1000) (1989)
calciumcarbonate - Respirable	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR
fraction.			1910.1000) (1989)

8.2.Exposure controls

controls:

Appropriate engineering Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.



Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance

Physical state:	liquid
Form:	highly viscous
Color:	Light brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	> 130 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures



Vapor density (air=1):	Not applicable for mixtures
Density:	1.06 g/ml (15.00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Flow time:	Value not relevant for classification
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Information on likely rou	tes of exposure
Inhalation:	No data available.
Ingestion:	No data available.
3	
Skin Contact:	No data available.
Eve contact:	No data available.
Lye contact.	NU Uala avaliable.



Oral Product:	
	ATEmix: 4,758.62 mg/kg
Specified substance(s) baseoil, low viscous	LD 50 (Rat): > 2,001 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 16,000 mg/kg
Dermal Product:	
	ATEmix: 4,577.29 mg/kg
Specified substance(s) baseoil, low viscous	LD 50 (Rabbit): > 2,001 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 4,000 mg/kg
Inhalation Product:	
	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye Ir Product:	ritation: Based on available data, the classification criteria are not met.
Respiratory or Skin Sensiti	
Product:	Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.
Germ Cell Mutagenicity	
Product:	Based on available data, the classification criteria are not met.
Carcinogenicity	
Carcinogenicity Product:	Based on available data, the classification criteria are not met.

No carcinogenic components identified



	OSHASP: US. OSHA Spec	ifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified
	Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
	Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
	Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
	Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
12	ECOLOGICAL INFORMATIC	N
12.1	1 Toxicity	
	Acute toxicity Product:	Based on available data, the classification criteria are not met.
	Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
12.2	2 Persistence and Degradabil	ity
	Biodegradation Product:	Not applicable for mixtures
12.:	3 Bioaccumulative Potential Product:	Not applicable for mixtures
12.4	4 Mobility in Soil: Product:	Not applicable for mixtures
12.	5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6	6 Other Adverse Effects:	No data available.



13	Disposal considerations	
13.1	I Waste treatment methods	
	General information:	Dispose in accordance with all applicable regulations.
	Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

	14	TRANSPORT INFORMATION
--	----	-----------------------

DOT

Not regulated.

IMDG - International Maritime Dangerous Goods Code

Not regulated.

ΙΑΤΑ

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

Inventory Status

TSCA On or in compliance with the inventory

16 OTHER INFORMATION

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

- H304 May be fatal if swallowed and enters airways.H317 May cause an allergic skin reaction.
- H317 May cause an allergic skin reaction.

Revision Date: 09.08.2016



Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.