

# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: ANTICORIT RPO 1001

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Anticorrosion product

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer Fuchs Schmierstoffe GmbH

Friesenheimer Str. 19 68169 Mannheim

Harvey, IL 60426 (708) 333-8900

17050 Lathrop Avenue

US Distributor
Fuchs Lubricants Co.

(800) 255-3924 24 hrs Emergency

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact Person: Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone: +49 621 3701-1333 Fax: +49 621 3701-7303

E-mail: PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE

**1.4 US contact telephone :** 708-333-8900 **Emergency telephone: 800-255-3924** 

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

**Health Hazards** 

Aspiration Hazard Category 1

**Hazard summary** 

Physical Hazards: No data available.

**Health Hazards** 

**Ingestion:** If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

Issue Date: 30.10.2013 Revision Date: 05.04.2017 Supersedes Date: 10.04.2017 SDS US - 000000000600920500

Version: 1.1



#### 2.2 Label Elements



Signal Words: Danger

**Hazard Statement(s):** H304: May be fatal if swallowed and enters airways.

**Precautionary Statements** 

Response: P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

**Unknown toxicity:** Due to information available product does not contain any ingredients of

unknown toxicity.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

**General information:** Mixture containing severely refined base oils and additives.

| Chemical name         | Identifier | Concentration * | Notes |
|-----------------------|------------|-----------------|-------|
| Base oil, low viscous | 8042-47-5  | 70.00 - 100.00% |       |
| Calcium Sulfonate     | 61789-86-4 | 3.00 - 7.00%    |       |
| Ca sulfonate          | 939-603-7  | 1.00 - 5.00%    |       |
| phenolic antioxidant  | 128-37-0   | 0.10 - 1.00%    |       |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

 $<sup>\</sup>label{eq:pbt:persistent} \mbox{PBT: persistent, bioaccumulative and toxic substance.}$ 

vPvB: very persistent and very bioaccumulative substance.



#### Classification

| Chemical name         | Classification | Classification                               |  |
|-----------------------|----------------|--|--|
| Base oil, low viscous | 8042-47-5      | Asp. Tox. 1;H304                             |  |
| Calcium Sulfonate     | 61789-86-4     | Skin Sens. 1B;H317                           |  |
| Ca sulfonate          | 939-603-7      | Skin Sens. 1B;H317                           |  |
| phenolic antioxidant  | 128-37-0       | Aquatic Acute 1;H400, Aquatic Chronic 1;H410 |  |

## 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed:

If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.



5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to

regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

#### **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities:

Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to

temperatures close to the flash point.

**7.3 Specific end use(s):** not applicable



### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1.Exposure Limits**

8

| Chemical name  | Туре | Exposure Limit Values | Source  |
|--|------|-----------------------|---|
| Base oil, low viscous - Mist.                        | PEL  | -                     | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000)<br>(02 2006) |
| Base oil, low viscous - Mist.                        | TWA  |                       | US. OSHA Table Z-1-A (29 CFR<br>1910.1000) (1989)                                 |
| Base oil, low viscous - Inhalable fraction.          | TWA  | _                     | US. ACGIH Threshold Limit Values (02 2012)  |
| phenolic antioxidant                                 | TWA  |                       | US. OSHA Table Z-1-A (29 CFR<br>1910.1000) (1989)                                 |
| phenolic antioxidant - Inhalable fraction and vapor. | TWA  | _                     | US. ACGIH Threshold Limit Values (02 2012)  |

### 8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Safety glasses (EN 166) recommended during refilling.



Skin protection

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

**Respiratory Protection:** Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: No data available.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

**Environmental Controls:** No data available.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid
Form: liquid
Color: Brown

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

**Boiling Point:** No data available.

Flash Point: 146 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures



Vapor density (air=1): Not applicable for mixtures

**Density:** 0.83 g/ml (15.00 °C)

Solubility(ies)

Solubility in Water:Insoluble in waterSolubility (other):No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 8 mm2/s (40.00 °C)

Explosive properties: Value not relevant for classification

Oxidizing properties: Value not relevant for classification

**9.2 Other information** No data available.

**SECTION 10: Stability and reactivity** 

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.



#### **Acute toxicity**

Oral

**Product:** 

Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil, low viscous LD 50 (Rat): > 5,001 mg/kg (OECD 401)

Calcium Sulfonate LD 50 (Rat): > 16,000 mg/kg

phenolic antioxidant LD 50 (Rat): 2,930 mg/kg (OECD 401)

**Dermal** 

**Product:** 

ATEmix: 2,341.7 mg/kg

Specified substance(s)

Base oil, low viscous LD 50 (Rabbit): > 2,001 mg/kg (OECD 402)

Calcium Sulfonate LD 50 (Rat): > 4,000 mg/kg

phenolic antioxidant LD 50 (Rat): > 5,000 mg/kg (OECD 402)

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

Base oil, low viscous OECD 404 (Rabbit): Not irritant.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Specified substance(s)

Base oil, low viscous OECD 405 (Rabbit): Not irritant.



Respiratory or Skin Sensitization:

**Product:** Experimental data has shown that the concentration of potentially

sensitizing components present in this product does not induce skin

sensitization.

Specified substance(s)

Base oil, low viscous No sensitizing effect (guinea pig); OECD 406

phenolic antioxidant No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard** 

**Product:** May be fatal if swallowed and enters airways.

12 ECOLOGICAL INFORMATION



### 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Base oil, low viscous LC 50 (Fish, 96 h): > 1,001 mg/l (OECD 203)

Ca sulfonate LC 50 (Fish, 96 h): > 101 mg/l

phenolic antioxidant LC 50 (Fish, 96 h): > 0.57 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

Base oil, low viscous EC 50 (Water Flea, 48 h): > 101 mg/l (OECD 202)

Ca sulfonate EC 50 (Water Flea, 48 h): > 1,001 mg/l

phenolic antioxidant EC 50 (Water Flea, 48 h): > 0.17 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Aquatic Invertebrates Specified substance(s)

phenolic antioxidant NOEC (Water Flea, 21 d): > 0.39 mg/l

Toxicity to Aquatic Plants Specified substance(s)

Base oil, low viscous EC 50 (Alga, 72 h): > 1,001 mg/l

Ca sulfonate EC 50 (Alga, 72 h): > 101 mg/l

phenolic antioxidant EC 50 (Alga, 72 h): > 0.42 mg/l

## 12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Specified substance(s)

phenolic antioxidant 30 % (OECD 302C)

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures



Specified substance(s)

phenolic antioxidant May be accumulated in organism

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** No data available.

13 Disposal considerations

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

# 14 TRANSPORT INFORMATION

DOT

Not regulated.

**IMDG - International Maritime Dangerous Goods Code** 

Not regulated.

**IATA** 

Not regulated.

## 15 REGULATORY INFORMATION

# **US Federal Regulations**

## **US State Regulations**

# **Inventory Status**

| DSL  | Not in compliance with the inventory.  |
|------|--|
| NDSL | Not in compliance with the inventory.  |
| TSCA | On or in compliance with the inventory |

## 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.



# Wording of the R-phrases and H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**Revision Date:** 05.04.2017

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.