

# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

#### PRODUCT AND COMPANY IDENTIFICATION

## 1.1 Product identifier

1

Product name: RENOCLEAN GVS 7206

Other means of identification: For further information, please refer to section 9 of the SDS.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Solvent-based cleaner Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	Fuchs Schmierstoffe GmbH Friesenheimer Str. 19
	68169 Mannheim

Telephone: Fax: +49 621 3701-0 (ZENTRALE) +49 621 3701-570

#### Contact for request of safety data sheets

E-mail:	Automotive lubricants	automotive-FS@fuchs.com
	Industrial lubricants	industrie-FS@fuchs.com
Telephone:	+49 621 3701-0 (ZENTRALE)	
Fax:	+49 621 3701-570	

#### Informing department for safety data sheets

E-mail:	produktsicherheit-FS@fuchs.com
Telephone:	+49 621 3701-1333
Fax:	+49 621 3701-7303
1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### **Physical Hazards**

Flammable aerosol	Category 1
Health Hazards	
Aspiration Hazard	Category 1



Hazard summary Physical Hazards:	Flammable aerosol.	
Health Hazards	azards	
Skin Contact:	At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.	
Ingestion:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.	
2.2 Label Elements		
Signal Words:	Danger	
Hazard Statement(s):	H222: Extremely flammable aerosol. H229: Pressurized container: May burst if heated. H304: May be fatal if swallowed and enters airways.	
Precautionary Statements		
Prevention:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use.	
Response:	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331: Do NOT induce vomiting.	
Storage:	P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. P405: Store locked up.	
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.	
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.	



#### 3 **COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

General information:

Mixture of components with propellant in aerosol can.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscosity	64742-47-8	20.00 - <50.00%	
Hydrocarbons, low viscosity	64742-48-9	20.00 - <50.00%	
Hydrocarbons, low viscous	68551-17-7	10.00 - <25.00%	
Carbon Dioxide	124-38-9	1.00 - <5.00%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Identifier	Classification
Hydrocarbons, low viscosity	64742-47-8	Asp. Tox. 1;H304
Hydrocarbons, low viscosity	64742-48-9	Asp. Tox. 1;H304
Hydrocarbons, low viscous	68551-17-7	Asp. Tox. 1;H304, Aquatic Chronic 4;H413
Carbon Dioxide	124-38-9	Press. Gas Compr. Gas;H280

4	FIRST AID MEASURES	
	General:	Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures			
Inhalation:	upply fresh air; consult doctor in case of symptoms.		
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.		
Skin Contact:	Wash with soap and water.		
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. Dizziness Freeze burns		
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.		

## SECTION 5: Firefighting measures



General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
5.1 Extinguishing media Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mixture:	Danger of explosion with aerosol cans.
5.3 Advice for firefighters Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
SECTION 6: Accidental release m	easures
6.1 Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. Keep away from sources of ignition - No smoking.
6.2 Environmental Precautions:	Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.



#### SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with flame and heat source, prevent contact with direct sunlight Use only in well-ventilated areas.
7.2 Conditions for safe storage, including any incompatibilities:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Local regulations concerning handling and storage of waterpolluting products have to be followed. Local regulations for the storage and handling of aerosol cans and flammable liquids have to be kept. Keep away from heat/sparks/hot surfaces No smoking.
7.3 Specific end use(s):	Not applicable

#### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Valu	ies	Source
Carbon Dioxide	PEL	5,000 ppm		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Carbon Dioxide	STEL	30,000 ppm 🖇	54,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Carbon Dioxide	TWA	10,000 ppm	18,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Carbon Dioxide	TWA	5,000 ppm		US. ACGIH Threshold Limit Values, as amended (02 2012)
Carbon Dioxide	STEL	30,000 ppm		US. ACGIH Threshold Limit Values, as amended (02 2012)

#### 8.2.Exposure controls

controls:

Appropriate engineering

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.



Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Do not breathe dust/fume/gas/mist/vapors/spray. Provide adequate ventilation. In case of inadequate ventilation wear respiratory protection. Filter AX/P2.
Thermal hazards:	No data available.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties Appearance

······································	
Physical state:	Aerosols
Form:	Aerosols
Color:	Colorless
Odor:	Odorless
Odor Threshold:	Not applicable for mixtures
pH:	substance/mixture is non-soluble (in water)
Freezing point:	Not applicable for mixtures
Boiling Point:	175 °C
Flash Point:	> 60 °C (DIN EN ISO 2719)
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0.76 g/cm3 (15 °C) (DIN 51757)



Solubility(ies)	
Solubility in Water:	The product is insoluble in water.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Flow time:	Value not relevant for classification
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
.2 Other information	No data available.

## SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### 11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation: No data available.		
Ingestion:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	

#### Acute toxicity

Oral Product:

Not classified for acute toxicity based on available data.



<b>Specified substance(s)</b> Hydrocarbons, low viscosity	LD 50 (Rat): > 5,001 mg/kg (OECD 401)	
Hydrocarbons, low viscosity	LD 50 (Rat): > 10,000 mg/kg	
Hydrocarbons, low viscous	LD 50 (Rat): > 5,000 mg/kg (OECD 401)	
Dermal Product:		
• • • • • • • • • • • • • • • • • • • •	Not classified for acute toxicity based on available data.	
Specified substance(s) Hydrocarbons, low viscosity	LD 50 (Rabbit): > 5,001 mg/kg (OECD 402)	
Hydrocarbons, low viscous	LD 50 (Rabbit): 3,160 mg/kg (OECD 402)	
Inhalation Product:		
Creatified autotopes(a)	Not classified for acute toxicity based on available data.	
Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Rat, 4 h): > 5 mg/l	
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Ir Product:	ritation: Based on available data, the classification criteria are not met.	
Respiratory or Skin Sensitia	-otion.	
Product:	Skin sensitizer: Based on available data, the classification criteria are not	
	met. Respiratory sensitizer: Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	
Carcinogenicity Product:	Based on available data, the classification criteria are not met.	
IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		



NTP: US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
OSHASP: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.	
Specific Target Organ Tox Product:	i <b>city - Single Exposure</b> Based on available data, the classification criteria are not met.	
Specific Target Organ Toxicity - Repeated Exposure           Product:         Based on available data, the classification criteria are not met.		
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.	

### 12 ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 1,000 mg/l
Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 101 mg/l
Hydrocarbons, low viscous	LC 50 (Fish, 96 h): > 1,000 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscosity	EC 50 (Water Flea, 48 h): > 1,000 mg/l
Hydrocarbons, low viscous	EC 50 (Water Flea, 48 h): > 1,000 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low viscosity	EC 50 (Alga, 72 h): > 1,001 mg/l
Hydrocarbons, low viscous	EC 50 (Alga, 72 h): > 1,000 mg/l (OECD 201)



#### **12.2 Persistence and Degradability**

Biodegradation Product: Specified substance(s) Hydrocarbons, low viscosity	Not applicable for mixtures 31 % (28 d, OECD 301F) Not readily degradable.	
12.3 Bioaccumulative potential Product:	Not applicable for mixtures	
12.4 Mobility in soil: Product:	Not applicable for mixtures	
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.	
12.6 Other adverse effects:	No data available.	
13 Disposal considerations		
13.1 Waste treatment methods		
General information:	Dispose in accordance with all applicable regulations.	
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.	

#### 14 TRANSPORT INFORMATION

#### DOT 1/ 1 LIN Number

14.1 UN Number:	UN 1950
14.2 Proper Shipping Name:	Aerosols, flammable, n.o.s.
14.3 Transport Hazard Class(es):	2.1
14.4 Subsidiary risk label:	_
14.5 Packing Group:	_
14.6 Label(s):	2.1
14.7 Marine Pollutant:	_

#### IMDG - International Maritime Dangerous Goods Code

<ul> <li>14.1 UN Number:</li> <li>14.2 UN Proper Shipping Name:</li> <li>14.3 Transport Hazard Class(es):</li> <li>14.4 Subsidiary risk label:</li> </ul>	UN 1950 AEROSOLS 2.1
<ul><li>14.5 Packing Group:</li><li>14.6 Label(s):</li><li>14.7 Marine Pollutant:</li><li>14.8 EmS No.:</li></ul>	_ 2.1 _ F-D; S-U



#### ΙΑΤΑ

14.1 UN Number:	UN 1950
14.2 Proper Shipping Name:	Aerosols, flammable
14.3 Transport Hazard Class(es):	2.1
14.4 Subsidiary risk label:	_
14.5 Packing Group:	_
14.6 Label(s):	2.1
14.7 Marine Pollutant:	-

#### 15 REGULATORY INFORMATION

#### **US Federal Regulations**

#### **US State Regulations**

#### **Inventory Status**

NDSL	Not in compliance with the inventory.
DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

#### 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.

#### Wording of the H-statements in section 2 and 3

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.

Revision Date:	17.10.2021
Disclaimer:	The data co
	knowledge a
	belief. It cha
	handling, tra

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.