

**LUBRICANTS.  
TECHNOLOGY.  
PEOPLE.**



---

## **SAFETY DATA SHEET**

acc.to ISO/DIS 11014 for USA

<b>1</b>	<b>PRODUCT AND COMPANY IDENTIFICATION</b>
----------	---

**Product identifier**

**Product name:** RENOLIT CX-LSG 1

**Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses:** Lubricating grease

**Uses advised against:** No uses advised against identified.

**Details of the supplier of the safety data sheet**

**Manufacturer**

Fuchs Schmierstoffe GmbH  
Friesenheimer Str. 19  
68169 Mannheim

**US Distributor**

Fuchs Lubricants Co.  
17050 Lathrop Avenue  
Harvey, IL 60426

**Telephone:**

+49 621 3701-0 (ZENTRALE)

(708) 333-8900

**Fax:**

+49 621 3701-570

(800) 255-3924 24 hrs Emergency

**Contact Person:**

**Telephone:**

Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

+49 621 3701-1333

**Fax:**

+49 621 3701-7303

**e-mail:**

PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE

**US contact telephone :**

708-333-8900

**Emergency telephone:**

**800-255-3924**

Product name: RENOLIT CX-LSG 1

## 2 HAZARDS IDENTIFICATION

### Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Hazard summary

##### Physical Hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

##### Health Hazards

###### Inhalation:

No data available.

###### Eye contact:

No data available.

###### Skin Contact:

No data available.

###### Ingestion:

No data available.

###### Other Health Effects:

No data available.

##### Environmental hazards:

This product is water polluting.

### Label Elements

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Other hazards:

No data available.

#### HMIS Hazard ID

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARDS	0
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; \*Chronic health effect

**Product name:** RENOLIT CX-LSG 1

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Mixtures

**General information:** Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Concentration *	Identifier	Notes
Zn compound	>=1.00 - <2.40%	12001-85-3	
Zn Octoate	>=1.00 - <2.40%	136-53-8	
Quinoline derivative	>=1.00 - <2.40%	26780-96-1	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# This substance has workplace exposure limit(s).

#### Classification

Chemical name	Classification
Zn compound	CLP: Aquatic Chronic 1;H400, Skin Corr. 2;H315
Zn Octoate	CLP: Skin Irrit. 2;H315, Aquatic Chronic 2;H411
Quinoline derivative	CLP: Aquatic Chronic 3;H412

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

### 4 FIRST AID MEASURES

**General:** Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into cloth-pockets.

#### Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water. The product is not skin irritating.

**Ingestion:** Rinse mouth thoroughly.

**Most important symptoms and effects, both acute and delayed:** May cause skin and eye irritation.

#### Indication of any immediate medical attention and special treatment needed

**Hazards:** No data available.

**Treatment:** Get medical attention if symptoms occur.

### 5 FIRE-FIGHTING MEASURES

#### Extinguishing media

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable tensides added

**Unsuitable extinguishing media:** Water with a full water jet.

**Product name:** RENOLIT CX-LSG 1

<b>Special hazards arising from the substance or mixture:</b>	During fire, gases hazardous to health may be formed.
<b>Advice for firefighters Special fire fighting procedures:</b>	No data available.
<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6 ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures:</b>	Not required.
<b>Environmental Precautions:</b>	Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
<b>Methods and material for containment and cleaning up:</b>	Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations.
<b>Reference to other sections:</b>	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

## 7 HANDLING AND STORAGE

<b>Precautions for safe handling:</b>	Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.
<b>Conditions for safe storage, including any incompatibilities:</b>	Local regulations concerning handling and storage of waterpolluting products have to be followed.
<b>Specific end use(s):</b>	Not applicable

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limits

None of the components have assigned exposure limits.

### Exposure controls

<b>Appropriate engineering controls:</b>	No data available.
--	--------------------

**Individual protection measures, such as personal protective equipment**

---

**Product name: RENOLIT CX-LSG 1**


---

<b>General information:</b>	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.
<b>Eye/face protection:</b>	Wear goggles/face shield.
<b>Skin protection</b>	
<b>Hand Protection:</b>	Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
<b>Other:</b>	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
<b>Respiratory Protection:</b>	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. Avoid breathing vapour/ aerosol.
<b>Thermal hazards:</b>	No data available.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
<b>Environmental Controls:</b>	No data available.

<b>9 PHYSICAL AND CHEMICAL PROPERTIES</b>
---

**Appearance**

<b>Physical State:</b>	Solid
<b>Form:</b>	Paste
<b>Color:</b>	Light brown
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	Not applicable
<b>Melting Point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Flammability Limit - Upper (%)—:</b>	No data available.
<b>Flammability Limit - Lower (%)—:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density (air=1):</b>	No data available.




---

**Product name: RENOLIT CX-LSG 1**


---

<b>Density:</b>	0.8400 g/ml (25.00 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Autoignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	No data available.
<b>NLGI:</b>	0
<b>Flow time</b>	No data available.
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.

<b>10 STABILITY AND REACTIVITY</b>
------------------------------------

<b>Reactivity:</b>	Stable under normal temperature conditions and recommended use.
<b>Chemical Stability:</b>	No data available.
<b>Possibility of Hazardous Reactions:</b>	None under normal conditions.
<b>Conditions to Avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

<b>11 TOXICOLOGICAL INFORMATION</b>
-------------------------------------

**Specified substance(s):**
**Acute Toxicity (Oral);**

Name	Test results
Quinoline derivative	LD 50 (Rat): 490 mg/kg

**Acute Toxicity (Dermal);**

Name	Test results
Quinoline derivative	LD 50 (Rabbit): > 5,100 mg/kg

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Corrosion/Irritation:</b>	No data available.
<b>Serious Eye Damage/Eye Irritation:</b>	No data available.

**Product name:** RENOLIT CX-LSG 1

**Respiratory sensitizer/Skin sensitizer:** No data available.

**Carcinogenicity:** No data available.

**Mutagenesis:** No data available.

**Reproductive Toxicity:** No data available.

## 12 ECOLOGICAL INFORMATION

**Ecotoxicity:**

### Specified substance(s):

**Acute toxicity(Fish):**

Name	Test results
Quinoline derivative	LC 50 (Fish, 96 h): 50 - 64 mg/l

**Acute toxicity(Aquatic Invertebrates):**

Name	Test results
Quinoline derivative	EC 50 (Water Flea, 48 h): 56 mg/l

**Acute toxicity(Aquatic plants):**

Name	Test results
Quinoline derivative	EC 50 (Alga, 72 h): > 100 mg/l

**Persistence and Degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility:** No data available.

## 13 DISPOSAL CONSIDERATIONS

**Disposal methods:** Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

**Measures for Avoidance and Recovery:** Dispose in accordance with all applicable regulations.

## 14 TRANSPORT INFORMATION

**DOT**

Not regulated.

**IMDG - International Maritime Dangerous Goods Code**

Not regulated.



**Product name:** RENOLIT CX-LSG 1

**IATA**

Not regulated.

## 15 REGULATORY INFORMATION

### US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4):

Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Not listed.

SARA 302 Extremely Hazardous Substance

SARA 304 Emergency Release Notification

SARA 311/312 Hazardous Chemical:

SARA 313 (TRI Reporting)

### Other federal regulations

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

### US State Regulations

US. California Proposition 65

US. New Jersey Worker and Community Right-to-Know Act

US. Massachusetts RTK - Substance List

US. Pennsylvania RTK - Hazardous Substances

US. Rhode Island RTK

### Inventory Status

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

## 16 OTHER INFORMATION

### Revision Information:

**Revision Date:** 07.04.2016

**SDS No.:**

#### Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the





---

**Product name:** RENOLIT CX-LSG 1

---

product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.