



SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: RENOLIT HLT 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Fuchs Schmierstoffe GmbH
Friesenheimer Str. 19
68169 Mannheim

US Distributor

Fuchs Lubricants Co.
17050 Lathrop Avenue
Harvey, IL 60426

Telephone:

+49 621 3701-0 (ZENTRALE)

Fax:

+49 621 3701-570

Contact Person:

Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone:

+49 621 3701-1333

Fax:

+49 621 3701-7303

E-mail:

PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE

1.4 US contact telephone :

708-333-8900

Emergency telephone:

800-255-3924

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended.

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Skin irritation

Category 2

H315: Causes skin irritation.

Serious eye irritation

Category 2

H319: Causes serious eye irritation.

Environmental Hazards

Chronic hazards to the aquatic environment

Category 2

H411: Toxic to aquatic life with long lasting effects.

Product name: RENOLIT HLT 2

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H315: Causes skin irritation.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement

Prevention: P262: Do not get in eyes, on skin, or on clothing.
P273: Avoid release to the environment.

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

3 COMPOSITION / INFORMATION ON INGREDIENTS

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Concentration *	Identifier	REACH Registration No.	Notes
Heterocyclic N-compound	1.00 - <2.50%	95-38-5	01-2119777867-13	
phenolic antioxidant	0.25 - <1.00%	128-37-0	01-2119565113-46	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification
Heterocyclic N-compound	CLP: Skin Corr. 1B; H314, STOT RE 2; H373, Aquatic Acute 1; H400, Aquatic Chronic 1; H410
phenolic antioxidant	CLP: Aquatic Acute 1; H400, Aquatic Chronic 1; H410

DSD: Directive 67/548/EEC.

Product name: RENOLIT HLT 2

CLP: Regulation No. 1272/2008.

4 FIRST AID MEASURES

General: Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into clothing pockets.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.

Ingestion: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed: Causes serious eye irritation. Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing media: Water with a full water jet.

5.2 Special hazards arising from the substance or mixture: During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Product name: RENOLIT HLT 2

SECTION 6: Accidental release measures

- | | |
|---|--|
| 6.1 Personal precautions, protective equipment and emergency procedures: | Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. |
| 6.2 Environmental Precautions: | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. |
| 6.3 Methods and material for containment and cleaning up: | Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. |
| 6.4 Reference to other sections: | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. |

SECTION 7: Handling and storage:

- | | |
|--|---|
| 7.1 Precautions for safe handling: | Avoid contact with eyes. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with skin. |
| 7.2 Conditions for safe storage, including any incompatibilities: | Local regulations concerning handling and storage of waterpolluting products have to be followed. |
| 7.3 Specific end use(s): | not applicable |

Product name: RENOLIT HLT 2

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Glycerol - Total dust.	PEL	15 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Glycerol - Respirable fraction.	PEL	5 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Glycerol - Respirable fraction.	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Glycerol - Total dust.	TWA	10 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
phenolic antioxidant	TWA	10 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
phenolic antioxidant - Inhalable fraction and vapor.	TWA	2 mg/m ³	US. ACGIH Threshold Limit Values (02 2012)

8.2.Exposure controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Eye/face protection:

Safety glasses (EN 166) recommended during refilling. Avoid contact with eyes.

Skin protection

Hand Protection:

Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other:

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory Protection:

Not relevant, due to the form of the product.

Thermal hazards:

No data available.

Product name: RENOLIT HLT 2

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls: No data available.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	solid
Form:	Paste
Color:	Light brown
Odor:	Characteristic
Odor Threshold:	No data available.
pH:	not applicable
Melting Point:	No data available.
Boiling Point:	not applicable
Flash Point:	not applicable
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%)—:	No data available.
Flammability Limit - Lower (%)—:	No data available.
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Density:	0.84 g/ml (25 °C)

Solubility(ies)

Solubility in Water:	Insoluble in water
Solubility (other):	No data available.

Partition coefficient (n-octanol/water):	No data available.
---	--------------------

Autoignition Temperature:	No data available.
----------------------------------	--------------------

Decomposition Temperature:	No data available.
-----------------------------------	--------------------

NLGI:	2
--------------	---

Explosive properties:	No data available.
------------------------------	--------------------

Oxidizing properties:	No data available.
------------------------------	--------------------

9.2 Other information No data available.

Product name: RENOLIT HLT 2

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal temperature conditions and recommended use.
10.2 Chemical Stability:	No data available.
10.3 Possibility of hazardous reactions:	None under normal conditions.
10.4 Conditions to avoid:	Avoid heat or contamination.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

Acute toxicity

Oral

Product:	ATEmix: 63,250 mg/kg
Specified substance(s)	
Heterocyclic N-compound	LD 50 (Rat): 1,265 mg/kg
phenolic antioxidant	LD 50 (Rat): 2,930 mg/kg (OECD 401)

Dermal

Product:	Not classified for acute toxicity based on available data.
-----------------	--

Specified substance(s)

Heterocyclic N-compound	No data available.
phenolic antioxidant	LD 50 (Rat): > 5,000 mg/kg (OECD 402)

Inhalation

Product:	Not classified for acute toxicity based on available data.
-----------------	--

Specified substance(s)

Heterocyclic N-compound	No data available.
phenolic antioxidant	No data available.

Inhalation: No data available.

Ingestion: No data available.

Skin Corrosion/Irritation: Causes skin irritation.

Product name: RENOLIT HLT 2

Serious Eye Damage/Eye Irritation: Causes eye irritation.

Respiratory sensitizer/Skin sensitizer: No data available.

Carcinogenicity: No data available.

Mutagenesis: No data available.

Reproductive toxicity: No data available.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Heterocyclic N-compound LC 50 (Fish, 96 h): 0.3 mg/l
phenolic antioxidant LC 50 (Fish, 96 h): > 0.57 mg/l (OECD 203)

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Heterocyclic N-compound EC 50 (Water Flea, 48 h): 0.136 mg/l
LC 50 (Water Flea, 24 h): 0.37 mg/l
phenolic antioxidant EC 50 (Water Flea, 48 h): > 0.17 mg/l

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Heterocyclic N-compound No data available.
phenolic antioxidant No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Heterocyclic N-compound No data available.
phenolic antioxidant NOEC (Water Flea, 21 d): > 0.39 mg/l

Product name: RENOLIT HLT 2

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Heterocyclic N-compound	EC 50 (Alga, 72 h): 0.03 mg/l
phenolic antioxidant	EC 50 (Alga, 72 h): > 0.42 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Heterocyclic N-compound	No data available.
phenolic antioxidant	30 %

12.3 Bioaccumulative Potential

Product: No data available.

Specified substance(s)

Heterocyclic N-compound	No data available.
phenolic antioxidant	May be accumulated in organism

12.4 Mobility in Soil:

No data available.

Known or predicted distribution to environmental compartments

Heterocyclic N-compound	No data available.
phenolic antioxidant	No data available.

12.5 Results of PBT and vPvB assessment:

No data available.

Heterocyclic N-compound	No data available.
phenolic antioxidant	No data available.

12.6 Other Adverse Effects:

Toxic to aquatic life with long lasting effects.

13 Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Product name: RENOLIT HLT 2

14 TRANSPORT INFORMATION

IMDG - International Maritime Dangerous Goods Code

14.1 UN Number: UN 3077
 14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Imidazoline derivative)
 14.3 Transport Hazard Class(es): 9
 14.4 Subsidiary risk label: –
 14.5 Packing Group: III
 14.6 Label(s): 9
 14.7 Marine Pollutant: Marine pollutant
 14.8 EmS No.: F-A; S-F

IATA

14.1 UN Number: UN 3077
 14.2 Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s.(Imidazoline derivative)
 14.3 Transport Hazard Class(es): 9
 14.4 Subsidiary risk label: –
 14.5 Packing Group: III
 14.6 Label(s): 9MI

15 REGULATORY INFORMATION

US Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical:

Chemical name	Threshold Planning Quantity
Heterocyclic N-compound	
Glycerol	- - - - -
phenolic antioxidant	10 ton- - - - -

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Inventory Status

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

16 OTHER INFORMATION

Product name: RENOLIT HLT 2

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Training information: Follow training instructions when handling this material.

Other information: The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

Revision Date: 10.12.2015

Disclaimer: The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.