

## SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifier

**Product name:** RENOLIT ST-EB 1

**Other means of identification:** For further information, please refer to section 9 of the SDS.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricating grease

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer**

Fuchs Schmierstoffe GmbH  
Friesenheimer Str. 19  
68169 Mannheim

US Distributor

Fuchs Lubricants Co.  
17050 Lathrop Avenue  
Harvey, IL 60426

Telephone:

+49 621 3701-0 (ZENTRALE)

Fax:

+49 621 3701-570

**Contact Person:**

Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone:

+49 621 3701-1333

Fax:

+49 621 3701-7303

E-mail:

PRODUKTSICHERHEIT@FUCHS-SCHMIERSTOFFE.DE

#### 1.4 US contact telephone :

708-333-8900

**Emergency telephone:**

**800-255-3924**

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

##### Environmental Hazards

Chronic hazards to the aquatic environment Category 3

##### Hazard summary

**Physical Hazards:**

No data available.

Product name: RENOLIT ST-EB 1

## 2.2 Label Elements

**Hazard Statement(s):** H412: Harmful to aquatic life with long lasting effects.

### Precautionary Statements

**Prevention:** P273: Avoid release to the environment.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

**Unknown toxicity:** Due to information available product does not contain any ingredients of unknown toxicity.

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

**General information:** Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Identifier	Concentration *	Notes
Succinic acid derivative	52305-09-6	1.00 - 5.00%	
phenolic antioxidant	128-37-0	1.00 - 5.00%	
Quinoline derivative	26780-96-1	1.00 - 5.00%	
tert. Alkanol amine	100-37-8	0.50 - 1.50%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Classification
Succinic acid derivative	52305-09-6 Aquatic Chronic 3;H412
phenolic antioxidant	128-37-0 Aquatic Acute 1;H400, Aquatic Chronic 1;H410
Quinoline derivative	26780-96-1 Aquatic Chronic 3;H412
tert. Alkanol amine	100-37-8 Acute Tox. 3;H311, Acute Tox. 3;H331, Skin Corr. 1B;H314, Flam. Liq. 3;H226, Acute Tox. 4;H302, STOT SE 3;H335

Product name: RENOLIT ST-EB 1

#### 4 FIRST AID MEASURES

**General:** Instantly remove any clothing soiled by the product.

##### 4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** May cause skin and eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

##### 5.3 Advice for firefighters

**Special fire fighting procedures:** Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Product name: RENOLIT ST-EB 1

## SECTION 6: Accidental release measures

- |   |   |
|---|---|
| <b>6.1 Personal precautions, protective equipment and emergency procedures:</b> | Not required.   |
| <b>6.2 Environmental Precautions:</b>   | Avoid release to the environment. Prevent further leakage or spillage if safe to do so.   |
| <b>6.3 Methods and material for containment and cleaning up:</b>                | Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk. |
| <b>6.4 Reference to other sections:</b>   | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.                |

## SECTION 7: Handling and storage:

- |  |  |
|--|--|
| <b>7.1 Precautions for safe handling:</b>                                | Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. |
| <b>7.2 Conditions for safe storage, including any incompatibilities:</b> | Local regulations concerning handling and storage of waterpolluting products have to be followed.  |
| <b>7.3 Specific end use(s):</b>  | not applicable   |

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

**Product name:** RENOLIT ST-EB 1

### 8.1.Exposure Limits

Chemical name	type	Exposure Limit Values		Source
phenolic antioxidant	TWA		10 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
phenolic antioxidant - Inhalable fraction and vapor.	TWA		2 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (02 2012)
Base oil - Inhalable fraction.	TWA		5 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (03 2014)
Base oil	PEL	500 ppm	2,000 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil - Mist.	PEL		5 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil	TWA	400 ppm	1,600 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil - Mist.	TWA		5 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
tert. Alkanol amine	PEL	10 ppm	50 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
tert. Alkanol amine	TWA	10 ppm	50 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
tert. Alkanol amine	TWA	2 ppm		US. ACGIH Threshold Limit Values (02 2012)

### 8.2.Exposure controls

**Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:**

Safety glasses (EN 166) recommended during refilling.

**Product name:** RENOLIT ST-EB 1

#### **Skin protection**

##### **Hand Protection:**

Material: Nitrile butyl rubber (NBR).  
Min. Breakthrough time:  $\geq 480$  min  
Recommended thickness of the material:  $\geq 0.38$  mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### **Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

##### **Respiratory Protection:**

Not relevant, due to the form of the product.

##### **Thermal hazards:**

No data available.

##### **Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

##### **Environmental Controls:**

No data available.

## **9 PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

<b>Physical state:</b>	solid
<b>Form:</b>	Paste
<b>Color:</b>	Light brown
<b>Odor:</b>	No data available.
<b>Odor Threshold:</b>	Not applicable for mixtures
<b>pH:</b>	not applicable
<b>Melting Point:</b>	Not applicable for mixtures
<b>Boiling Point:</b>	Value not relevant for classification
<b>Flash Point:</b>	not applicable
<b>Evaporation Rate:</b>	Not applicable for mixtures
<b>Flammability (solid, gas):</b>	Value not relevant for classification
<b>Flammability Limit - Upper (%)—:</b>	Not applicable for mixtures
<b>Flammability Limit - Lower (%)—:</b>	Not applicable for mixtures
<b>Vapor pressure:</b>	Not applicable for mixtures
<b>Vapor density (air=1):</b>	Not applicable for mixtures

**Product name:** RENOLIT ST-EB 1

<b>Density:</b>	1.15 g/cm <sup>3</sup> (25 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable for mixtures
<b>Autoignition Temperature:</b>	Value not relevant for classification
<b>Decomposition Temperature:</b>	Value not relevant for classification
<b>NLGI:</b>	1
<b>Explosive properties:</b>	Value not relevant for classification
<b>Oxidizing properties:</b>	Value not relevant for classification
<b>9.2 Other information</b>	No data available.

#### SECTION 10: Stability and reactivity

<b>10.1 Reactivity:</b>	Stable under normal use conditions.
<b>10.2 Chemical Stability:</b>	Stable under normal use conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Stable under normal use conditions.
<b>10.4 Conditions to avoid:</b>	Stable under normal use conditions.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### 11 TOXICOLOGICAL INFORMATION

##### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**Product name:** RENOLIT ST-EB 1

---

## Acute toxicity

### Oral

**Product:**

ATEmix: 69,362.09 mg/kg

**Specified substance(s)**

Succinic acid derivative LD 50 (Rat): > 5,000 mg/kg

phenolic antioxidant LD 50 (Rat): 2,930 mg/kg (OECD 401)

Quinoline derivative LD 50 (Rat): 4,900 mg/kg

tert. Alkanol amine LD 50 (Rat): 1,320 mg/kg

### Dermal

**Product:**

ATEmix: 63,963.12 mg/kg

**Specified substance(s)**

phenolic antioxidant LD 50 (Rat): > 5,000 mg/kg (OECD 402)

Quinoline derivative LD 50 (Rabbit): > 5,100 mg/kg

tert. Alkanol amine LD 50 (Guinea Pig): 885 mg/kg

### Inhalation

**Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s)**

tert. Alkanol amine LC 50 (Rat, 4 h): 4.5 mg/l  
Vapour

### Skin Corrosion/Irritation:

**Product:**

Based on available data, the classification criteria are not met.

### Serious Eye Damage/Eye Irritation:

**Product:**

Based on available data, the classification criteria are not met.



**Product name:** RENOLIT ST-EB 1

**Respiratory or Skin Sensitization:**

**Product:** Skin sensitizer: Based on available data, the classification criteria are not met.  
Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Specified substance(s)**

phenolic antioxidant No sensitizing effect (guinea pig); OECD 406  
tert. Alkanol amine No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity**

**Product:** Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:** Based on available data, the classification criteria are not met.

**IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**NTP: US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**OSHASp: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Reproductive toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

**12 ECOLOGICAL INFORMATION**

**Product name:** RENOLIT ST-EB 1

---

## 12.1 Toxicity

### Acute toxicity

**Product:** Based on available data, the classification criteria are not met.

#### Fish

##### Specified substance(s)

phenolic antioxidant LC 50 (Fish, 96 h): > 0.57 mg/l (OECD 203)

Quinoline derivative LC 50 (Fish, 96 h): 50 - 64 mg/l

tert. Alkanol amine LC 50 (Fish, 96 h): 147 mg/l

#### Aquatic Invertebrates

##### Specified substance(s)

phenolic antioxidant EC 50 (Water Flea, 48 h): > 0.17 mg/l

Quinoline derivative EC 50 (Water Flea, 48 h): 56 mg/l

tert. Alkanol amine EC 50 (Water Flea, 48 h): 165 mg/l

**Chronic ToxicityProduct:** Based on available data, the classification criteria are met.

#### Aquatic Invertebrates

##### Specified substance(s)

phenolic antioxidant NOEC (Water Flea, 21 d): > 0.39 mg/l

#### Toxicity to Aquatic Plants

##### Specified substance(s)

phenolic antioxidant EC 50 (Alga, 72 h): > 0.42 mg/l

Quinoline derivative EC 50 (Alga, 72 h): > 100 mg/l

tert. Alkanol amine EC 50 (Alga, 72 h): 44 mg/l

## 12.2 Persistence and Degradability

### Biodegradation

**Product:** Not applicable for mixtures

##### Specified substance(s)

phenolic antioxidant 30 % (OECD 302C)

## 12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

**Product name:** RENOLIT ST-EB 1

**Specified substance(s)**

phenolic antioxidant

May be accumulated in organism

**12.4 Mobility in soil:**

**Product:**

Not applicable for mixtures

**12.5 Results of PBT and vPvB assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

Harmful to aquatic life with long lasting effects.

**13 Disposal considerations**

**13.1 Waste treatment methods**

**General information:**

Dispose in accordance with all applicable regulations.

**Disposal methods:**

Discharge, treatment, or disposal may be subject to national, state, or local laws.

**14 TRANSPORT INFORMATION**

**DOT**

Not regulated.

**IMDG - International Maritime Dangerous Goods Code**

Not regulated.

**IATA**

Not regulated.

**15 REGULATORY INFORMATION**

**US Federal Regulations**

**US State Regulations**

**Inventory Status**

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

**16 OTHER INFORMATION**

**Revision Information:**

Vertical lines in the margin indicate an amendment.

---

**Product name:** RENOLIT ST-EB 1

---

**Wording of the R-phrases and H-statements in section 2 and 3**

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Revision Date:** 01.02.2017

**Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.