

# SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

# PRODUCT AND COMPANY IDENTIFICATION

# 1.1 Product identifier Product name: TITAN EG 4399

1

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer	Fuchs Schmierstoffe GmbH Friesenheimer Str. 19 68169 Mannheim	US Distributor Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, IL 60426
Telephone: Fax:	+49 621 3701-0 (ZENTRALE) +49 621 3701-570	(708) 333-8900 (800) 255-3924 24 hrs Emergency
<b>Contact Person:</b> Telephone: Fax: E-mail:	Fuchs Schmierstoffe GmbH Abt +49 621 3701-1333 +49 621 3701-7303 PRODUKTSICHERHEIT@FUCH	
1.4 US contact telephone :	708-333-8900	

# 2 HAZARDS IDENTIFICATION

**Emergency telephone:** 

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

800-255-3924

# Health Hazards

Acute toxicity (Inhalation - dust and mist)	Category 4
Serious Eye Damage/Eye Irritation	Category 2A

#### Hazard summary Physical Hazards:

No data available.



# 2.2 Label Elements

!	
Signal Words:	Warning
Hazard Statement(s):	H332: Harmful if inhaled. H319: Causes serious eye irritation.
Precautionary Statemen	ts
Prevention:	P262: Do not get in eyes, on skin, or on clothing.
Response:	P312: Call a POISON CENTRE/doctor if you feel unwell.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.
Unknown toxicity:	Due to information available product does not contain any ingredients of unknown toxicity.

#### 3 **COMPOSITION / INFORMATION ON INGREDIENTS**

General information:

Mixture of synthetic base oils with additives.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscosity	68037-01-4	20.00 - <50.00%	
Hydrocarbons, low viscosity	68649-11-6	20.00 - <50.00%	
organic Polysulphide	68937-96-2	1.00 - <5.00%	
Phosphoric acid ester, amine salt	942-466-6	1.00 - <3.00%	
imidazole derivative	21652-27-7	0.10 - <0.25%	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.



Classification

Chemical name	Identifier	Classification
Hydrocarbons, low viscosity	68037-01-4	Asp. Tox. 1;H304
Hydrocarbons, low viscosity	68649-11-6	Asp. Tox. 1;H304, Acute Tox. 4;H332
organic Polysulphide	68937-96-2	Skin Sens. 1B;H317, Aquatic Chronic 3;H412
Phosphoric acid ester, amine salt	942-466-6	Eye Dam. 1;H318
imidazole derivative	21652-27-7	Acute Tox. 4;H302, Skin Corr. 1C;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

4 FIRST AID MEASURES	
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measured	ures
Inhalation:	Move to fresh air. Call a POISON CENTRE/doctor if you feel unwell.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Causes serious eye irritation.
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.

# SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters	



Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release m	easures	
6.1 Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment. Keep upwind. Keep unauthorized personnel away. In case of spills, beware of slippery floors and surfaces.	
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.	
SECTION 7: Handling and storage	ə:	
7.1 Precautions for safe handling:	Minimize dust generation and accumulation. Do not eat, drink or smoke when working with the product. Take usual precautions when handling	

handling:	when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with eyes. Wash hands thoroughly after handling. Prevent formation of aerosols. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	Not applicable

# 8 EXPOSURE CONTROLS / PERSONAL PROTECTION



# 8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Base oil, low viscous - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Base oil, low viscous	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, low viscous - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Base oil, low viscous	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Base oil, low viscous - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

# 8.2.Exposure controls

Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measure	s, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile-butadiene rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Respirator type: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.



Thermal hazards: No data available.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls: No data available.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties Appearance

• •	
Physical state:	liquid
Form:	liquid
Color:	Yellow
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	166 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0.84 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	21 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

# SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.



10.4 Conditions to avoid:	Stable under normal use conditions.		
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.		
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.		
11 TOXICOLOGICAL INFORMATION			
Information on likely routes Inhalation:	of exposure Harmful if inhaled.		
Ingestion:	No data available.		
Skin Contact:	No data available.		
Eye contact:	Causes eye irritation.		
Acute toxicity			
Oral Product:			
Specified substance(s)	Not classified for acute toxicity based on available data.		
Hydrocarbons, low viscosity	LD 50 (Rat): > 5,000 mg/kg		
Hydrocarbons, low viscosity	LD 50 (Rat): > 5,001 mg/kg		
organic Polysulphide	LD 50 (Rat): 6,500 mg/kg		
Dermal Product:			
	Not classified for acute toxicity based on available data.		
Inhalation Product:	ATEmix: 3.5 mg/l		
Specified substance(s)	Dusts, mists and fumes		
Hydrocarbons, low viscosity	LC 50 (Rat, 4 h): > 5 mg/l Dusts, mists and fumes		
Hydrocarbons, low viscosity	LC 50 (Rat, 4 h): 1.17 mg/l Dusts, mists and fumes		



Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye Ir Product:	<b>ritation:</b> Based on available data, the classification criteria are met.
Respiratory or Skin Sensiti Product:	<ul> <li>zation:</li> <li>Skin sensitizer: Based on available data, the classification criteria are not met.</li> <li>Respiratory sensitizer: Based on available data, the classification criteria are not met.</li> </ul>
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs	on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
	<ul> <li>logy Program (NTP) Report on Carcinogens: No carcinogenic components identified</li> <li>cifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified</li> </ul>
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	city - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	city - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
ECOLOGICAL INFORMATIO	ON
Toxicity	
Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fich	

Fish Specified substance(s) Hydrocarbons, low

LC 50 (Fish, 96 h): > 750 mg/l



viscosity	
Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 1,000 mg/l
Phosphoric acid ester, amine salt	LC 50 (Fish, 94 h): 75 mg/l
imidazole derivative	LC 50 (Fish, 96 h): 0.3 mg/l
Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscosity	EC 50 (Water Flea, 48 h): 190 mg/l
Hydrocarbons, low viscosity	EC 50 (Water Flea, 48 h): > 1,000 mg/l
organic Polysulphide	EC 50 (Water Flea, 48 h): 63 mg/l (OECD 202)
Phosphoric acid ester, amine salt	EC 50 (Water Flea, 48 h): 10 mg/l
imidazole derivative	EC 50 (Water Flea, 48 h): 0.34 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Aquatic Invertebrates Specified substance(s) Phosphoric acid ester, amine salt	NOEC (Water Flea, 21 d): 1.6 mg/l
Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low viscosity	EC 50 (Alga, 72 h): > 1,000 mg/l
Hydrocarbons, low viscosity	EC 50 (Alga, 72 h): > 1,000 mg/l
organic Polysulphide	EC 50 (Alga, 72 h): > 101 mg/l (OECD 201)
Phosphoric acid ester, amine salt	EC 50 (Alga, 72 h): 32 mg/l NOEC (Alga, 72 h): 5 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation	

Product:	Not applicable for mixtures
Specified substance(s) organic Polysulphide	13 % (28 d, OECD 301B) Not readily degradable.
imidazole derivative	1 % (28 d, OECD 301B)



12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
13 Disposal considerations	
13Disposal considerations13.1Waste treatment methods	
•	Dispose in accordance with all applicable regulations.

# 14 TRANSPORT INFORMATION

#### DOT

Not regulated.

#### IMDG - International Maritime Dangerous Goods Code Not regulated.

### ΙΑΤΑ

Not regulated.

# 15 REGULATORY INFORMATION

# **US Federal Regulations**

#### **US State Regulations**

#### **Inventory Status**

DSL	On or in compliance with the inventory
TSCA	On or in compliance with the inventory

# 16 OTHER INFORMATION

**Revision Information:** Vertical lines in the margin indicate an amendment.



# Wording of the H-statements in section 2 and 3

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Revision Date: Disclaimer:

#### 14.12.2018

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.