

SAFETY DATA SHEET

1. Identification of the hazardous chemical and of the supplier

Product identifier: TUF DRAW 2806 M100

Other means of identification: No data available.

Recommended use of the chemical and restrictions on use

Recommended use: Metalworking fluid

Recommended restrictions: Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: LUBRICANTES FUCHS DE MEXICO, S.A. DE C.V.

Address: Acceso C No. 101 Parque Industrial Jurica

C.P. 76120 Querétaro, Qro/México

Telephone: + 52 (442) 238-9100 Fax: + 52 (442) 238-9110 Contact Person: Departamento de Calidad E-mail: info@fuchs.com.mx

Emergency telephone number:

CENACOM:

01 800 00 41 300 sin costos y (55) 55 50 15 52, 55) 55 50 14 96 en la Cd. de Mexico SETIQ:

01 800 00 214 00 sin costos y (55) 55 59 15 88 en la Cd. de Mexico

COATEA:

01 800 710 49 43 sin costos y (55) 26 15 20 45 y (55) 54 49 63 91 en la Cd. de Mexico

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Dermal)

Skin Corrosion/Irritation

Category 5

Category 3

Serious Eye Damage/Eye Irritation

Category 2A

Unknown toxicity - Health

Acute toxicity, oral 6.32 %
Acute toxicity, dermal 57.48 %
Acute toxicity, inhalation, vapor 91.12 %
Acute toxicity, inhalation, dust 85.93 %

or mist

Environmental Hazards

Acute hazards to the aquatic Category 1

environment

SDS MX - 000000011294 1/12



Unknown toxicity - Environment

Acute hazards to the aquatic 34.26 %

environment

Chronic hazards to the aquatic 99.62 %

environment

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: H313: May be harmful in contact with skin.

H316: Causes mild skin irritation. H319: Causes serious eye irritation. H400: Very toxic to aquatic life.

Precautionary Statements

Prevention: P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment. P280: Wear eye protection/face protection.

Response: P332+P313: If skin irritation occurs: Get medical advice/attention.

P312: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P391: Collect spillage.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Chlorinated paraffin	Trade Secret	40 - 70%

SDS MX - 000000011294 2/12



Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	15 - 40%
Distillates (petroleum), solvent- dewaxed light paraffinic	64742-56-9	7 - 13%
Sulfonated petroleum, sodium salt	Trade Secret	5 - 10%
Petroleum Oil	Trade Secret	3 - 7%
Nonylphenol ethoxylate	Trade Secret	1 - 5%
Triethanolamine	102-71-6	1 - 5%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information: A specific chemical identity and/or percentage of composition has been

withheld as a trade secret.

4. First-aid measures

Inhalation: Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact: Remove contaminated clothing and shoes. Wash contact areas with

soap and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel

unwell. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing Water spray, fog, CO2, dry chemical, or regular foam. Use fire-

media: extinguishing media appropriate for surrounding materials.

SDS MX - 000000011294 3/12



Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and

emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate

ventilation.

For non-emergency personnel: No data available.

For emergency responders: No data available.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and

disposal.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer.

7. Handling and storage

Precautions for safe handling: Contains amines. Do not add sodium nitrite or other nitrosating agents

which may form cancer causing nitrosamines. Avoid contact with eyes. Wash hands thoroughly after handling. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to

the water.

Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing

agents. Store away from incompatible materials.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity Type	Exposure Limit Values	Source
------------------------	-----------------------	--------

SDS MX - 000000011294 4/12



Distillates (petroleum), hydrotreated heavy naphthenic	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Distillates (petroleum), solvent-dewaxed light paraffinic	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Triethanolamine	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: No data available.

Color: Brown Odor: Mild

Odor threshold: No data available.

pH: 9.25

SDS_MX - 000000011294 5/12



Melting point/freezing point:

No data available.

Initial boiling point and boiling range:

No data available.

Flash Point: 179 °C

Evaporation rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):
Flammability limit - lower (%):
No data available.
Vapor pressure:
Vapor density:
No data available.
No data available.
No data available.
No data available.

Relative density: 1.104

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Viscosity:
409.64 mm2/s

10. Stability and reactivity

Reactivity: Not reactive during normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin irritation.

SDS MX - 000000011294 6/12



Eye contact: Causes serious eye irritation.

Ingestion: May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (): > 5000 mg/kg

Dermal

Product: ATEmix (): 2000 - 5000 mg/kg

Inhalation

Product: ATEmix (, 4 h): > 20 mg/l Vapour

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

hydrotreated heavy

Chlorinated paraffin in vivo (Rat): Not irritant Experimental result, Key study in vivo (Rabbit): Not irritant Experimental result, Key study

naphthenic

Distillates (petroleum), in vivo (Rabbit): Not irritant Experimental result, Key study

solvent-dewaxed light in vivo (Rabbit): Not irritant Experimental result, Supporting study

paraffinic in vivo (Rabbit): Not irritant Experimental result, Supporting study in vivo (Rabbit): Not irritant Experimental result, Supporting study in vivo (Rabbit): Not irritant Experimental result, Supporting study

in vivo (Rabbit): Not irritant Experimental result, Supporting study in vivo (Rabbit): Not irritant Experimental result, Supporting study in vivo (Rabbit): Category 2 Experimental result, Key study in vivo (Rabbit): Not irritant Experimental result, Key study

in vivo (Rabbit): Not irritant Experimental result, Supporting study in vivo (Rabbit): Not irritant Experimental result, Key study

in vivo (Rabbit): Not irritant Experimental result, Supporting study

ated petroleum in vivo (Rabbit): Not irritant Experimental result, Key study

Sulfonated petroleum, sodium salt

SDS MX - 000000011294 7/12



Triethanolamine in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Chlorinated paraffin Rabbit, 1 hrs: Not irritating EU

Distillates (petroleum), hydrotreated heavy

naphthenic

Rabbit, 48 hrs: Not irritating EU

Distillates (petroleum), solvent-dewaxed light

paraffinic

Rabbit, 48 hrs: Not irritating EU Rabbit, 24 hrs: Not irritating EU Rabbit, 24 hrs: Not irritating EU

Rabbit, 48 hrs: Not irritating EU

Sulfonated petroleum,

sodium salt

Rabbit, 1 - 24 hrs: Irritating EU

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product:

No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

SDS MX - 000000011294 8/12



12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Chlorinated paraffin LC 50 (Fathead Minnow, 96 h): > 100 mg/l

LC 50 (Rainbow Trout, 96 h): > 0.06 - 0.08 mg/l

LC 50 (Bluegill (Lepomis macrochirus), 96 h): > 0.1 mg/l

Distillates (petroleum), solvent-dewaxed light

paraffinic

LC 50 (Fathead Minnow, 4 h): 100 mg/l

Sulfonated petroleum,

sodium salt

LC 50 (Fish, 96 h): > 10,000 mg/l

Nonylphenol ethoxylate LC 50 (Fathead Minnow, 96 h): 1.2 - 9.3 mg/l

LC 50 (Fathead Minnow, 96 h): 3.8 - 6.2 mg/l

Triethanolamine LC 50 (Rainbow Trout, 4 d): 11,800 mg/l

LC 50 (Fish, 96 h): > 100 mg/l

LC 50 (Lepomis macrochirus, 96 h): 450 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum), solvent-dewaxed light

paraffinic

EC50 (Daphnia, 2 d): > 1,000 mg/l

EC50 (Daphnia, 21 d): > 10 mg/l

Nonylphenol ethoxylate EC50 (Daphnia, 48 h): 1.6 - 10 mg/l

EC50 (Daphnia, 48 h): 9.3 - 21.4 mg/l

Triethanolamine EC50 (Daphnia, 21 d): > 16 mg/l

EC50 (Daphnia, 48 h): 609.9 mg/l EC50 (Daphnia, 24 h): 1,386 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

SDS MX - 000000011294 9/12



Specified substance(s):

Sulfonated petroleum,

sodium salt

EC50 (Daphnia, 21 d): > 10 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Distillates (petroleum), solvent-dewaxed light

paraffinic

LC 50 (Green algae (Selenastrum capricornutum), 3 h): 100 mg/l

Triethanolamine EC50 (Alga, 72 h): 216 mg/l

EC50 (Alga, 96 h): 169 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Log Kow: 10.2 - 10.7 No Estimated by calculation, Weight of Evidence study Chlorinated paraffin

Triethanolamine Log Kow: -1.75 - -1.32 No Estimated by calculation, Weight of Evidence

study

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

No data available. Chlorinated paraffin Distillates (petroleum),

No data available.

hydrotreated heavy

naphthenic

No data available.

Distillates (petroleum), solvent-dewaxed light

paraffinic

Sulfonated petroleum,

No data available.

sodium salt

No data available. Petroleum Oil No data available. Nonylphenol ethoxylate

SDS MX - 000000011294 10/12



Triethanolamine No data available.

Other adverse effects: Very toxic to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for

recycling or disposal.

14. Transport information

DOT

Not regulated.

IATA

Not regulated.

IMDG

Not regulated.

15. Regulatory information

Chemical Identity

Safety, health and environmental regulations specific for the product in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

None present or none present in regulated quantities.

Yearly reporting

threshold (Manufacture, Yearly reporting threshold

Processing or Use): (Emissions):

Mexico. Federal Law for the Control of Chemical Substances Susceptible to Diversion to Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances

Triethanolamine Precursors Chemicals Group 3: Chemicals listed in Group 3B can be used

in the production of toxic chemicals hence are prohibited from exports and returns to states not party to the convention without prior authority from the recipient state. A certificate of final use is required. See CWC, Verification

Annex, Part VIII.

Mexico. Wastewater Discharges - Maximum Limits into Coastal Waters, Dams, Rivers, Soil and Wetlands (NOM-001-ECOL)

none

SDS MX - 000000011294 11/12



Mexico. Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I)

Not applicable

Mexico. Narcotic Drugs List (General Health Law, Articles 234 & 239, Feb. 7, 1984)

Not applicable

Mexico. Psychotropic Drugs (General Health Law, Feb. 7, 1984, Articles 245 & 254 Bis)
Not applicable

16.Other information, including date of preparation or last revision

Issue Date: 01/29/2020

Revision Information: 01/29/2020: ARGHS_MX

Version #: 1.1

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS MX - 000000011294