

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** ACTICIDE LA 1209
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- **Application of the substance/the mixture:** Biocidal product for industrial use.
- **1.3 Details of the supplier of the safety data sheet:**
- **Address and telephone number of the supplier:**
Thor Specialities (UK) LTD.
Wincham Avenue
Wincham Northwich
Cheshire CW9 6GB
United Kingdom
Phone: (UK) +44 (0) 1606 818800
Fax: (UK) +44 (0) 1606 818801
- **Competent person responsible for the Material Safety Data Sheet:**
Regulatory Department: sds@thor.uk.com
- **1.4 Emergency telephone number:**
National Poisons Information Service (24 h service):
Phone: +44 (0) 844-892-0111 (UK only)
Transport Emergency phone number (24 h service):
Phone: +49 621 60-43333 - Fax: +49 621 60-92664

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 respectively UN GHS**



GHS05 corrosion

Met. Corr. 1	H290 May be corrosive to metals.
Skin Corr. 1B	H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4	H302 Harmful if swallowed.
Skin Sens. 1	H317 May cause an allergic skin reaction.

- **Classification system:**

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 1)

The classification of hazardous components in section 3 as toxic by inhalation does not affect the classification of the mixture as there is no risk of inhalation due to the mixture's physical state and the components' low vapor pressure. The classification considers all relevant hazards that might occur at the expected use (CLP-Regulation, chapter 1).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 respectively UN GHS

The product is labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07 GHS09

Signal word Danger

Hazard-determining components of labelling:

Bronopol

reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

Hazard statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

2.3 Other hazards Other hazards have not been identified for this product.

SECTION 3: Composition/information on ingredients

3.2 mixtures

Dangerous components:

CAS: 52-51-7 EINECS: 200-143-0 Index number: 603-085-00-8	Bronopol Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	8.4-9.2%
---	---	----------

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

CAS: 7631-99-4 EINECS: 231-554-3	SODIUM NITRATE Ox. Sol. 2, H272 Eye Irrit. 2, H319	(Contd. of page 2) < 2.5%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Skin Sens. 1A, H317	1.07-1.23%

• **Additional information:**

The CAS No. of the single components are: CIT: 26172-55-4; MIT: 2682-20-4
For the wording of the listed risk/hazard phrases refer to section 16.

SECTION 4: First aid measures

• **4.1 Description of first aid measures**

• **General information:**

Obtain special instructions from the poison information centre: Phone: +44 (0) 844-892-0111 (UK only) - see as well section 1.4.

Personal protection for the First Aider.

• **After inhalation:** Supply fresh air; consult doctor in case of symptoms.

• **After skin contact**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

• **After eye contact:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an eye specialist immediately.

• **After swallowing:**

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Bring vomiting person into recovery position.

Do not give anything by mouth to an unconscious person.

• **4.2 Most important symptoms and effects, both acute and delayed**

Allergic skin reactions.

Skin reaction like itching, reddening, blistering may appear after hours.

Corrosive damage to gastro-intestinal tract.

• **Information for doctor:** Probable mucosal damage may contraindicate the use of gastric lavage.

• **Danger** Danger of gastric perforation.

• **4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation with activated carbon.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Rinse eyes thoroughly with physiological saline.

GB

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 3)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Water spray jet, extinguishing powder, CO₂, foam.
- **Unsuitable extinguishing agents for reasons of safety:** None
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, toxic incineration products may be released such as:
Nitrogen oxides (NO_x)
Carbon monoxide (CO)
Bromine compounds such as HBr, Br₂
Hydrogen chloride (HCl)
Sulphur dioxide (SO₂)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing (see item 8).
Keep unprotected persons away.
When selecting the protective suit attention has to be paid to the complete and safe protection of skin and mucous membranes. Impermeable protective clothes, protective boots made of neoprene, complete face protection and nitrile-rubber-gloves with long tops should be worn.
- **6.2 Environmental precautions:**
As the product is hazardous for the aquatic environment, it must be prevented from reaching surface water.
Prevent from spreading (e. g. by enclosing with a ring of chemical absorbent).
Inform authorities in case of contamination of water or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Collect large amounts in suitable container. Cover the rest with absorbent, mix intensively and collect mechanically.
Suitable binder: multi-purpose absorbent.
Dispose of contaminated material as waste according to item 13.
Polluted surfaces can be decontaminated with a solution containing 5% sodium bisulphite and 5% sodium bicarbonate.
In case of a spill drained to the sewer collect contaminated water in suitable container and add 10% sodium bisulfite solution. Contact supplier for further instructions.
- **6.4 Reference to other sections** None

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good exhaust ventilation at the workplace.
It is preferable to handle the product in a closed system.

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 4)

Avoid air pollution at the workplace e.g. aerosol formation or product heating.

Risks to the safety and health of workers may not only be created by work involving chemicals but, inter alia by work equipment and the fitting-out of work-places. Those risks shall be identified and evaluated.

- **Information about protection against explosion and fire:** No special measures required.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and containers:**

Store only in the original container.

Information about suitable materials for vessels and piping can be requested from our sales department Tel.: +44(0)1606 818800.

- **Information about storage in a common storage facility:** Store away from foodstuffs.

- **Further information about storage conditions:**

Possibility of reversible formation of crystals at temperatures < 0 °C. After warming up and stirring the product can be used again.

Prevent release to the environment by adequate secondary containment design and use of appropriate spill control procedures.

- **Minimum storage temperature:** 5 °C

- **Sensitivity against frost:** Protect from frost.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Components with critical values that require monitoring at the workplace:** None established.

- **Additional information:** Information valid at the time of review of safety data sheet.

- **8.2 Exposure controls**

- **Technical protective equipment:**

In case of contamination devices to rinse eyes or skin immediately under running water must be available.

- **Personal protective equipment**

- **General protective and hygienic measures:**

Use skin cream for skin protection.

Avoid contact with the eyes and the skin.

Wash hands during work breaks and at the end of the shift.

Provide skin protection plan.

- **Respiratory protection:** Not required

- **Protection of hands:**



Chemical protective gloves according to DIN EN 374 with CE-labelling.

Check the condition of protective gloves after each use for any damages like holes, cuts or tears.

Do not wear protective gloves longer than necessary.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves** Nitrile rubber, NBR

- **Penetration time of glove material:**

Thickness: 0.4 mm; break-through time: 480 min; material: Nitrile; permeation: level 6

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 5)

- **Gloves made of the following materials are not suitable:**
Gloves for mechanical protection do not provide protection against chemicals.
- **Eye protection:**



Face shield (visor)

Use visor in combination with goggle.

- **Body protection:**



Protective clothing.



Apron

Full head, face and neck protection

- **Risk management measures**
The operators shall be instructed adequately.
The workplace shall be inspected regularly by competent personnel e.g. the safety representative.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid
Colour: Colourless to slightly yellowish

- **Odour:** Mild
- **Odour threshold:** Not relevant for safety

- **pH-value at 20 °C:** 2.0-4.0

- **Change in condition**

Melting point/Melting range: Not determined
Boiling point/Boiling range: ca. 100 °C

- **Flash point:** Not applicable.
- **Self-inflammability:** Product is not self-igniting.
- **Danger of explosion:** Product is not explosive.
- **Vapour pressure at 20 °C:** 23 mbar (H₂O)
- **Density at 20 °C:** 1.05 - 1.07 g/cm³
- **Relative density (D₂₀⁴) at 20 °C:** 1.060 (OECD 109)

- **Solubility in / Miscibility with**

Water: Fully miscible

- **9.2 Other information** No further relevant information available.

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Corrosive action on metals possible.
- **10.2 Chemical stability**
- **Conditions to be avoided:**
Before handling, the product should not be diluted or mixed with other chemicals, in order to avoid any negative influences on the ingredient(s).
- **Minimum shelf life:** 18 months from production date, if stored at a temperature of about 20 °C.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Alkalis (lyes)
Reducing agents
Strong oxidising agents
Nucleophils
- **10.6 Hazardous decomposition products:**
None, if storage and handling is done according to specification.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Harmful if swallowed.

• LD/LC50 values that are relevant for classification:

Oral	LD ₅₀	1665 mg/kg (rat) (EPA 81-1) bridging from S 59
Dermal	LD ₅₀	> 2000 mg/kg (rat) (EPA 81-2) bridging from S 60
Inhalation	ATE Nebel/Stäube	4.7 mg/l, 4h (calculated)

• **Evaluation:**

The LC₅₀ resp. ATE value for the exposure route 'inhalation' is not considered at the classification because no dust/mist can arise physically at intended use or at reasonable foreseeable misuse.

• **Skin corrosion/irritation:**

Causes severe skin burns and eye damage.

• **Results of studies:**

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

Irritation of skin	OECD 404 (acute dermal irritation/corrosion)	corrosive (rabbit) (OECD 404) S 32
--------------------	--	---------------------------------------

• **Serious eye damage/irritation:**

Causes serious eye damage.

• **Sensitisation:**

May cause an allergic skin reaction.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 7)

Results of studies:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

Sensitisation	OECD 406 (MKA)	sensitising (Guinea pig) (OECD 406) S 171
---------------	----------------	--

52-51-7 Bronopol

Sensitisation	OECD 429 (local lymph node assay)	not sensitising (mouse) (OECD 429) BPR Dossier
---------------	-----------------------------------	---

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

NOECm	0.02 mg/l (calculated)
L(E)C ₅₀ m	0.6 mg/l (calculated)

Evaluation:

Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Toxicity on activated sludge organisms:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

EC20 / 3 h	0.97 mg/l (Activated Sludge) (OECD 209)
EC50 / 3 h	7.92 mg/l (Activated Sludge) (OECD 209)

52-51-7 Bronopol

EC20 / 3 h	2 mg/l (Activated Sludge) (OECD 209)
EC50 / 3 h	43 mg/l (Activated Sludge) (OECD 209)

- **Evaluation:** Depending on concentration, toxic effects on activated sludge organisms are possible.

12.2 Persistence and degradability

Biodegradability:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

OECD 301 D Closed-Bottle-Test	> 60 % (Activated Sludge) (OECD 301 D (oxygen depletion)) readily biodegradable; bridging from S 200
OECD 308 Simulation Biodegradation Aqu Sed System	1.82 - 1.92 d (half-life) (OECD 308) CIT, S 617

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 8)

52-51-7 Bronopol

OECD 301 B CO₂-Evolution

> 70 % (Activated Sludge) (OECD 301 B (mod.-Sturm-Test))
REACH dossier

OECD 314 Simulation Tests Biodegradation

63.5 % (-) (OECD 314)
REACH Dossier

• **Evaluation:** The component(s) is (are) rapidly biodegradable.

• Behaviour in sewage treatment plants:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

OECD 302 B Zahn-Wellens Test

100 % (Activated Sludge) (OECD 302 B - substance removal (HPLC))
completely eliminated by biodegradation - S 2387

OECD 303 A: Activated Sludge Units

> 80 % (Activated Sludge) (OECD 303 A)
rapid biodegradable, bridging from S 199

• **Evaluation:** The substances are biodegradable/eliminable in activated sludge units.

• 12.3 Bioaccumulative potential

• BCF / LogKow:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

Bioconcentration factor BCF

3.6 (calculated)
EPIWIN, S 1177

OECD 107 Log Kow (shake flask method)

-0.71; + 0.75 (n-Octanol/water) (OECD 107)
S 5

52-51-7 Bronopol

Bioconcentration factor BCF

3.16 (calculated)
EPIWIN

OECD 107 Log Kow (shake flask method)

0.22 (n-Octanol/water) (OECD 107)
S 3658

• **Evaluation:** Not worth-mentioning accumulating in organisms

• **12.4 Mobility in soil** No further relevant information available.

• 12.5 Results of PBT and vPvB assessment

• **PBT:** This mixture does not contain substances that meet the PBT-criteria of REACH, annex XIII.

• **vPvB:** This mixture does not contain substances that meet the vPvB-criteria of REACH, annex XIII.

• **12.6 Other adverse effects** Any other adverse effects on the environment are not expected.

• 12.7 Additional information

• **Metals and their compounds according Directive 2006/11/EC:** None

• **European Water Framework Directive 2000/60/EC (WFD) dated 23.10.2000:**

The product does not contain any priority substances according WFD that require a water monitoring.

• **Absorbable organic halogen compounds (AOX - DIN EN ISO 9562):**

Can affect the AOX-value of the effluent water.

AOX (DIN 38409 H 14): 0.7 %

GB

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated under adherence to official regulations.

Appropriate disposal operations according to Directive 2008/98/EC on waste: D 10 Incineration on land

European waste catalogue

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 03 00	off-specification batches and unused products
16 03 05*	organic wastes containing hazardous substances
HP 14	Ecotoxic

Contaminated packaging:

Recommendation: Remove all product from packaging and clean thoroughly before recycling.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN3265

14.2 UN proper shipping name

ADR

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]), ENVIRONMENTALLY HAZARDOUS

IMDG

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]), MARINE POLLUTANT

IATA

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6])

14.3 Transport hazard class(es)

ADR



Class

8 (C3) Corrosive substances.

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 10)

· Label

8

· IMDG



· Class

8 Corrosive substances.

· Label

8

· IATA



· Class

8 Corrosive substances.

· Label

8

· 14.4 Packing group

· ADR, IMDG, IATA

II

· 14.5 Environmental hazards:

· Marine pollutant:

Yes

Symbol (fish and tree)

Symbol (fish and tree)

· Special marking (ADR):

· 14.6 Special precautions for user

Warning: Corrosive substances.

· Kemler Number:

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Stowage Category

B

· Stowage Code

SW2 Clear of living quarters.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· Transport category

2

· Tunnel restriction code

E

· IMDG

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· IATA

· Remarks:

Packing Instructions / max. net weight: Passenger aircraft: 851 / 1 L; Cargo aircraft: 855 / 30 L

· UN "Model Regulation":

UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (REACTION MASS OF: 5-

(Contd. on page 12)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 11)

CHLORO-2-METHYL-4-ISO-THIAZOLIN-3-ONE
[EC NO. 247-500-7] AND 2-METHYL-2H-
ISOTHIAZOL-3-ONE [EC NO. 220-239-6]), 8, II,
ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations:**
- **Information about limitation of use:**
Take note of Directive 94/33/EC on the protection of young people at work.
Take note of Directive 92/85/EC on the safety and health of pregnant women at work.
- **Regulations which may apply in event of accident: Control of Major Accident Hazards (COMAH)**
Critical quantity values according to the regulations on accidents (Seveso Directive) should be adhered to.
- **Indication of VOC:**
- **VOC according to Directive 2010/75/EC:**
This product does not contain any relevant amounts of "Volatile Organic Compounds" (VOC).
- **VOC according to Decopaint Directive (2004/42/EC):**
The product does not contribute significantly to the total content of VOCs in paints and varnishes.
- **SVOC according to EU-Ecolabel for interior and exterior paints (2014/312/EU):**
This product does not contain any Semi Volatile Organic Compounds in the definition of the 2014/312/EU.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our current knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

- **Relevant phrases**
H272 May intensify fire; oxidiser.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.

(Contd. on page 13)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2016

Version number 48

Revision: 08.12.2016

Trade name: ACTICIDE LA 1209

(Contd. of page 12)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Training hints

Further information regarding the directions for use can be found in the Product Data Sheet.

· Classification according to Regulation (EC) No 1272/2008

The classification includes the relevant available information about the mixture or the substances contained therein.

The evaluation of the available information within the scope of classification refers to the forms and aggregate states in which the mixture has been placed on the market and will be used most likely.

· Contact for technical information Biocides: info@thor.uk.com**· Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

Ox. Sol. 2: Oxidizing solids – Category 2

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· Key literature references and sources for data:

Data source(s): Biocidal product dossier(s)

Own studies (reference to S-number).

· * Data altered since the previous version.