

Printed For: CHEM-TEL, INC.

MATERIAL SAFETY DATA SHEET

***** Section I - Identification *****

Manufacturer AGS Company
2651 Hoyt St. Phone: 800-253-0403
Muskegon Hts., MI 49444 616-733-2101
FAX: 616-733-1784
Transportation Emergency - CHEM-TEL: 800-255-3924

Trade Name Belt-Ease Belt Dressing Cat. No. BD-16
Common Name BELT-EASE Container/Size Aerosol, 10.5 oz.

NFPA - Health 1 Flammability 2 Reactivity 0 Specific Hazard
HMIS - Health 1 Flammability 2 Reactivity 0 Protective Equipment A

***** Section II - Hazardous Ingredients *****

<u>Hazardous Ingredient</u>	<u>CAS No.</u>	<u>Wgt. %</u>	<u>TLV</u>
1. <u>Aliphatic Petroleum Naphtha</u>	<u>8052-41-3</u>	<u>60-85</u>	<u>100 ppm (500 ppm PEL)</u>
2. <u>Polybutene Polymer</u>	<u>9003-29-6</u>	<u>30-45</u>	<u>Not Assigned</u>
3. <u>Carbon Dioxide</u>	<u>124-38-9</u>	<u>1-5</u>	<u>5000 ppm</u>
4. <u></u>	<u></u>	<u></u>	<u></u>
5. <u></u>	<u></u>	<u></u>	<u></u>
6. <u></u>	<u></u>	<u></u>	<u></u>
7. <u></u>	<u></u>	<u></u>	<u></u>
8. <u></u>	<u></u>	<u></u>	<u></u>
9. <u></u>	<u></u>	<u></u>	<u></u>
10. <u></u>	<u></u>	<u></u>	<u></u>

NOTE

***** Section III - Physical Data *****

pH - Supplied Not Determined Boiling Point Not Determined
pH - Diluted Not Determined % Volatiles 67%
Water Solubility Nil Vapor Pressure Not Determined
Specific Gravity (Water=1) 0.82 Vapor Density (Air=1) > 1
Melting Point Not Applicable Evaporation Rate Not Determined
Appearance Clear liquid with petroleum odor in an aerosol

Original Issue Date 11/
Revision No.7 Date 06

***** Section IV - Fire & Explosion Data *****

Flash Pt. >100°F(liquid) Method T.C.C. Auto Ignition Temp. Not DeterminedFlammable Limits In Air - LEL Not Determined UEL Not DeterminedExtinguishing Media Carbon dioxide, dry chemical, foam and/or water fog.Special Procedures Wear self-contained breathing apparatus. Water fog may be used to reduce vapor concentration.Unusual Hazards Vapors are heavier than air and accumulate in low areas.

***** Section V - Reactivity Data *****

Unstable and/or Auto Reactive StableIncompatible Materials OxidizersHazardous Decomposition Products Oxides of carbon.

***** Section VI - Emergency First Aid *****

Eyes Flush with water for at least 15 minutes. Get medical attention.Skin Wash with soap and water. Remove contaminated clothing. If adverse effects occur, consult a physician.Ingestion Keep patient quiet. Do not induce vomiting. Get medical attention.Inhalation Remove to fresh air. Administer oxygen or artificial respiration as needed. Get medical attention.

***** Section VII - Health Effects *****

Eyes May cause discomfort and irritation.Skin May cause irritation, defatting, dermatitis. Contaminated clothing may cause severe irritation.Ingestion May cause nausea, vomiting and irritation of G.I. tract.Inhalation Acts as a CNS depressant and may cause irritation of upper respiratory system.Other Effects Aspiration into lungs may cause chemical pneumonitis.

Product - BD-16

Printed 06/26/96

Printed For: CHEM-TEL, INC.

***** Section VIII - Ventilation and Protective Measures *****

Ventilation Requirement Suitable to maintain concentrations below TLV.

Eyes Yes Gloves Yes Clothing No Respiratory Yes

Other Eye bath and safety shower in work area.

***** Section IX - Storage and Handling Procedures *****

Conditions to Avoid Excessive and/or direct heat, do not puncture or incinerate.

***** Section X - Spill Procedures and Waste Disposal *****

Spill Procedure Remove ignition source. Absorb on an inert material and place in an appropriate container for disposal.

Disposal Method Removal by an approved, licensed waste hauler.

EPA Waste I.D. NO. D001

Approved By Tommy Jones
Manager, Technical Resources

Original Issue Date 11/12/85
Revision No.7 Date 04/22/96

The Information Herein Is Given In Good Faith,
No Warranty, Expressed Or Implied, Is Made.