MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910,1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION							
NFPA Rating: Health-1; Flammability-1; Reactivity-0; Special-0	_	HMIS Rating: Health-1; Flammability-1; Reactivity-0; Personal Protection-B					
Manufacturer's Name: AMREP, INC,	DOT	DOT Hazard Classification: Non-Hazardous					
Address: 990 Industrial Park Drive		Identity (trade name as used on label):					
Marietta, GA 30062	lacii	MISTY GREEN ALL PURPOSE CLEANER					
Date Prepared: 02/25/97 Prepared By: ES/KD	MSDS Number: SBR5936 Revision -2						
Information Calls: (404)422-2071	NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA					CT DATA	
EMERGENCY RESPONSE NUMBER: 1(800)255-3924	NOTICE, SOUGEMENT BASED ON SYDIRECT TEST DATA						
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION							
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES CAS Number SARA OSHA PEL ACGIH Carcinogen							
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		ONO Hamoer	III LIST	(ppm)	TLV (ppm)	Ref. Source	
MONOCYCLIC TERPENE		5989-27-5	No	N/E	N/E	d	
NONYL PHENOL ETHOXYLATE BLEND		9016-45-9	No	N/E	N/E	ď	
2-BUTOXY ETHANOL		111-76-2	No	50	25	d	
2-50 TOXT ETHANOL		111-70-2	140	- 30	23	<u> </u>	
	\rightarrow						
	\rightarrow						
	\rightarrow						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS							
Bolling Point: 210°F Specific Gravity (H2O=1): 0.958							
		Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): 20°C 17mmHg					
Vapor Density (Air = 1): .62	_	Evaporation Rate (water = 1): I					
Solubility in Water: Soluble Water Reactive: No							
Appearance and Odor: Clear, colorless thin liquid with a citrus fragrance.							
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA							
LAMMABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature N/E Rlammability Limits in Air by % in Volume: N/E LEL: N/E UEL: N/E							
FLASH POINT AND METHOD USED (non-aerosols): 114°F C.C. EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.							
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.							
Cool containers with water fog to prevent rupturing.							
Unusual Fire & Explosion Hazards: None							
SECTION 4 - REACTIVITY HAZARD DATA							
					OCCUR		
ncompatibility (Mat. to avoid): Strong oxidizers Conditions to Avoid: Open flame, welding arcs, heat.							
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [X] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS							
ACUTE EFFECTS:							
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.							
Eye Contact: Slight irritation. Skin Contact: Slight irritation.							
Ingestion: Possible chemical pneumonitis it aspirated into lungs. Nausea.							
CHRONIC EFFECTS: Headache, dizziness, nausea, possible unconsciousness if vapor concentration exceeds TLV.							
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.							
Skin Contact: Wash with soap and water. If irritated, seek medical attention.							
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.							
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.							
SECTION 6 - CONTROL AND PROTECTIVE MEASURES							
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH to be used in positive pressure mode.							
Protective Gloves: Disposable latex gloves suggested. Eye Protection: Safety glasses recommended.							
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.							
Other Protective Clothing & Equipment: None							
Hyglenic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE Stone To Be Taken If Meterial is Spilled Or Beleased: Flush to sewer with water.							
Steps To Be Taken If Material Is Spilled Or Released: Flush to sewer with water.							
Waste Disposal Methods: Dispose of in accordance with Federal, state and local regulations.							
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.							