# **Section 1: Product & Company Identification**

Product Name: Food Grade Chain Lube

Product Number (s): 03055

Product Use: chain lubricant

**Manufacturer / Supplier Contact Information:** 

<u>In United States</u>: <u>In Canada</u>: <u>In Mexico</u>:

CRC Industries, Inc.

CRC Canada Co.

CRC Industries Mexico

SES Louis Drive

CRC Industries Mexico

Av. Benito Juárez 4055 G

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

<u>www.crcindustries.com</u> <u>www.crc-canada.ca</u> San Luís Potosí, SLP CP 78394 1-215-674-4300(General) 1-905-670-2291 <u>www.crc-mexico.com</u>

1-215-674-4300(General) 1-905-670-2291 (800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

### **Section 2: Hazards Identification**

### **Emergency Overview**

52-444-824-1666

**WARNING:** Contents Under Pressure.

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

Appearance & Odor: Transparent water-white liquid, no odor

### **Potential Health Effects:**

**ACUTE EFFECTS:** 

EYE: Not known to be an eye irritant.

SKIN: Not known to be a skin irritant. No harmful effects from skin absorption have been reported.

INHALATION: Extended exposure by inhalation may cause irritation of the respiratory tract.

INGESTION: May cause irritation of the digestive tract and diarrhea.

CHRONIC EFFECTS: None known

TARGET ORGANS: None known

Medical Conditions Aggravated by Exposure: None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Name: Food Grade Chain Lube Product Number (s): 03055

## **Section 3: Composition/Information on Ingredients**

COMPONENT	CAS NUMBER	% by Wt.	
White mineral oil	8042-47-5	80 – 90	
Additive blend	Proprietary	1 – 2	
Liquefied petroleum gas	68476-86-8	10 - 20	

### **Section 4: First Aid Measures**

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Do NOT induce vomiting. Seek medical attention.

Note to Physicians: Acute aspirations of large amounts of oil-laden material may produce serious aspiration

pneumonia. Patients who aspirate these oils should be followed for the development of long-term

sequelae.

## **Section 5: Fire-Fighting Measures**

Flammable Properties: This product is non-flammable in accordance with aerosol flammability definitions.

(See 16 CFR 1500.3(c)(6)). This product exhibits a flame extension that is less than 18

inches.

Flash Point: > 370°F (COC) Upper Explosive Limit: ND

Autoignition Temperature: ND Lower Explosive Limit: ND

Fire and Explosion Data:

Suitable Extinguishing Media: Dry chemical, carbon dioxide or water spray. Class B fire extinguishers.

Products of Combustion: Oxides of carbon

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

### **Section 6: Accidental Release Measures**

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space

or limited air circulation area, clean-up workers should wear appropriate

**Product Number (s): 03055** 

respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

### **Section 7: Handling and Storage**

Handling Procedures: Use good personal hygiene practices. Use caution around energized equipment. The metal

container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the product

label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to

prevent cans from rupturing.

Aerosol Storage Level: I

# **Section 8: Exposure Controls/Personal Protection**

#### **Exposure Guidelines:**

	OSHA		ACGIH		OTHER		
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
White mineral oil	5*	NE	5*	10*	NE		mg/m <sup>3</sup>
Additive blend	NE	NE	NE	NE	NE		
Liquefied petroleum gas	1000	NE	1000	NE	NE		ppm
N.E. – Not Established	(c) – ce	eiling (s	) – skin	(v) – va	cated	* – oil mist	

#### **Controls and Protection:**

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile or neoprene. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

# **Section 9: Physical and Chemical Properties**

Physical State: liquid

Color: transparent water-white

Odor: none

Odor Threshold: ND Specific Gravity: 0.874 Initial Boiling Point: > 590°

### **Product Name:** Food Grade Chain Lube

Freezing Point: ND

Vapor Pressure: < 0.1 mmHg @ 68F Vapor Density: > 1 (air = 1)

Evaporation Rate: very slow Solubility: insoluble in water

Coefficient of water/oil distribution: ND

pH: NA

Volatile Organic Compounds: wt %: 15 g/L: 131.1 lbs./gal: 1.09

# **Section 10: Stability and Reactivity**

Stability: Stable

Conditions to Avoid: Sources of ignition

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: Oxides of carbon, nitrogen, and phosphorus

Possibility of Hazardous Reactions: No

## **Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

### **Acute Toxicity:**

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
White mineral oil	> 5 g/kg	> 2 g/kg	> 5 mg/L
Additive blend	No data	No data	No data
Liquefied petroleum gas	No data	No data	No data

### **Chronic Toxicity:**

	OSHA	IARC	NTP		
<u>Component</u>	Carcinogen	Carcinogen	Carcinogen	<u>Irritant</u>	Sensitizer
White mineral oil	No	No	No	No	Unknown
Additive blend	No	No	No	Unknown	Unknown
Liquefied petroleum gas	No	No	No	No	No

E – Eye S – Skin R - Respiratory

**Product Number (s): 03055** 

Reproductive Toxicity: No information available No information available

# **Section 12: Ecological Information**

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available

Persistence / Degradability: No information available Bioaccumulation / Accumulation: No information available No information available

**Product Name:** Food Grade Chain Lube **Product Number (s): 03055** 

### **Section 13: Disposal Considerations**

Waste Classification: The dispensed liquid product is not a RCRA hazardous waste. Pressurized containers are a

D003 reactive waste. (See 40 CFR Part 261.20 – 261.33)

Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

### **Section 14: Transport Information**

Consumer Commodity, ORM-D US DOT (ground):

ICAO/IATA (air): Consumer Commodity, ID8000, 9

Aerosols, UN1950, 2.2, Limited Quantity IMO/IMDG (water):

Special Provisions: None

## **Section 15: Regulatory Information**

#### **U.S. Federal Regulations:**

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients:

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard No

> Reactive Hazard No Release of Pressure Yes Acute Health Hazard No Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

None

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs):

#### **U.S. State Regulations:**

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of

California to cause cancer, birth defects or other reproductive harm:

**Product Number (s): 03055** 

**Consumer Products VOC Regulations:** This product is not regulated.

State Right to Know:

New Jersey: None Pennsylvania: None Massachusetts: None Rhode Island: None

#### **Canadian Regulations:**

#### Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, B5

All ingredients are either listed on the DSL Inventory or are exempt. Canadian DSL Inventory:

### **European Union Regulations:**

**RoHS Compliance:** This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as


listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

### **Section 16: Other Information**

HMIS® (II)		
Health:	0	
Flammability:	1	
Reactivity:	0	
PPE:	В	

Ratings range from 0 (no hazard) to 4 (severe hazard)



Prepared By: Michelle Rudnick

CRC #: 656

Revision Date: 06/09/2009

Changes since last revision: MSDS reformatted to meet the requirements of the Canadian Controlled Products

Regulations.

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

### **Product Name:** Food Grade Chain Lube

**Product Number (s): 03055** 

ACGIH: American Conference of Governmental Industrial Hygienists

**Chemical Abstract Service** CAS: CFR: Code of Federal Regulations DOT: Department of Transportation

DSL: **Domestic Substance List** g/L: grams per Liter

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association

International Civil Aviation Organization ICAO: International Maritime Dangerous Goods IMDG: International Maritime Organization IMO:

lbs./gal: pounds per gallon Lethal Concentration LC:

Lethal Dose LD:

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association

NTP: National Toxicology Program

Occupational Safety and Health Administration OSHA:

PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment

ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information

System