

X Close this window

SDS

Common Name: HEAVY DUTY DEGREASER NO. 03095T (ITEM 1003366)

Manufacturer: CRC INDUSTRIES

SDS Revision Date: 12/19/2017

SDS Format: GHS-US

Item Number(s): 1HBL3

Manufacturer Model Number(s):

## **SDS Table of Contents**

Click the desired link below to jump directly to that section in the SDS.

- 1. IDENTIFICATION
- 2. HAZARD(S) IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST-AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 10. STABILITY AND REACTIVITY
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 13. DISPOSAL CONSIDERATIONS
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION

CRC(R\*)

SAFETY DATA SHEET

1. IDENTIFICATION

A top

PRODUCT IDENTIFIER: HEAVY DUTY DEGREASER

OTHER MEANS OF IDENTIFICATION:

PRODUCT CODE: NO. 03095T (ITEM# 1003366)

RECOMMENDED USE: GENERAL PURPOSE DEGREASER

RECOMMENDED RESTRICTIONS: NONE KNOWN.

MANUFACTURER/IMPORTER/SUPPLIER/DISTRIBUTOR INFORMATION:

MANUFACTURED OR SOLD BY:

COMPANY NAME: CRC INDUSTRIES, INC.

ADDRESS:

885 LOUIS DR. WARMINSTER, PA 18974

TELEPHONE:

GENERAL INFORMATION: 215-674-4300 TECHNICAL ASSISTANCE: 800-521-3168 CUSTOMER SERVICE: 800-272-4620

24-HOUR EMERGENCY (CHEMTREC):

800-424-9300 (US)

703-527-3887 (INTERNATIONAL)

WEBSITE: WWW.CRCINDUSTRIES.COM

# 2. HAZARD(S) IDENTIFICATION

PHYSICAL HAZARDS:

GASES UNDER PRESSURE: COMPRESSED GAS

**HEALTH HAZARDS:** 

SKIN CORROSION/IRRITATION: CATEGORY 2

SERIOUS EYE DAMAGE/EYE IRRITATION: CATEGORY 2B

SENSITIZATION, SKIN: CATEGORY 1B

CARCINOGENICITY: CATEGORY 1B

SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE:

CATEGORY 3 NARCOTIC EFFECTS

ENVIRONMENTAL HAZARDS:

HAZARDOUS TO THE AQUATIC ENVIRONMENT, ACUTE HAZARD: CATEGORY 2 HAZARDOUS TO THE AQUATIC ENVIRONMENT, LONG-TERM HAZARD: CATEGORY 2

OSHA DEFINED HAZARDS: NOT CLASSIFIED.

LABEL ELEMENTS:

GAS CYLINDER

HEALTH HAZARD

EXCLAMATION HAZARD

SIGNAL WORD: DANGER

## HAZARD STATEMENT:

CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS. MAY CAUSE CANCER. TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT:

#### PREVENTION:

OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT EXPOSE TO HEAT OR STORE AT TEMPERATURES ABOVE 49 DEG. C/120 DEG. F. USE WITH ADEQUATE VENTILATION. OPEN DOORS AND WINDOWS OR USE OTHER MEANS TO ENSURE A FRESH AIR SUPPLY DURING USE AND WHILE PRODUCT IS DRYING. IF YOU EXPERIENCE ANY SYMPTOMS LISTED ON THIS LABEL, INCREASE VENTILATION OR LEAVE THE AREA. AVOID BREATHING MIST OR VAPOR. WASH THOROUGHLY AFTER HANDLING. CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE. WEAR PROTECTIVE GLOVES. AVOID RELEASE TO THE ENVIRONMENT.

A top

#### **RESPONSE:**

IF ON SKIN: WASH WITH PLENTY OF WATER.

#### IF SKIN IRRITATION OR RASH OCCURS:

GET MEDICAL ADVICE/ATTENTION. TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

#### IF INHALED:

REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.

#### IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION. COLLECT SPILLAGE.

#### STORAGE:

STORE LOCKED UP. PROTECT FROM SUNLIGHT. STORE IN A WELL-VENTILATED PLACE. EXPOSURE TO HIGH TEMPERATURE MAY CAUSE CAN TO BURST.

#### DISPOSAL:

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL REGULATIONS.

HAZARD(S) NOT OTHERWISE CLASSIFIED (HNOC): NONE KNOWN.

#### SUPPLEMENTAL INFORMATION:

WHEN EXPOSED TO EXTREME HEAT OR HOT SURFACES, VAPORS MAY DECOMPOSE TO HARMFUL OR FATAL CORROSIVE GASES SUCH AS HYDROGEN FLUORIDE, HYDROGEN CHLORIDE, AND POSSIBLY PHOSGENE.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

A top

## MIXTURES:

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS NUMBER	%
TETRACHLOROETHYLENE PERCHLOROETHYLENE		127-18-4	80 - 90
TRANS-1,2- DICHLOROETHYLENE		156-60-5	5 - 10
CARBON DIOXIDE		124-38-9	1 - 3
DECAFLUOROPENTANE	HFC 43-10MEE	138495-42-8	1 - 3

SPECIFIC CHEMICAL IDENTITY AND/OR PERCENTAGE OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

# 4. FIRST-AID MEASURES

A top

#### INHALATION:

REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.

#### SKIN CONTACT:

REMOVE CONTAMINATED CLOTHING IMMEDIATELY AND WASH SKIN WITH SOAP AND WATER.

IN CASE OF ECZEMA OR OTHER SKIN DISORDERS:

SEEK MEDICAL ATTENTION AND TAKE ALONG THESE INSTRUCTIONS. WASH CONTAMINATED CLOTHING BEFORE REUSE.

#### EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

#### INGESTION:

RINSE MOUTH. IF INGESTION OF A LARGE AMOUNT DOES OCCUR, CALL A POISON CONTROL CENTER IMMEDIATELY. DO NOT INDUCE VOMITING.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:
MAY CAUSE DROWSINESS AND DIZZINESS. HEADACHE. NAUSEA, VOMITING. IRRITATION
OF EYES. EXPOSED INDIVIDUALS MAY EXPERIENCE EYE TEARING, REDNESS, AND
DISCOMFORT. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN. MAY CAUSE AN
ALLERGIC SKIN REACTION. DERMATITIS. RASH.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: PROVIDE GENERAL SUPPORTIVE MEASURES AND TREAT SYMPTOMATICALLY. KEEP VICTIM UNDER OBSERVATION. SYMPTOMS MAY BE DELAYED.

GENERAL INFORMATION:

#### IF EXPOSED OR CONCERNED:

GET MEDICAL ADVICE/ATTENTION. ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL(S) INVOLVED, AND TAKE PRECAUTIONS TO PROTECT THEMSELVES. WASH CONTAMINATED CLOTHING BEFORE REUSE.

## 5. FIRE-FIGHTING MEASURES

A top

SUITABLE EXTINGUISHING MEDIA:

WATER SPRAY. WATER FOG. FOAM. DRY CHEMICAL POWDER. CARBON DIOXIDE (CO2).

UNSUITABLE EXTINGUISHING MEDIA:

DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

PRESSURIZED CONTAINER MAY RUPTURE WHEN EXPOSED TO HEAT OR FLAME. DURING FIRE, GASES HAZARDOUS TO HEALTH MAY BE FORMED. WHEN EXPOSED TO EXTREME HEAT OR HOT SURFACES, VAPORS MAY DECOMPOSE TO HARMFUL OR FATAL CORROSIVE GASES SUCH AS HYDROGEN FLUORIDE, HYDROGEN CHLORIDE, AND POSSIBLY PHOSGENE.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS: FIREFIGHTERS MUST USE STANDARD PROTECTIVE EQUIPMENT INCLUDING FLAME RETARDANT COAT, HELMET WITH FACE SHIELD, GLOVES, RUBBER BOOTS, AND IN ENCLOSED SPACES, SCBA.

FIRE FIGHTING EQUIPMENT/INSTRUCTIONS:

IN CASE OF FIRE:

STOP LEAK IF SAFE TO DO SO. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO SO WITHOUT RISK. CONTAINERS SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILD UP.

GENERAL FIRE HAZARDS:

CONTENTS UNDER PRESSURE. PRESSURIZED CONTAINER MAY RUPTURE WHEN EXPOSED TO HEAT OR FLAME.

## **6. ACCIDENTAL RELEASE MEASURES**



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: KEEP UNNECESSARY PERSONNEL AWAY. MANY GASES ARE HEAVIER THAN AIR AND

WILL SPREAD ALONG GROUND AND COLLECT IN LOW OR CONFINED AREAS (SEWERS, BASEMENTS, TANKS). WEAR APPROPRIATE PROTECTIVE EQUIPMENT AND CLOTHING DURING CLEAN-UP. AVOID BREATHING MIST OR VAPOR. EMERGENCY PERSONNEL NEED SELF-CONTAINED BREATHING EQUIPMENT. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. VENTILATE CLOSED SPACES BEFORE ENTERING THEM. LOCAL AUTHORITIES SHOULD BE ADVISED IF SIGNIFICANT SPILLAGES CANNOT BE CONTAINED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:
ELIMINATE ALL IGNITION SOURCES (NO SMOKING, FLARES, SPARKS, OR FLAMES IN
IMMEDIATE AREA). KEEP COMBUSTIBLES (WOOD, PAPER, OIL, ETC.) AWAY FROM
SPILLED MATERIAL. THIS PRODUCT IS MISCIBLE IN WATER. THIS MATERIAL IS
CLASSIFIED AS A WATER POLLUTANT UNDER THE CLEAN WATER ACT AND SHOULD BE
PREVENTED FROM CONTAMINATING SOIL OR FROM ENTERING SEWAGE AND DRAINAGE
SYSTEMS WHICH LEAD TO WATERWAYS. PUT MATERIAL IN SUITABLE, COVERED, LABELED
CONTAINERS.

#### ENVIRONMENTAL PRECAUTIONS:

AVOID RELEASE TO THE ENVIRONMENT. INFORM APPROPRIATE MANAGERIAL OR SUPERVISORY PERSONNEL OF ALL ENVIRONMENTAL RELEASES. PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. AVOID DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND.

#### 7. HANDLING AND STORAGE



PRECAUTIONS FOR SAFE HANDLING:

OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

#### PRESSURIZED CONTAINER:

DO NOT PIERCE OR BURN, EVEN AFTER USE. DO NOT USE IF SPRAY BUTTON IS MISSING OR DEFECTIVE. DO NOT SPRAY ON A NAKED FLAME OR ANY OTHER INCANDESCENT MATERIAL. DO NOT SMOKE WHILE USING OR UNTIL SPRAYED SURFACE IS THOROUGHLY DRY. DO NOT CUT, WELD, SOLDER, DRILL, GRIND, OR EXPOSE CONTAINERS TO HEAT, FLAME, SPARKS, OR OTHER SOURCES OF IGNITION. USE CAUTION AROUND ENERGIZED EQUIPMENT. THE METAL CONTAINER WILL CONDUCT ELECTRICITY IF IT CONTACTS A LIVE SOURCE. THIS MAY RESULT IN INJURY TO THE USER FROM ELECTRICAL SHOCK AND/OR FLASH FIRE. AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED EXPOSURE. SHOULD BE HANDLED IN CLOSED SYSTEMS, IF POSSIBLE. USE ONLY IN WELL-VENTILATED AREAS. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. AVOID RELEASE TO THE ENVIRONMENT. OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES. FOR PRODUCT USAGE INSTRUCTIONS, SEE THE PRODUCT LABEL.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: LEVEL 1 AEROSOL.

CONTENTS UNDER PRESSURE. DO NOT EXPOSE TO HEAT OR STORE AT TEMPERATURES ABOVE 120 DEG. F/49 DEG. C AS CAN MAY BURST. DO NOT PUNCTURE, INCINERATE OR CRUSH. DO NOT HANDLE OR STORE NEAR AN OPEN FLAME, HEAT OR OTHER SOURCES OF IGNITION. STORE IN A WELL-VENTILATED PLACE.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



OCCUPATIONAL EXPOSURE LIMITS:

THE FOLLOWING CONSTITUENTS ARE THE ONLY CONSTITUENTS OF THE PRODUCT WHICH HAVE A PEL, TLV OR OTHER RECOMMENDED EXPOSURE LIMIT. AT THIS TIME, THE OTHER CONSTITUENTS HAVE NO KNOWN EXPOSURE LIMITS.

US. OSHA TABLE Z-1 LIMITS FOR AIR CONTAMINANTS (29 CFR 1910.1000):

COMPONENTS TYPE VALUE

CARBON DIOXIDE PEL 9000 MG/M3

(CAS 124-38-9) 5000 PPM

TRANS-1,2-DICHLOROETHYLENE PEL 790 MG/M3 (CAS 156-60-5) 200 PPM

US. OSHA TABLE Z-2 (29 CFR 1910.1000):

COMPONENTS TYPE VALUE

TETRACHLOROETHYLENE CEILING 200 PPM (CAS 127-18-4) TWA 100 PPM

US. ACGIH THRESHOLD LIMIT VALUES:

COMPONENTS TYPE VALUE

CARBON DIOXIDE STEL 30000 PPM (CAS 124-38-9) TWA 5000 PPM

TETRACHLOROETHYLENE STEL 100 PPM (CAS 127-18-4) TWA 25 PPM

TRANS-1,2-DICHLOROETHYLENE TWA 200 PPM

(CAS 156-60-5)

US. NIOSH: POCKET GUIDE TO CHEMICAL HAZARDS

COMPONENTS TYPE VALUE

CARBON DIOXIDE STEL 54000 MG/M3 (CAS 124-38-9) 30000 PPM

TWA 9000 MG/M3 5000 PPM

TRANS-1,2-DICHLOROETHYLENE TWA 790 MG/M3 (CAS 156-60-5) 200 PPM

BIOLOGICAL LIMIT VALUES:

ACGIH BIOLOGICAL EXPOSURE INDICES:

COMPONENTS VALUE DETERMINANT SPECIMEN SAMPLING TIME

TETRACHLOROETHYLENE 0.5 MG/L TETRACHLOROETHYLENE BLOOD \*

(CAS 127-18-4)

3 PPM TETRACHLOROETHYLENE END-EXHALED \*

AIR

 $\star$  - FOR SAMPLING DETAILS, PLEASE SEE THE SOURCE DOCUMENT.

EXPOSURE GUIDELINES:

US - MINNESOTA HAZ SUBS SKIN DESIGNATION APPLIES

TETRACHLOROETHYLENE (CAS 127-18-4) SKIN DESIGNATION APPLIES.

## APPROPRIATE ENGINEERING CONTROLS:

GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS. IF APPLICABLE, USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. IF EXPOSURE LIMITS HAVE NOT BEEN ESTABLISHED, MAINTAIN AIRBORNE LEVELS TO AN ACCEPTABLE LEVEL. EYE WASH FOUNTAIN AND EMERGENCY SHOWERS ARE RECOMMENDED.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES).

SKIN PROTECTION:

HAND PROTECTION:

WEAR PROTECTIVE GLOVES SUCH AS: POLYVINYL ALCOHOL (PVA). VITON/BUTYL.

OTHER: WEAR APPROPRIATE CHEMICAL RESISTANT CLOTHING.

#### RESPIRATORY PROTECTION:

IF ENGINEERING CONTROLS ARE NOT FEASIBLE OR IF EXPOSURE EXCEEDS THE APPLICABLE EXPOSURE LIMITS, USE A NIOSH-APPROVED CARTRIDGE RESPIRATOR WITH AN ORGANIC VAPOR CARTRIDGE. USE A SELF-CONTAINED BREATHING APPARATUS IN CONFINED SPACES AND FOR EMERGENCIES. AIR MONITORING IS NEEDED TO DETERMINE ACTUAL EMPLOYEE EXPOSURE LEVELS.

THERMAL HAZARDS:

WEAR APPROPRIATE THERMAL PROTECTIVE CLOTHING, WHEN NECESSARY.

GENERAL HYGIENE CONSIDERATIONS:

OBSERVE ANY MEDICAL SURVEILLANCE REQUIREMENTS. WHEN USING DO NOT SMOKE. ALWAYS OBSERVE GOOD PERSONAL HYGIENE MEASURES, SUCH AS WASHING AFTER HANDLING THE MATERIAL AND BEFORE EATING, DRINKING, AND/OR SMOKING. ROUTINELY WASH WORK CLOTHING AND PROTECTIVE EQUIPMENT TO REMOVE CONTAMINANTS. CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

A top

APPEARANCE:

PHYSICAL STATE: LIQUID.

FORM: AEROSOL.

COLOR: COLORLESS.

ODOR: SOLVENT.

ODOR THRESHOLD: NOT AVAILABLE.

PH: NOT AVAILABLE.

MELTING POINT/FREEZING POINT: -119.2 DEG. F (-84 DEG. C) ESTIMATED

INITIAL BOILING POINT AND BOILING RANGE: 119.7 DEG. F (48.7 DEG. C) ESTIMATED

FLASH POINT: NONE (TAG CLOSED CUP)

EVAPORATION RATE: FAST.

FLAMMABILITY (SOLID, GAS): NOT AVAILABLE.

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: FLAMMABILITY LIMIT - LOWER (%): 6.7% ESTIMATED FLAMMABILITY LIMIT - UPPER (%): 18% ESTIMATED

VAPOR PRESSURE: 1429.7 HPA ESTIMATED

VAPOR DENSITY: >4 (AIR = 1)

RELATIVE DENSITY: 1.58

SOLUBILITY (IES):

SOLUBILITY (WATER): SLIGHT.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT AVAILABLE.

AUTO-IGNITION TEMPERATURE: 860 DEG. F (460 DEG. C) ESTIMATED

DECOMPOSITION TEMPERATURE: NOT AVAILABLE.

PERCENT VOLATILE: 97.6% ESTIMATED

#### 10. STABILITY AND REACTIVITY



REACTIVITY:

THE PRODUCT IS STABLE AND NON-REACTIVE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT.

CHEMICAL STABILITY: MATERIAL IS STABLE UNDER NORMAL CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS:

NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.

CONDITIONS TO AVOID:

HEAT, FLAMES AND SPARKS. CONTACT WITH INCOMPATIBLE MATERIALS. WHEN EXPOSED TO EXTREME HEAT OR HOT SURFACES, VAPORS MAY DECOMPOSE TO HARMFUL OR FATAL CORROSIVE GASES SUCH AS HYDROGEN FLUORIDE, HYDROGEN CHLORIDE, AND POSSIBLY PHOSGENE.

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS:

HYDROGEN CHLORIDE. HYDROGEN FLUORIDE. PHOSGENE. CARBON OXIDES.

# 11. TOXICOLOGICAL INFORMATION



INFORMATION ON LIKELY ROUTES OF EXPOSURE:

INHALATION:

MAY CAUSE DROWSINESS AND DIZZINESS. HEADACHE. NAUSEA, VOMITING. PROLONGED INHALATION MAY BE HARMFUL.

SKIN CONTACT: CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION.

EYE CONTACT: CAUSES EYE IRRITATION.

INGESTION:

INGESTION OF LARGE AMOUNTS MAY PRODUCE GASTROINTESTINAL DISTURBANCES INCLUDING IRRITATION, NAUSEA, AND DIARRHEA.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

MAY CAUSE DROWSINESS AND DIZZINESS. HEADACHE. NAUSEA, VOMITING. IRRITATION OF EYES. EXPOSED INDIVIDUALS MAY EXPERIENCE EYE TEARING, REDNESS, AND DISCOMFORT. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN. MAY CAUSE AN ALLERGIC SKIN REACTION. DERMATITIS. RASH.

INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY: NOT KNOWN.

COMPONENTS SPECIES TEST RESULTS

DECAFLUOROPENTANE (CAS 138495-42-8):

ACUTE:

DERMAL:

LD50 RABBIT >5000 MG/KG

TNHALATION:

LC50 RAT 11058 MG/KG, 4 HOURS CALCULATED

ORAL:

LD50 RAT >5000 MG/KG

TETRACHLOROETHYLENE (CAS 127-18-4):

ACUTE:

DERMAL:

LD50 RABBIT >3228 MG/KG

ORAL:

LD50 RAT 2629 MG/KG

TRANS-1,2-DICHLOROETHYLENE (CAS 156-60-5):

ACUTE:

ORAL:

LD50 RAT 1235 MG/KG

\* ESTIMATES FOR PRODUCT MAY BE BASED ON ADDITIONAL COMPONENT DATA NOT SHOWN.

SKIN CORROSION/IRRITATION: CAUSES SKIN IRRITATION.

SERIOUS EYE DAMAGE/EYE IRRITATION: CAUSES EYE IRRITATION.

RESPIRATORY OR SKIN SENSITIZATION:

RESPIRATORY SENSITIZATION: NOT A RESPIRATORY SENSITIZER. SKIN SENSITIZATION: MAY CAUSE AN ALLERGIC SKIN REACTION.

GERM CELL MUTAGENICITY:

NO DATA AVAILABLE TO INDICATE PRODUCT OR ANY COMPONENTS PRESENT AT GREATER THAN 0.1% ARE MUTAGENIC OR GENOTOXIC.

CARCINOGENICITY: MAY CAUSE CANCER.

IARC MONOGRAPHS. OVERALL EVALUATION OF CARCINOGENICITY: TETRACHLOROETHYLENE (CAS 127-18-4): 2A PROBABLY CARCINOGENIC TO HUMANS.

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1052): NOT REGULATED.

US. NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS:

TETRACHLOROETHYLENE (CAS 127-18-4):

REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGEN.

REPRODUCTIVE TOXICITY:

THIS PRODUCT IS NOT EXPECTED TO CAUSE REPRODUCTIVE OR DEVELOPMENTAL EFFECTS.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE:

MAY CAUSE DROWSINESS AND DIZZINESS.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: NOT CLASSIFIED.

ASPIRATION HAZARD:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET. MAY BE AN ASPIRATION HAZARD.

CHRONIC EFFECTS:

PROLONGED INHALATION MAY BE HARMFUL. PROLONGED EXPOSURE MAY CAUSE CHRONIC EFFECTS.

## 12. ECOLOGICAL INFORMATION

A top

ECOTOXICITY: TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

COMPONENTS SPECIES TEST RESULTS

DECAFLUOROPENTANE (CAS 138495-42-8):

AQUATIC:

ACUTE:

CRUSTACEA EC50 WATER FLEA (DAPHNIA MAGNA) 11.7 MG/L, 48 HOURS

FISH LC50 ZEBRA DANIO (DANIO RERIO) 13 MG/L, 96 HOURS

TETRACHLOROETHYLENE (CAS 127-18-4):

AQUATIC:

FISH LC50 RAINBOW TROUT, 4.73 - 5.27 Mg/L, 96 HOURS

DONALDSON TROUT

(ONCORHYNCHUS MYKISS)

TRANS-1, 2-DICHLOROETHYLENE (CAS 156-60-5):

AQUATIC:

FISH LC50 BLUEGILL 120 - 160 Mg/L, 96 HOURS

(LEPOMIS MACROCHIRUS)

ACUTE:

CRUSTACEA EC50 WATER FLEA (DAPHNIA MAGNA) 220 MG/L, 48 HOURS

 $\star$  ESTIMATES FOR PRODUCT MAY BE BASED ON ADDITIONAL COMPONENT DATA NOT SHOWN.

PERSISTENCE AND DEGRADABILITY:

NO DATA IS AVAILABLE ON THE DEGRADABILITY OF THIS PRODUCT.

BIOACCUMULATIVE POTENTIAL: NO DATA AVAILABLE.

PARTITION COEFFICIENT N-OCTANOL / WATER (LOG KOW):

DECAFLUOROPENTANE: 2.7, POW AT 20 DEG. C

TETRACHLOROETHYLENE: 2.88

TRANS-1, 2-DICHLOROETHYLENE: 2.06

MOBILITY IN SOIL: NO DATA AVAILABLE.

OTHER ADVERSE EFFECTS:

NO OTHER ADVERSE ENVIRONMENTAL EFFECTS (E.G. OZONE DEPLETION, PHOTOCHEMICAL OZONE CREATION POTENTIAL, ENDOCRINE DISRUPTION, GLOBAL WARMING POTENTIAL) ARE EXPECTED FROM THIS COMPONENT.

#### 13. DISPOSAL CONSIDERATIONS



THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS HAZARDOUS WASTE. CONSULT AUTHORITIES BEFORE DISPOSAL. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE, INCINERATE OR CRUSH. DO NOT ALLOW THIS MATERIAL TO DRAIN INTO SEWERS/WATER SUPPLIES. DO NOT CONTAMINATE PONDS, WATERWAYS OR DITCHES WITH CHEMICAL OR USED CONTAINER. DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

HAZARDOUS WASTE CODE:

D039: WASTE TETRACHLOROETHYLENE

F001:

WASTE HALOGENATED SOLVENT - SPENT HALOGENATED SOLVENT USED IN DEGREASING

F002: WASTE HALOGENATED SOLVENT - SPENT HALOGENATED SOLVENT

CONTAMINATED PACKAGING:

SINCE EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED. EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL.

## 14. TRANSPORT INFORMATION

A top

DOT:

UN NUMBER: UN1950

UN PROPER SHIPPING NAME: AEROSOLS, POISON, LIMITED QUANTITY

TRANSPORT HAZARD CLASS(ES):

CLASS: 2.2

SUBSIDIARY RISK: 6.1 (PGIII)

LABEL(S): 2.2, 6.1

PACKING GROUP: NOT APPLICABLE.

SPECIAL PRECAUTIONS FOR USER:

READ SAFETY INSTRUCTIONS, SDS AND EMERGENCY PROCEDURES BEFORE HANDLING.

PACKAGING EXCEPTIONS: 306

PACKAGING NON BULK: NONE

PACKAGING BULK: NONE

IATA:

UN NUMBER: UN1950

UN PROPER SHIPPING NAME:

AEROSOLS, NON-FLAMMABLE, CONTAINING SUBSTANCES IN DIVISION 6.1,

PACKING GROUP III

TRANSPORT HAZARD CLASS(ES):

CLASS: 2.2

SUBSIDIARY RISK: 6.1

PACKING GROUP: NOT APPLICABLE.

ERG CODE: 2P

SPECIAL PRECAUTIONS FOR USER:

READ SAFETY INSTRUCTIONS, SDS AND EMERGENCY PROCEDURES BEFORE HANDLING.

OTHER INFORMATION:

PASSENGER AND CARGO AIRCRAFT: ALLOWED WITH RESTRICTIONS. CARGO AIRCRAFT ONLY: ALLOWED WITH RESTRICTIONS.

IMDG:

UN NUMBER: UN1950

UN PROPER SHIPPING NAME: AEROSOLS

TRANSPORT HAZARD CLASS(ES):

CLASS: 2

SUBSIDIARY RISK: 6.1

PACKING GROUP: NOT APPLICABLE.

ENVIRONMENTAL HAZARDS: MARINE POLLUTANT: NO.

EMS: NOT AVAILABLE.

SPECIAL PRECAUTIONS FOR USER:

READ SAFETY INSTRUCTIONS, SDS AND EMERGENCY PROCEDURES BEFORE HANDLING.

#### 15. REGULATORY INFORMATION

A top

US FEDERAL REGULATIONS:

ALL COMPONENTS ARE ON THE U.S. EPA TSCA INVENTORY LIST.

THIS PRODUCT IS A "HAZARDOUS CHEMICAL" AS DEFINED BY THE OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200.

TSCA SECTION 12(B) EXPORT NOTIFICATION (40 CFR 707, SUBPT. D):

DECAFLUOROPENTANE (CAS 138495-42-8):
1.0% ONE-TIME EXPORT NOTIFICATION ONLY.

SARA 304 EMERGENCY RELEASE NOTIFICATION: NOT REGULATED.

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1052): NOT REGULATED.

US EPCRA (SARA TITLE III) SECTION 313 - TOXIC CHEMICAL LISTED SUBSTANCE

TETRACHLOROETHYLENE (CAS 127-18-4)

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4): TETRACHLOROETHYLENE (CAS 127-18-4): LISTED. TRANS-1,2-DICHLOROETHYLENE (CAS 156-60-5): LISTED.

CERCLA HAZARDOUS SUBSTANCES

REPORTABLE QUANTITY

TETRACHLOROETHYLENE (CAS 127-18-4)

100 LBS

TRANS-1,2-DICHLOROETHYLENE (CAS 156-60-5)

1000 LBS

SPILLS OR RELEASES RESULTING IN THE LOSS OF ANY INGREDIENT AT OR ABOVE ITS RQ REQUIRE IMMEDIATE NOTIFICATION TO THE NATIONAL RESPONSE CENTER (800-424-8802) AND TO YOUR LOCAL EMERGENCY PLANNING COMMITTEE.

OTHER FEDERAL REGULATIONS:

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPS) LIST: TETRACHLOROETHYLENE (CAS 127-18-4)

CLEAN AIR ACT (CAA) SECTION 112(R) ACCIDENTAL RELEASE PREVENTION

(40 CFR 68.130): NOT REGULATED.

SAFE DRINKING WATER ACT (SDWA): NOT REGULATED.

FOOD AND DRUG ADMINISTRATION (FDA): NOT REGULATED.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA):

CLASSIFIED HAZARD CATEGORIES:

GAS UNDER PRESSURE

ACUTE TOXICITY (ANY ROUTE OF EXPOSURE)

SKIN CORROSION OR IRRITATION

SERIOUS EYE DAMAGE OR EYE IRRITATION

RESPIRATORY OR SKIN SENSITIZATION

CARCINOGENICITY

SPECIFIC TARGET ORGAN TOXICITY (SINGLE OR REPEATED EXPOSURE)

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE: NOT LISTED.

SARA 313 (TRI REPORTING):

CHEMICAL NAME CAS NUMBER % BY WT.

TETRACHLOROETHYLENE 127-18-4 80 - 90

US STATE REGULATIONS:

US. NEW JERSEY WORKER AND COMMUNITY RIGHT-TO-KNOW ACT:

CARBON DIOXIDE (CAS 124-38-9)

TETRACHLOROETHYLENE (CAS 127-18-4)

TRANS-1, 2-DICHLOROETHYLENE (CAS 156-60-5)

US. MASSACHUSETTS RTK - SUBSTANCE LIST:

CARBON DIOXIDE (CAS 124-38-9)

TETRACHLOROETHYLENE (CAS 127-18-4)

TRANS-1,2-DICHLOROETHYLENE (CAS 156-60-5)

US. PENNSYLVANIA WORKER AND COMMUNITY RIGHT-TO-KNOW LAW:

CARBON DIOXIDE (CAS 124-38-9)

TETRACHLOROETHYLENE (CAS 127-18-4)

TRANS-1, 2-DICHLOROETHYLENE (CAS 156-60-5)

US. RHODE ISLAND RTK:

CARBON DIOXIDE (CAS 124-38-9)

TETRACHLOROETHYLENE (CAS 127-18-4)

TRANS-1, 2-DICHLOROETHYLENE (CAS 156-60-5)

CALIFORNIA PROPOSITION 65:

#### WARNING:

THIS PRODUCT CAN EXPOSE YOU TO TETRACHLOROETHYLENE, WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. FOR MORE INFORMATION GO TO WWW.P65WARNINGS.CA.GOV.

CALIFORNIA PROPOSITION 65 - CRT LISTED DATE/CARCINOGENIC SUBSTANCE

TETRACHLOROETHYLENE (CAS 127-18-4) LISTED: APRIL 1, 1988

US. CALIFORNIA. CANDIDATE CHEMICALS LIST. SAFER CONSUMER PRODUCTS REGULATIONS (CAL. CODE REGS, TIT. 22, 69502.3, SUBD. (A)):

TETRACHLOROETHYLENE (CAS 127-18-4)

TRANS-1, 2-DICHLOROETHYLENE (CAS 156-60-5)

VOLATILE ORGANIC COMPOUNDS (VOC) REGULATIONS:

#### EPA:

VOC CONTENT (40 CFR 51.100(S)): 7.8%

CONSUMER PRODUCTS (40 CFR 59, SUBPT. C): NOT REGULATED

#### STATE:

#### CONSUMER PRODUCTS:

THIS PRODUCT IS REGULATED AS A GENERAL PURPOSE DEGREASER (AEROSOL). THIS PRODUCT IS NOT COMPLIANT TO BE SOLD FOR USE IN CALIFORNIA, CONNECTICUT, DELAWARE, THE DISTRICT OF COLUMBIA, ILLINOIS, INDIANA, MAINE, MARYLAND, MASSACHUSETTS, MICHIGAN, NEW JERSEY, NEW YORK, AND RHODE ISLAND. THIS PRODUCT IS COMPLIANT IN ALL OTHER STATES.

VOC CONTENT (CA): 9.8%

VOC CONTENT (OTC): 7.8%

#### INTERNATIONAL INVENTORIES:

COUNTRY(S) OR REGION	INVENTORY NAME	ON INVENTORY (YES/NO)*
AUSTRALIA	AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS)	YES
CANADA	DOMESTIC SUBSTANCES LIST (DSL)	NO
CANADA	NON-DOMESTIC SUBSTANCES LIST (NDSL)	YES
CHINA	INVENTORY OF EXISTING CHEMICAL SUBSTANCES IN CHINA (IECSC)	YES
EUROPE	EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES (EINECS)	NO
EUROPE	EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES (ELINCS)	NO
JAPAN	INVENTORY OF EXISTING AND NEW CHEMICAL SUBSTANCES (ENCS)	YES
KOREA	EXISTING CHEMICALS LIST (ECL)	YES
NEW ZEALAND	NEW ZEALAND INVENTORY	YES
PHILIPPINES	PHILIPPINE INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES (PICCS)	YES
TAIWAN	TAIWAN TOXIC CHEMICAL SUBSTANCES (TCS)	YES
UNITED STATES & PUERTO RICO	TOXIC SUBSTANCES CONTROL ACT (TSCA) INVENTORY	YES

<sup>\*</sup>A "YES" INDICATES THAT ALL COMPONENTS OF THIS PRODUCT COMPLY WITH THE INVENTORY REQUIREMENTS ADMINISTERED BY THE GOVERNING COUNTRY(S)

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION

A top

OR LAST REVISION

ISSUE DATE: 03-11-2016

REVISION DATE: 12-19-2017

PREPARED BY: ALLISON YOON

A "NO" INDICATES THAT ONE OR MORE COMPONENTS OF THE PRODUCT ARE NOT LISTED OR EXEMPT FROM LISTING ON THE INVENTORY ADMINISTERED BY THE GOVERNING COUNTRY(S).

VERSION #: 03

FURTHER INFORMATION: CRC # 894A/1002879

HMIS(R\*) RATINGS:

HEALTH 2\*
FLAMMABILITY 1
PHYSICAL HAZARD 0
PERSONAL PROTECTION B

NFPA RATINGS:

HEALTH 2 FLAMMABILITY 1

INSTABILITY 0

NFPA RATINGS:

2

1

#### DISCLAIMER:

THE INFORMATION CONTAINED IN THIS DOCUMENT APPLIES TO THIS SPECIFIC MATERIAL AS SUPPLIED. IT MAY NOT BE VALID FOR THIS MATERIAL IF IT IS USED IN COMBINATION WITH ANY OTHER MATERIALS. THIS INFORMATION IS ACCURATE TO THE BEST OF CRC'S KNOWLEDGE OR OBTAINED FROM SOURCES BELIEVED BY CRC TO BE ACCURATE. BEFORE USING ANY PRODUCT, READ ALL WARNINGS AND DIRECTIONS ON THE LABEL. FOR FURTHER CLARIFICATION OF ANY INFORMATION CONTAINED ON THIS (M) SDS CONSULT YOUR SUPERVISOR, A HEALTH & SAFETY PROFESSIONAL, OR CRC INDUSTRIES, INC..

#### REVISION INFORMATION:

THIS DOCUMENT HAS UNDERGONE SIGNIFICANT CHANGES AND SHOULD BE REVIEWED IN ITS ENTIRETY.

MATERIAL NAME: HEAVY DUTY DEGREASER

SDS US