

Section 1: Product & Company Identification

Product Name: HydroForce® All-Purpose Cleaner/Degreaser (Aerosol)

Product Number (s): 14406

Manufactured By: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 www.crcindustries.com

 General Information
 (215) 674-4300

 Technical Assistance
 (800) 521-3168

 Customer Service
 (800) 272-4620

 24-Hr Emergency (CHEMTREC)
 (800) 424-9300

Section 2: Hazards Identification

Emergency Overview

Appearance & Odor: Pale amber liquid, pleasant odor

CAUTION

May Cause Eye Irritation. Contents under Pressure.

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

Potential Health Effects:

| EYE: | May cause mild irritation including redness and burning. |
|------------------|---|
| SKIN: | No adverse effects expected for a single exposure. Prolonged or repeated contact can cause irritation and defatting of the skin. |
| INHALATION: | Inhalation of a small amount is not expected to cause health effects. Prolonged exposure may cause dizziness or throat irritation. |
| INGESTION: | Ingestion of a small amount is not expected to cause health effects. Ingestion of a larger amount may cause irritation to gastrointestinal tract as well as more severe health effects including blood disorders. |
| CHRONIC EFFECTS: | None known |
| TARGET ORGANS: | By ingestion: Blood, liver, kidneys. |

Medical Conditions Aggravated by Exposure:

Pre-existing skin or eye disorders

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

| COMPONENT | CAS NUMBER | % by Wt. |
|-------------------------------|-------------|----------|
| Water | 7732-18-5 | 70 - 80 |
| 2-Butoxyethanol | 111-76-2 | 6 - 8 |
| Dioctyl sodium sulfosuccinate | 577-11-7 | 2 - 5 |
| Detergent blend | proprietary | 5 - 10 |
| Liquefied Petroleum Gas | 68476-86-8 | 3 - 8 |

Section 4: First Aid Measures

| Eye Contact: | Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists. |
|---------------------|---|
| Skin Contact: | Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use. |
| Inhalation: | Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician. |
| Ingestion: | Do not induce vomiting. Call a physician. |
| Note to Physicians: | This product contains 2-Butoxyethanol which, if ingested in significant quantities, may result in red blood cell hemolysis. |

Section 5: Fire-Fighting Measures

| Flammable Properties: | This product is non-flammable in accordance with aerosol flammability definitions (16 CFR 1500.3(c)(6)). | | |
|---|--|--|----------|
| Flash Point: Autoignition Temperature: | None None | Upper Explosive Limit: Lower Explosive Limit: | ND ND |
| Suitable Extinguishing Media: | Use extinguishing agents appropriate for surrounding fire. | | |
| Products of Combustion: | None | | |
| Protection of Fire-Fighters: | Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper ey and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition. | | |

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

| Environmental Precautions: | | Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains. | | |
|-------------------------------------|--|---|--|--|
| Methods for Containment & Clean-up: | | Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers. | | |

Section 7: Handling and Storage

| Handling Procedures: | Use with adequate ventilation. Avoid contact with skin and eyes. Wash hands after use. Do not expose aerosol containers to heat or flame. Do not incinerate container. |
|------------------------|--|
| Storage Procedures: | Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to prevent cans from rupturing. Keep out of reach of children. |
| Aerosol Storage Level: | 1 |

Aerosol Storage Level:

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

| | 05 | SHA | AC | GIH | 01 | HER | |
|-------------------------------|--------|---------------|---------|--------|-----------|------------|------|
| COMPONENT | TWA | STEL | TWA | STEL | TWA | SOURC E | UNIT |
| Water | NE | NE | NE | NE | NE | | |
| 2-Butoxyethanol | 50 (s) | NE | 20 | NE | NE | | ppm |
| Dioctyl sodium sulfosuccinate | NE | NE | NE | NE | NE | | |
| Detergent blend | NE | NE | NE | NE | NE | | |
| Liquefied Petroleum Gas | 1000 | NE | 1000 | NE | NE | | ppm |
| N.E. – Not Established | | (c) – ceiling | g (s) – | skin (| v) – vaca | ted | |

Engineering Controls: Area should have ventilation to provide fresh air. Use local exhaust to prevent accumulation of vapors. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations None required for normal work where adequate ventilation is provided. Use NIOSH-**Respiratory Protection:** approved self-contained positive pressure respirators in low circulation areas and for emergencies. For normal conditions, wear safety glasses. Where there is reasonable probability of liquid Eye/face Protection: contact, wear splash-proof goggles. Use protective gloves such as nitrile or rubber. Also use full protective clothing if there is Skin Protection: prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

| Physical State: liquid | | | | | | |
|--------------------------------|---------------|-------|--------------|-----|------------------|------|
| Color: pale amber | | | | | | |
| Odor: pleasant | | | | | | |
| Specific Gravity: 0.9992 | | | | | | |
| Initial Boiling Point: ~ 212 F | | | | | | |
| Freezing Point: ~ 30 F | | | | | | |
| Vapor Pressure: ND | | | | | | |
| Vapor Density: > 1 | (air = 1) | | | | | |
| Evaporation Rate: < 1 | (ether = 1) | | | | | |
| Solubility: soluble in water | . , | | | | | |
| pH: 10.2 – 10.5 | | | | | | |
| Volatile Organic Compounds: | <u>wt %</u> : | 14.95 | <u>g/L</u> : | 149 | <u>lbs./gal:</u> | 1.24 |

Section 10: Stability and Reactivity

| Stability: | Stable | | |
|-------------------|-------------|----------------|---|
| Conditions to Av | oid: | | om heat and direct sunlight. Do not touch container to live electrical tainer will conduct electricity. Dropping of containers may cause bursting. |
| Incompatible Ma | terials: | Strong oxidize | ers |
| Hazardous Decc | mposition F | roducts: | Carbon monoxide, carbon dioxide |
| Possibility of Ha | zardous Rea | actions: | No |

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

ACUTE EFFECTS

| <u>Component</u> | <u>Test</u> | <u>Result</u> | <u>Route</u> | <u>Species</u> |
|------------------|-------------|---------------|--------------|----------------|
| 2-Butoxyethanol | LC50 | 450 ppm/4H | Inhalation | Rat |
| 2-Butoxyethanol | LD50 | 470 mg/kg | Oral | Rat |
| 2-Butoxyethanol | LD50 | 220 mg/kg | Dermal | Rabbit |

CHRONIC EFFECTS

Carcinogenicity:

| | <u>Component</u> | <u>Result</u> |
|-------|------------------|---------------|
| OSHA: | None listed | |
| IARC: | None listed | |
| NTP: | None listed | |
| | | |

Mutagenicity: No information

Other:

er:

No information

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

| Ecotoxicity: | 2-Butoxyethanol 96 Hr LC50, Bluegill sunfish: 1490 mg/L 24 Hr LC50, daphnia: 1720 mg/L |
|---------------------------------|--|
| Persistence / Degradability: | Biodegradability according to OECD 301B = 50.5%. |
| Bioaccumulation / Accumulation: | No information |
| Mobility in Environment: | No information |

Section 13: Disposal Considerations

Disposal: The liquid product is not a RCRA hazardous waste. Aerosol containers should be emptied and depressurized before disposal. Empty containers may be recycled or discarded. Any liquids should be collected and properly disposed.

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

Section 14: Transport Information

Proper shipping description:

US DOT (ground): Consumer Commodity, ORM-D

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

| Section 311/312 Hazard Categories: | Fire Hazard | No |
|------------------------------------|-----------------------|-----|
| - | Reactive Hazard | No |
| | Release of Pressure | Yes |
| | Acute Health Hazard | Yes |
| | Chronic Health Hazard | No |

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: 2-Butoxyethanol (glycol ethers category): 7.6%

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

State Regulations

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

NONE

State Right to Know:

| New Jersey: | 111-76-2, 68476-86-8 |
|----------------|----------------------|
| Pennsylvania: | 111-76-2, 68476-86-8 |
| Massachusetts: | 111-76-2, 68476-86-8 |
| Rhode Island : | 111-76-2, 68476-86-8 |

Additional Regulatory Information: None

Section 16: Other Information

| NFPA: | Health: | 1 | Flammability: | 0 | Reactivity: | 0 | | |
|-------|---------|---|---------------|---|-------------|---|------|---|
| HMIS: | Health: | 1 | Flammability: | 0 | Reactivity: | 0 | PPE: | В |

Prepared By: Michelle Rudnick CRC #: 436F Revision Date: 6/09/2006

Changes since last revision: Removed part #14423

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

| CAS: | Chemical Abstract Service | NA: | Not Applicable | | |
|-------|---|-----------|---------------------------|--|--|
| ppm: | Parts per Million | ND: | Not Determined | | |
| TCC: | Tag Closed Cup | NE: | Not Established | | |
| PMCC: | Pensky-Martens Closed Cup | g/L: | grams per Liter | | |
| PPE: | Personal Protection Equipment | lbs./gal: | pounds per gallon | | |
| TWA: | Time Weighted Average | STEL: | Short Term Exposure Limit | | |
| OSHA: | Occupational Safety and Health Administration | | | | |
| ACGIH | American Conference of Governmental Industrial Hygienists | | | | |
| NIOSH | National Institute of Occupational Safety & Health | | | | |